

**PREVAGE ANTI AGING SPF 30- octisalate, octinoxate, oxybenzone, avobenzene, octocrylene, lotion
Revlon**

Prevage Anti-aging moisture lotion SPF 30

ACTIVE INGREDIENTS

OCTINOXATE, 7.5 %

OCTISALATE, 5.0 %

OXYBENZONE, 5.0 %

OCTOCRYLENE, 2.2 %

AVOBENZONE, 2.0 %

Inactive Ingredients

WATER/AQUA/EAU, GLYCERIN, DIMETHICONE, CETEARYL ALCOHOL, PROPYLENE GLYCOL, C12-15 ALKYL BENZOATE, PEG-40 HYDROGENATED CASTOR OIL, POTASSIUM CETYL PHOSPHATE, GLYCERYL POLYACRYLATE, GLYCERYL STEARATE, BUTYROSPERMUM PARKII (SHEA) BUTTER, CARBOMER, CYCLOHEXASILOXANE, CYCLOPENTASILOXANE, ERGOTHIONEINE, HYDROGENATED PALM GLYCERIDES, HYDROXYDECYL UBIQUINOYL DIPALMITOYL GLYCERATE, MICA, PARFUM/FRAGRANCE, POLYQUATERNIUM-51, SODIUM HYALURONATE, SODIUM HYDROXIDE, SODIUM PCA, TREHALOSE, UREA, BHT, ALPHA-ISOMETHYL IONONE, LINALOOL, BENZOIC ACID, CHLORPHENESIN, METHYLPARABEN, PHENOXYETHANOL, IRON OXIDES, YELLOW (CI 77492), RED 4 (CI 14700), TITANIUM DIOXIDE (CI 77891), YELLOW 5 (CI 19140).

Purpose

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

Apply liberally 15 minutes before sun exposure

Reapply:

- at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: Ask a doctor.
- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

PREVAGE® Anti-aging SkinCare helps protect and correct skin's appearance from environmental threats, a leading cause of visible aging signs, for younger-looking, more beautiful skin.

This high performance multi-defense moisturizer with advanced vitamin technology, a powerful environmental protectant, and broad spectrum (UVA/UVB) sunscreens, helps protect against the visible signs of aging as it minimizes the appearance of existing sun damage – fine lines, wrinkles and discolorations. Locks in moisture to enhance the benefits of PREVAGE® Anti-aging Daily Serum.

To use: Massage onto cleansed face and neck daily after PREVAGE® Anti-aging Daily Serum. See insert or elizabetharden.com for complete directions prior to first use.

Drug Facts	
Active Ingredients	Purpose
OCTINOXATE 7.5%	Sunscreen
OCTISALATE 5%	Sunscreen
OXYBENZONE 5%	Sunscreen
OCTOCRYLENE 2.2%	Sunscreen
AVOBENZONE 2%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - at least every 2 hours
 - use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor.

Inactive Ingredients

AQUAWATER/EAU, GLYCERIN, DIMETHICONE, CETEARYL ALCOHOL, PROPYLENE GLYCOL, C12-15 ALKYL BENZOATE, PEG-40 HYDROGENATED CASTOR OIL, POTASSIUM CETYL PHOSPHATE, BUTYROSPERMUM PARFI (SHEA BUTTER), GLYCETHYL STEARATE, CAPRYLYL GLYCOL, CARBOMER, CYCLOHEXASILOXANE, CYCLOPENTASILOXANE, DISODIUM EDTA, ERGOTHIONEINE, HEXYLENE GLYCOL, HYDROGENATED PALM GLYCERIDES, HYDROXYDECYLURBINOYL DIPALMITOYL GLYCERATE, IRGA, PARFUM (FRAGRANCE), POLYQUATERMIUM-51, SODIUM HYALURONATE, SODIUM HYDROXIDE, SODIUM PCA, TRESHALOSE, TRICETIN, UREA, ALPHA-ISOMETHYL IONONE, LINALOOL, BENZOIC ACID, CHLORPHENESIN, METHYLPARABEN, PHENOKYETHANOL, IRON OXIDES (CI 77489), RED 4 (CI 14700), TITANIUM DIOXIDE (CI 77891), YELLOW 5 (CI 19140), N01845

Other Information

- Protect this product from excessive heat and direct sun

Questions or comments?

- Call toll free 1-800-326-7337

preVage®

anti-aging moisture lotion
broad spectrum
sunscreen SPF 30

1.7 FL.OZ. 50 ml

PREVAGE ANTI AGING SPF 30

octisalate, octinoxate, oxybenzone, avobenzone, octocrylene, lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-686
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.2 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CARBOMER 1342 (UNII: 809Y72KV36)	
DIMETHICONE 1000 (UNII: MCU2324216)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SHEA BUTTER (UNII: K49155WL9Y)	
HYDROXYDECYL UBIQUINOYL DIPALMITOYL GLYCERATE (UNII: OV1BT2N8RC)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TREHALOSE (UNII: B8WCK70T7I)	
HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 4:1) (UNII: X8Q92E1CPM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FD&C RED NO. 4 (UNII: X3W0AM1JLX)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

ERGOTHIONEINE (UNII: BDZ3DQM98W)	
UREA (UNII: 8W8T17847W)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
2-(4-(DIETHYLAMINO)-2-HYDROXYBENZOYL)BENZOIC ACID (UNII: X4K32L28QB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-686-17	50 mL in 1 TUBE; Type 0: Not a Combination Product	01/02/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/02/2020	

Labeler - Revlon (788820165)

Establishment

Name	Address	ID/FEI	Business Operations
Englewood Lab. INC.		172198223	manufacture(10967-686)

Revised: 12/2025

Revlon