

DG 4X MEDICATED TOOTH AND GUM CREAM- benzocaine cream
Dollar General

5820606 DG 4x Medicated Toothache & Gum Cream

Benzalkonium chloride 0.13%

Benzocaine 20%

Menthol 0.26%

Zinc chloride 0.15%

Oral antiseptic

Oral pain reliever

Oral pain reliever

Oral astringent

Uses

- for the temporary relief of pain due to minor irritation or injury of the mouth and gums
- first aid to help prevent infection in minor oral irritation

Methemoglobinemia warning: use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develop

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

Do not use

- more than directed
- for more than 7 days unless told to do so by a dentist or doctor
- for teething
- in children under 2 years of age

Stop use and ask a doctor if

- symptoms do not improve in 7 days
- swelling, rash or fever develops
- irritation, pain or redness persists or worsens

Keep out reach of children. In case of overdose or allergic reaction, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

cut open tip of tube on score mark * adults and children 2 years of age and older: apply a small amount of product to the cavity and around the gum surrounding the teeth. Use up to 4 times daily or as directed by a dentist or doctor * children under 12 years of age should be supervised in the use of this product * children under 2 years of age: do not use

Other information

- do not use if tip is cut prior to opening
- avoid using toothpaste or drinking soft drinks or fruit juices for at least one hour after applying

ammonium glycyrrhizate, flavor, PEG-8, PEG-75, sodium saccharin, sorbic acid, titanium dioxide

DG™ | health Long Lasting Cream 

**4X Medicated
Toothache & Gum**
Instant Pain Relief

Oral Antiseptic, Pain Reliever, Astringent

4X Medicated Toothache & Gum
Instant Pain Relief

Oral Antiseptic, Pain Reliever, Astringent

DG™ | health **4X Medicated**

- 20% Benzocaine to Relieve Oral Pain
- Antiseptic to Kill Harmful Bacteria
- Astringent to Help Prevent Infection
- Menthol to Soothe Gums

Compare to Orajel®
4X Medicated For
Toothache &
Gum Cream*

NET WT
0.33 OZ (9.4 g)

100% Satisfaction Guaranteed!

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

A0045



* This product is not manufactured or distributed by

(888) 309-9030

This product is not manufactured or distributed by Church & Dwight Co., Inc., distributor of Orajel®.



Tamper Evident: Do not use if tip is cut prior to use

Retain carton for complete product information.

Drug Facts

Active ingredients
Benzalkonium chloride 0.13%
Menthol 0.26%
Zinc chloride 0.15%
Oral anti-septic
Oral pain reliever
Oral pain reliever
Oral anesthetic

Purpose

Warnings
Methemoglobinemia warning: use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops • pale, gray, or blue colored skin (cyanosis) • headache • rapid heart rate • shortness of breath • dizziness or lightheadedness • fatigue or lack of energy
Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics
Do not use • more than directed • for more than 7 days unless told to do so by a dentist or doctor • for teething • in children under 2 years of age
Stop use and ask a doctor if • symptoms do not improve in 7 days • swelling, rash or fever develops • irritation, pain or redness persists or worsens
Keep out of reach of children. In case of overdose or allergic reaction, get medical help or contact a Poison Control Center right away.
Directions • cut open tip of tube on score mark • adults and children 2 years of age and older: apply to a affected area up to 4 times daily or as directed by a dentist or doctor • children between 2 and 12 years of age: ask a doctor before use. Should be supervised in the use of this product • children under 2 years of age do not use
Other information • do not use if tip is cut prior to opening • avoid using to topaste or drinking soft drinks or fruit juices for at least one hour after applying
Inactive ingredients ammonium glycyrrhizate, flavor, PEG-8, PEG-75, sodium saccharin, sorbic acid, titanium dioxide

DG 4X MEDICATED TOOTH AND GUM CREAM

benzocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-660
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	0.15 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.26 g in 100 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBIC ACID (UNII: X045WJ989B)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (Cloudy White to Yellow)	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-660-09	1 in 1 CARTON	10/28/2020	
1		9.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	10/28/2020	

Labeler - Dollar General (068331990)

Registrant - Lornamead Products (119559733)

Establishment

Name	Address	ID/FEI	Business Operations
Lornamead Products		119559733	manufacture(55910-660) , pack(55910-660)

Revised: 11/2025

Dollar General