

**LISTERINE TOTAL CARE FRESH MINT ANTICAVITY- sodium fluoride mouthwash
Johnson & Johnson Consumer Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LISTERINE[®] TOTAL CARE ANTICAVITY MOUTHWASH FRESH MINT

Drug Facts

Active ingredient

Sodium fluoride 0.02% (0.01% w/v fluoride ion)

Purpose

Anticavity

Use

aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older:
 - use twice daily after brushing your teeth with a toothpaste
 - vigorously swish 10mL (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
 - do not eat or drink for 30 minutes after rinsing
 - supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

Other information

- store at room temperature
- cold weather may temporarily cloud this product

Inactive ingredients

Water, Alcohol (21.6% v/v), Sorbitol, Poloxamer 407, Eucalyptol, Flavor, Methyl Salicylate, Menthol, Phosphoric Acid, Sodium Saccharin, Thymol, Disodium Phosphate, Sucralose, Red 40, Blue 1

Questions?

Call toll-free 888-222-0182 or 215-273-8755 (collect)

Dist: Johnson & Johnson Healthcare Products

Division of McNEIL-PPC, Inc.
Skillman, NJ 08558-9418

PRINCIPAL DISPLAY PANEL - 500 mL Bottle Label

ANTICAVITY FLOURIDE MOUTHWASH

LISTERINE®

TOTAL CARE

IMPORTANT: READ DIRECTIONS FOR PROPER USE.

SODIUM FLUORIDE &

ACIDULATED PHOSPHATE TOPICAL SOLUTION

6 IN 1

BENEFITS

- 1. HELPS PREVENT CAVITIES**
- 2. RESTORES ENAMEL**
- 3. STRENGTHENS TEETH**
- 4. KILLS BAD BREATH GERMS**
- 5. CLEANS THE WHOLE MOUTH**
- 6. FRESHENS BREATH**

500 mL (16.9 Fl Oz) FRESH MINT



**HELPS PREVENT CAVITIES,
RESTORES ENAMEL,
& KILLS 99.9% OF BAD
BREATH GERMS**

30038434



ANTICAVITY FLUORIDE MOUTHWASH

LISTERINE[®]

TOTAL CARE

IMPORTANT: READ DIRECTIONS FOR PROPER USE.

SODIUM FLUORIDE &
ACIDULATED PHOSPHATE TOPICAL SOLUTION



1. HELPS PREVENT CAVITIES
2. RESTORES ENAMEL
3. STRENGTHENS TEETH
4. KILLS BAD BREATH GERMS
5. CLEANS THE WHOLE MOUTH
6. FRESHENS BREATH

30038436
500 mL (16.9 FL Oz)

FRESH MINT



Drug Facts

Active ingredient

Sodium Fluoride 0.02% (0.01% w/v Fluoride Ion).....

Purpose

Anticavity

Use aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older:
 - use twice daily after brushing your teeth with a toothpaste
 - vigorously swish 10 ml (2 teaspoonfuls) of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
 - do not eat or drink for 30 minutes after rinsing
 - supervise children as necessary until capable of using without supervision
- Children under 12 years of age: consult a dentist or doctor

Other information

- store at room temperature
- cold weather may temporarily cloud this product

Inactive ingredients Water, Alcohol (21.6% v/v), Sorbitol, Poloxamer 407, Eucalyptol, Flavor, Methyl Salicylate, Menthol, Phosphoric Acid, Sodium Saccharin, Thymol, Disodium Phosphate, Sucralose, Red 40, Blue 1

Questions? call toll-free 888-222-0182 or 215-273-8755 (collect)


Meets USP Assay Test 2.

Do not use if printed band around cap is broken or missing.

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558
© J&JCI 2017 www.listerine.com



EXP
LOT



TO OPEN: **SQUEEZE** the cap and **TURN**.

TO CLOSE: Turn cap until it locks.

The LISTERINE® bottle design is a trademark of Johnson & Johnson.



30038437

LISTERINE TOTAL CARE FRESH MINT ANTICAVITY

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0178
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	0.1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
Sorbitol (UNII: 506T60A25R)	
Poloxamer 407 (UNII: TUF2IVW3M2)	
Phosphoric Acid (UNII: E4GA8884NN)	
Eucalyptol (UNII: RV6J6604TK)	
Thymol (UNII: 3J50XA376E)	
Methyl Salicylate (UNII: LAV5U5022Y)	
Saccharin Sodium (UNII: SB8ZUX40TY)	
Menthol, Unspecified Form (UNII: L7T10EIP3A)	
Sodium Phosphate, Dibasic, Anhydrous (UNII: 22ADO53M6F)	
Sucralose (UNII: 96K6UQ3ZD4)	
FD&C Red No. 40 (UNII: WZB9127XOA)	
FD&C Blue No. 1 (UNII: HBR47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0178-3	95 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2009	
2	NDC:69968-0178-1	250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2009	
3	NDC:69968-0178-2	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2009	
4	NDC:69968-0178-4	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part355	11/01/2009	

Labeler - Johnson & Johnson Consumer Inc. (002347102)

Revised: 5/2020

Johnson & Johnson Consumer Inc.