

**PREVENT RUBBING ALCOHOL ISOPROPYL 70 PERCENT- isopropyl alcohol liquid
Eco-Med Pharmaceuticals, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Prevent+ Rubbing Alcohol Isopropyl 70% USP

DRUG FACTS

ACTIVE INGREDIENT

Isopropyl alcohol (70% v/v conc.)

PURPOSE:

First Aid Antiseptic

USES:

First aid to help prevent the risk of infection in minor cuts, scrapes and burns.

WARNINGS:

For external use only. If taken internally, serious gastric disturbances will result.

Flammable, keep away from fire or flame. Use only in a well-ventillated area; fumes may be toxic.

Ask a doctor before use

if you have deep or puncture wounds, animal bites or serious burns,

When using this product:

Do not get into eyes. Do not apply over large areas of the body.

Do not use

longer than one week unless directed by a doctor.

Stop use and ask a doctor

if condition persists or gets worse.

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away.

CAUTION:

Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.

DIRECTIONS:

Clean affected area. Apply small amount of this product on the area 1-3 times daily. If bandaged, let dry first. May be covered with a sterile bandage.

OTHER INFORMATION:

Store at room temperature. Does not contain, nor is intended as a substitute for grain or ethyl alcohol.

INACTIVE INGREDIENT:

Purified water.

Questions:

1-844-432-6633 Mon- Fri 8am - 4 pm (EST) Email: info@eco-med.com

Package Labeling:

RUBBING ALCOHOL

+

prevent

Rubbing Alcohol
Isopropyl
70% USP
First Aid Antiseptic



FLAMMABLE
DANGER

12x 500ml/16.9 fl.oz.

Manufactured by
eco-med
PHARMACEUTICAL

151 Carlingview Drive, Unit 14
Etobicoke, ON. Canada M9W 5S4
NDC ????



6 28055 65028 7





DRUG FACTS	
ACTIVE INGREDIENT: Isopropyl alcohol (70% v/v conc.).....	PURPOSE: First Aid Antiseptic
USES: First aid to help prevent the risk of infection in minor cuts, scrapes and burns.	
WARNINGS: For external use only. If taken internally, serious gastric disturbances will result. Flammable, keep away from fire or flame. Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns. When using this product: Do not get into eyes. Do not apply over large areas of the body, Do not use longer than one week unless directed by a doctor. Stop use and ask a doctor if condition persists or gets worse, Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.	
CAUTION: Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.	
DIRECTIONS: Clean affected area. Apply small amount of this product on the area 1-3 times daily. If bandaged, let dry first. May be covered with a sterile bandage.	
OTHER INFORMATION: Store at room temperature. Does not contain, nor is intended as a substitute for grain or ethyl alcohol.	
INACTIVE INGREDIENT: Purified water.	
Questions: 1-844-432-6633 Mon- Fri 8am – 4pm (EST) Email: info@eco-med.com	

Reorder: 70RAB500 **EM49-BC12**

FRONT

BACK

RUBBING ALCOHOL 
prevent

Rubbing Alcohol
 Isopropyl
 70% USP

First Aid Antiseptic



FLAMMABLE
 DANGER

500ml/16.9 fl.oz

Manufactured by

 PHARMACEUTICAL

151 Carlingview Drive, Unit 14
 Etobicoke, ON. Canada M9W 5S4

NDC ?????

DRUG FACTS

ACTIVE INGREDIENT: Isopropyl alcohol (70% v/v conc.)
PURPOSE: First Aid Antiseptic

USES:
 First aid to help prevent the risk of infection in minor cuts, scrapes and burns.

WARNINGS:
 For external use only. If taken internally, serious gastric disturbances will result. Flammable, keep away from fire or flame. Use only in a well-ventilated area; fumes may be toxic. Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns. When using this product: Do not get into eyes. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor. Stop use and ask a doctor if condition persists or gets worse. Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

CAUTION:
 Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.

DIRECTIONS:
 Clean affected area. Apply small amount of this product on the area 1-3 times daily. If bandaged, let dry first. May be covered with a sterile bandage.

OTHER INFORMATION:
 Store at room temperature. Does not contain, nor is intended as a substitute for grain or ethyl alcohol.

INACTIVE INGREDIENT:
 Purified water.

Questions: 1-844-432-6633 Mon- Fri 8am - 4pm (EST) Email: info@eco-med.com

Reorder: 70RAB500
 EM49-B



PREVENT RUBBING ALCOHOL ISOPROPYL 70 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78835-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78835-006-01	12 in 1 BOX	10/26/2020	
1		500 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	10/26/2020	

Labeler - Eco-Med Pharmaceuticals, Inc. (249183435)

Revised: 10/2020

Eco-Med Pharmaceuticals, Inc.