# BERKLEY AND JENSEN TUSSIN DM- dextromethorphan hbr, guaifenesin solution BJWC

-----

# **BJWC Tussin DM Drug Facts**

# Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 400 mg

## **Purposes**

Cough suppressant

Expectorant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

# **Warnings**

#### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

# Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- · keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	20 mL every 4 hours	
children under 12 years	do not use	

### Other information

- each 20 mL contains: sodium 13 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

# **Inactive ingredients**

acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

#### **Questions or comments?**

1-800-BJS-CLUB

# Package/Label Principal Display Panel

Compare to the active ingredients in Robitussin  $^{\circledR}$  Maximum Strength Cough + Chest Congestion DM

berkley jensen®

**ADULT** 

MAXIMUM STRENGTH

TUSSIN DM


COUGH & CHEST CONGESTION DM

COUGH SUPPRESSANT (DEXTROMETHORPHAN HBr)

EXPECTORANT (GUAIFENESIN)

CONTROLS COUGH

RELIEVES CHEST CONGESTION
THINS & LOOSENS MUCUS
DM MAX
RASPBERRY & MENTHOL FLAVOR
NON-DROWSY
FOR AGES 12 & OVER
8 FL OZ (237 mL)



MAXIMUM STRENGTH

**COUGH & CHEST** 

COUGH SUPPRESSANT

CONTROLS COUGH RELIEVES CHEST CONGESTION THINS & LOOSENS MUCUS

CONGESTION D



MAXIMUM STRENGTH

COUGH & CHEST

COUGH SUPPRESSANT

**EXPECTORANT** 

CONTROLS COUGH RELIEVES CHEST CONGESTION THINS & LOOSENS MUCUS

CONGESTION D





#### Other information

■ each 20 mL contains: sodium 13 mg ■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol polyethylene glycol, propylene glycol, punified water sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

#### Questions or comments? 1-800-BJS-CLUB

\*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Maximum Strength Cough + Chest Congestion DM.

#### GLUTEN FREE

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Distributed by: BJ's Wholesale Club, Inc. 350 Campus Drive Marlborough, MA 01752



Every product comes with our 100% Money-Back Guarantee. QUESTIONS? CustomerCare@bis.com





## Active ingredients

# (in each 20 mL) Dextromethorphan HBr, USP 20 mg.......Cough suppressar Guaifenesin, USP 400 mg......Expectorar

Purposes

#### Uses

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold ■ helps loosen phlegm (mucus) and thin bronchial

#### secretions to drain bronchial tubes Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

dose	
20 mL every 4 hours	
do not use	_
	20 mL every 4 hours

# DM MAX NON-DROWSY FOR AGES 12 8 FL 0Z (237 mL)

ADULT





8 FL 0Z (237 mL)

ADULT









# **BERKLEY AND JENSEN TUSSIN DM**

dextromethorphan hbr, quaifenesin solution

### **Product Information**

HUMAN OTC DRUG **Item Code (Source)** NDC:68391-299 **Product Type** 

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL		

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL SOLUTION (UNII: 8KW3E207O2)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68391-299- 34	1 in 1 CARTON	01/02/2022		
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	01/02/2022		

# **Labeler -** BJWC (159082692)

Revised: 9/2024 BJWC