# FIRST HANDS PREMIUM HAND SANITIZER- alcohol gel Samhyun pharma

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### ACTIVE INGREDIENT

Active ingredients: Ethanol 70% w/w

#### INACTIVE INGREDIENT

Inactive ingredients:

Water, Triethanolamine, Carbomer, Glycerin, Propylene glycol, Herb aroma, Poly-gamma glutamic acid

### **PURPOSE**

Purpose: ANTISEPTIC

#### WARNINGS

Warnings:

For external use only. Flammable. Keep away from heat or flame

\_\_\_\_\_\_

Do not use

• in children less than 2 months of age

• on open skin wounds

------

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

-----

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

#### KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Uses

Uses:

Hand sanitizer to help reduce bacteria that potentially can cause disease.

#### **Directions**

Directions:

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

### Package Label: First Hands premium hand sanitizer gel 100mL

제 품명 퍼스트핸즈 프리미엄 손소독제겔(에탄올)

**효 능 효 과** 손 및 피부의 살균소독

용 법 손에 적당량을 뿌리거나 덜어 잘 문질러 건조

시킨다. 량 100ml

성 상 투명한 무색의 젤

유효성분 100g 중 에탄올(KP) 70g 기타첨가제 정제수,카보머,트리에탄올아민,글리세린,프로필 렌글라이콜,녹차엑스,폴리감마글루탐산,허브아

로마향(HF-31002)

제조번호 및 상 용 기 한 <sup>별도표시</sup>

저 장 방 법 기밀용기, 실온보관(1~30℃)

소비자상담실 032) 932-4532 제조및판매원 ㈜삼현제약

인천광역시 강화군 하점면 강화대로 967번길 26

#### 사용상 주의사항

1.다음의 신체부위에는 사용하지 않는다: 눈 및 귀 주위, 구강 내, 광범위한 신체 부위및 손상된 피부자극작용이나타날 수 있다 2 다음 환자에는 신중히 투여한다 : 이약은 프로필렌글라이콜 을 함유하고 있으므로 이 성분에 과민하거나 알레르기 병력이 있는 환자에는 신중히 사용한다 3. 다음과 같은 증상이 나타나 는 경우 즉시 사용을 중지하고 의사, 약사와 상의한다 1) 발진, 홍반,가려움증, 부종 등 과민증상이 나타나는 경우 2) 피부자구 증상이 나타나는 경우 4. 기타사용상의 주의사항 1) 외용으로만 사용한다(내복하지 말 것) 2는에 들어가지 않도록 주의하며 만약들어간 경우에는 깨끗한 물로 잘 씻어낸 후 의사, 약사와 상의한다 3) 광범위하게 또는 장기간 사용하는 경우증가를 흡입하지 않도록 주의한다(에탄올증기를 대량또는 반복하여 마시는 경우점액에의 자극, 두통 등이 나타날수 있다(에탄올 함유 제품에한함) 4 동일 부위에 반복 사용하는 경우에는 탈지(탈斯)등으로 피부가 거칠어질수 있으므로 사용하지 않는다 5) 달봉해 긴 신봉대 팩 등에 사용할 경우 자극중상이 나타날수 있으므로 사용하지 않는다 5) 함부 전 보관 전 점 점 점 전 의 문 사용한 경우 자극 또 화학적 회상을 일으킬 수 있으므로 사용하지 않는다 7) 용도 이외에는 사용하지 않는다 5, 보관상의 주의사항 1) 화기를 피하여 차양보관한다 2) 어린이의 손이 닿지않는 곳에 보관하고 어린이가 삼켰을 경우 바로 병원에 간다 3) 사용 후 제품이 마르거나 이물질이 들어가지 않도록 뚜껑으로 완전히 닫는다 4) 원래 용기에서 꺼내어 다른 용기에 보관하는 것은 오용에 의한 사고 발생이나 품질 저하의 원인이 될 수 있으므로 원래의 용기에 넣어 기속 표절 저하의 원인이 될 수 있으므로 원래의 용기에 넣어 되었다. 홍반,가려움증, 부종 등 과민증상이 나타나는 경우 2) 피부자극





HAND SANITIZER (Gel)



감염 방지 99.9% 살균

> 피부 보호 보습 기능

100ml(3.38FL,Oz) 에탄올 70% v/v

**Drug Facts** 

Active ingredients Ethanol 70% w/w

Purpose ANTISEPTIC

Uses

Hand sanitizer to help reduce bacteria that potentially can cause disease

Warnings

For external use only. Flammable. Keep away from heat or flame

in children less than 2 months of age

on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Place enough product on hands to cover all surfaces. Rub hands together

Supervise children under 6 years of age when using this product to avoid

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

#### Inactive ingredients

Water, Triethanolamine, Carbomer, Glycerin, , Propylene glycol, Herb aroma, Poly-gamma glutamic acid.

26 Ganghwa-dare 967byeon-gil, Hajeom-myeon, Ganghwa-gun, Incheon,

Republic of Korea





Purpose

## Package Label: First Hands premium hand sanitizer gel 500mL

제 품 명 퍼스트해즈 프리미엄 손소독제겔(에탄율)

능 효 과 손 및 피부의 살균소독

법 손에 적당량을 뿌리거나 덜어 잘 문질러 건조 시킨다

량 500ml

성 상 투명한 무색의 젤 유 효 성 분 100g 중 예탄을(KP) 70g

기타첨가제 정제수,카보머,트리에탄율아민,글리세린,프로필렌글라이콜, 녹차엑스,폴리감마글루탐산,허브아로마향(HF-31002)

제조번호 및 사용기한 저장방법 기밀용기, 실온보관(1~30°C) 자상담실 032) 932-4532

제조및판매원 (취상현제 약 인천광역시 강화군 하점면 강화대로 967번길 26

사용상 주의시항

- 의약외품

FIRST HANDS **PREMIUM** 

HAND SANITIZER(Gel)



감염 방지 99.9% 살균

> 피부 보호 보습 기능

500ml(16.90 Fl.Oz.) 에탄을 70% v/v

Drug Facts

land sanitizer to help reduce bacteria that potentially can cause diseas

Warnings

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

ough product on hands to cover all surfaces. Rub hands together ntil dry. Supervise children under 6 years of age when using this product to avoid





### FIRST HANDS PREMIUM HAND SANITIZER

alcohol gel

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:75765-020

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

| 8                 | T 11 - 27                               | D 1 (0: 1)        | 61              |
|-------------------|---|-------------------|-----------------|
|                   | Ingredient Name                         | Basis of Strength | Strength        |
| ALCOHOL (UNII: 3K | 9958 V90M) (ALCOHOL - UNII:3K9958 V90M) | ALCOHOL           | 70 mL in 100 mL |

| Inactive Ingredients                                       |          |
|--|----------|
| Ingredient Name  | Strength |
| Water (UNII: 059QF0KO0R)                                   |          |
| TROLAMINE (UNII: 9O3K93S3TK)                               |          |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0 A5MM307FC) |          |
| Glycerin (UNII: PDC6A3C0OX)                                |          |
| Propylene glycol (UNII: 6DC9Q167V3)                        |          |

| Packaging      |   |                         |                       |  |  |
|----------------|---|-------------------------|-----------------------|--|--|
| # Item Cod     | Package Description   | Marketing Start<br>Date | Marketing End<br>Date |  |  |
| 1 NDC:75765-02 | 100 mL in 1 CONTAINER; Type 0: Not a Combination Produc     | 04/01/2020              |                       |  |  |
| 2 NDC:75765-02 | 500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 04/01/2020              |                       |  |  |

| Marketing Information   |  |                      |                    |  |
|-------------------------|--|----------------------|--------------------|--|
| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |  |
| OTC monograph not final | part333E                                 | 04/01/2020           |                    |  |
|                         |  |                      |                    |  |

## Labeler - Samhyun pharma (694185214)

### Registrant - Samhyun pharma (694185214)

| Establishment  |         |           |                        |  |
|----------------|---------|-----------|------------------------|--|
| Name           | Address | ID/FEI    | Business Operations    |  |
| Samhyun pharma |         | 694185214 | manufacture(75765-020) |  |

Revised: 4/2020 Samhyun pharma