# POLYETHYLENE GLYCOL 3350 - polyethylene glycol 3350 powder, for solution

**Camber Consumer Care Inc** 

\_\_\_\_\_

Polyethylene Glycol 3350 Powder for Oral Solution, 17 g

# **ACTIVE INGREDIENT (IN EACH DOSE)**

# (Bottle Only)

Polyethylene Glycol 3350, 17 g (cap filled to line)

# (Packet Only)

Polyethylene Glycol 3350, 17 g

### **PURPOSE**

Osmotic Laxative

#### USE

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

#### WARNINGS

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

#### **DO NOT USE**

if you have kidney disease, except under the advice and supervision of a doctor

### ASK A DOCTOR BEFORE USE IF YOU HAVE

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

#### ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking a prescription drug

# WHEN USING THIS PRODUCT

you may have loose, watery, more frequent stools

#### STOP USE AND ASK A DOCTOR IF

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

# IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

## **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **DIRECTIONS**

# (Bottle Only)

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - use once a day
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficult swallowing
  - ensure that the powder is fully dissolved before drinking
  - · do not drink if there are any clumps
  - do not use more than 7 days
- children 16 years of age or under: ask a doctor

# (Packet Only)

- · do not take more than directed unless advised by your doctor
- adults and children 17 years of age and older:

- use once a day
- stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficult swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use more than 7 days
- children 16 years of age or under: ask a doctor

### OTHER INFORMATION

- store at 20° to 25°C (68° to 77°F)
- tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

# **INACTIVE INGREDIENTS**

none

# **QUESTIONS OR COMMENTS?**

call **1-888-588-1418.** 


#### PRINCIPAL DISPLAY PANEL

Polyethylene glycol 3350 powder for oral solution bottle label

# **Front Labels**











#### **Back Labels**








Drug Facts (continued)

■ ensure that the powder is fully dissolved before drinking
■ do not drink if there are any clumps
■ do not use more than 7 days
□ children 16 years of age or under. ask a doctor

Other information
■ store at 20° to 25°C (68° to 77°F)

Second Layer Back



Polyethylene glycol 3350 powder for oral solution carton label



# **POLYETHYLENE GLYCOL 3350**

polyethylene glycol 3350 powder, for solution

Prod	luct	Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69230-324

Route of Administration ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL	POLYETHYLENE	17 g

3350 - UNII:G2M7P15E5P) GLYCOL 3350 (ONII: G2M7F15E3F) (FOLTETHTLENE GLTCOL FOLTETHTLENE FOLT

# **Product Characteristics**

Color	white	Score
Shape		Size
Flavor		Imprint Code
Contains		

# **Packaging**

# Item Code Package Description Marketing Start Marketing End
Date Date

1	NDC:69230-324- 32	7 in 1 CARTON	04/14/2021	
1		17 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:69230-324- 33	10 in 1 CARTON	04/14/2021	
2		17 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:69230-324- 34	119 g in 1 BOTTLE; Type 0: Not a Combination Product	04/14/2021	
4	NDC:69230-324- 35	238 g in 1 BOTTLE; Type 0: Not a Combination Product	04/14/2021	
5	NDC:69230-324- 36	510 g in 1 BOTTLE; Type 0: Not a Combination Product	04/14/2021	
6	NDC:69230-324- 37	14 in 1 CARTON	04/14/2021	
6		17 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA214990	04/14/2021	

# Labeler - Camber Consumer Care Inc (079539968)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Annora Pharma Private Limited		650980746	manufacture(69230-324)		

Revised: 3/2023 Camber Consumer Care Inc