

IDOZYME LIQUID- iodine solution, concentrate
DeLaval, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

DeLaval IodoZyme® Liquid
Concentrated Disinfecting Teat Dip

Aids in reducing the spread of mastitis-causing organisms

ACTIVE INGREDIENTS:

Iodine 2.9%

OTHER INGREDIENTS:

Emollient* 60.3%

*From glycerin

- Concentrated formula must be diluted into a ready to use product.
- Recommended as a per dip and / or post dip.
- Mild pH-balanced ready to use formula.
- Field proven and reliable formula.
- Ready to use product can be dipped or sprayed.
- High free iodine teat dip with high power to reduce new intramammary infections.
- Keep **IodoZyme® Liquid** concentrate and ready to use containers tightly closed while in use.
- Dilute the dip in water and use within:
 - 1+9, 1+19: 7 days
 - 1+38: 1 day

DIRECTIONS FOR USE

GENERAL INSTRUCTIONS:

- Dilute before using. See "Directions for Dilution."
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking.
- Do not pour used teat dip back into original container.
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not use **IodoZyme® Liquid** for cleaning or sanitizing equipment.

Not For Human Use - Additional information on Safety Data Sheet. Follow dilution directions below to achieve the desired formula. DeLaval recommends blending with DeLaval's dispensing systems, following the approved pump operating instructions. Failure to follow the instructions may result in a product that is not as effective as a teat dip or may cause injury to animals. If blending **IodoZyme® Liquid** manually, add half of the required tap water (room temperature) to the ready to use container. Add the correct amount of **IodoZyme® Liquid** concentrate to the ready to use container, then

add the second half of water.

DILUTION RATIOS

Wash	Udder	Pre-Dip	Dip	Post-
0.075% Iodine - 1.5% Glycerin	0.15% Iodine - 3% Glycerin	0.3% Iodine - 6% Glycerin		
1 part IodoZyme Liquid to 38 parts water	1 part IodoZyme Liquid to 19 parts water	1 part IodoZyme Liquid to 9 parts water		

Udder Wash (1+38)

Always use fresh solution. Prepare a wash solution using 1-part **IodoZyme® Liquid Concentrate** to 38 parts water. Perform forestripping and inspect teats for clinical mastitis. Use the wash solution and wash teats to the base of the udder. Dry teat with individual paper or cloth towel. Attach milker unit. Not to be used as a teat dip.

Pre-Dipping (1+19)

Made sure udder and teats are clean and dry. Check milk and udder for mastitis. Dip or spray cow's teats with properly diluted **IodoZyme® Liquid**. Allow 15 to 30 seconds contact time. Dry cow's teats with a single-service paper towel before milking. Attach milker unit.

Post-Dipping (1+9)

Immediately after removing the milker unit, dip or spray each teat with properly diluted **IodoZyme® Liquid**. Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

CHEMTREC EMERGENCY

1-800-424-9300

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

! CUIDADO

FIRST AID Contact with product can cause irritation to eyes. Keep out of eyes.

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.

If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

Not For Human Use

Additional Information on Safety Data Sheet

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. If product has frozen, thaw in a warm room and shake well before use. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

NET CONTENTS: US GAL (L)

LOT NO.:

EXP. DATE:

KEEP OUT OF REACH OF CHILDREN

CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

CUIDADO

01-27-0126

I₂

OPTIMIZED IODINE

ACT

IodoZyme[®] Liquid

Concentrated Disinfecting Teat Dip
Aids in reducing the spread of mastitis-causing organisms
Sollador desinfectante concentrado
Ayuda a reducir la transmisión de microorganismos que causan mastitis

ACTIVE INGREDIENTS:
Iodine..... 2.9%

OTHER INGREDIENTS:
Emollient*..... 60.3%
*From glycerin

VMS V300 TSR

0145
NDC NUMBER: 55756-145

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

Contact with product can cause irritation to eyes. Keep out of eyes.
If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Get immediate medical attention.
If Swallowed: Do not induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. If product has frozen, thaw in a warm room and shake well before use. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not For Human Use
Additional Information on Safety Data Sheet

- Concentrated formula must be diluted into a ready to use product.
- Recommended as a pre dip and / or post dip.
- Mild pH-balanced ready to use formula.
- Field proven and reliable formula.
- Ready to use product can be dipped or sprayed.
- High free iodine teat dip with high power to reduce new intramammary infections.
- Keep IodoZyme[®] Liquid concentrate and ready to use containers tightly closed while in use.
- Dilute the dip in water and use within:
 - 1+0, 1+19; 7 days
 - 1+38, 1 day

DIRECTIONS FOR USE
GENERAL INSTRUCTIONS:

- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty, or if sediment is introduced.
- Do not use IodoZyme[®] Liquid for cleaning or sanitizing equipment.

DILUTION RATIOS

Udder Wash	Pre-Dip	Post-Dip
0.075% Iodine – 1.5% Glycerin	0.15% Iodine – 3% Glycerin	0.3% Iodine – 6% Glycerin
1 part IodoZyme Liquid to 38 parts water	1 part IodoZyme Liquid to 19 parts water	1 part IodoZyme Liquid to 9 parts water

Udder Wash (1+38)
Always use fresh solution. Prepare a wash solution using 1-part IodoZyme[®] Liquid concentrate to 38 parts water. Perform forestripping and inspect teats for clinical mastitis. Use the wash solution and wash teats to the base of the udder. Dry teat with individual paper or cloth towel. Attach milker unit. Not to be used as a teat dip.

Pre-Dipping (1+19)
Make sure udder and teats are clean and dry. Check milk and udder for mastitis. Dip or spray cow's teats with properly diluted IodoZyme[®] Liquid. Allow 15 to 30 seconds contact time. Dry cow's teats with a single-service paper towel before milking. Attach milker unit.

Post-Dipping (1+9)
Immediately after removing the milker unit, dip or spray each teat with properly diluted IodoZyme[®] Liquid. Before exposing cows to below-freezing temperatures, the teats should be thoroughly dry to reduce the potential of frostbite. Failure to follow these instructions may result in frozen teats and injured animals.

Undiluted product may undergo an increase in viscosity when exposed to cold temperatures. Pumps must be recalibrated in these conditions to maintain accurate dosing. If product freezes, thaw it completely and mix properly before use. Consult your DeLaval representative for questions on specific applications.

Manufactured for: **DeLaval, Inc.**
11100 N. Congress Avenue
Kansas City, MO 64153
Phone: 815-881-7700
Manufactured by: WestAgro, Inc.
© 2024, Made in USA

NET CONTENTS: 55 US GAL. (208.2 L)

LOT NO.:

EXP. DATE:

7 320461 021929 >

Add image transcription here...

IDOZYME LIQUID			
iodine solution, concentrate			
Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-145
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.029 g in 1 L	

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
SODIUM IODIDE (UNII: F5WR8N145C)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-145-06	10.4 L in 1 PAIL		
2	NDC:55756-145-07	52.1 L in 1 DRUM		
3	NDC:55756-145-27	1042.2 L in 1 TANK		
4	NDC:55756-145-01	209 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/06/2025	

Labeler - DeLaval, Inc. (173704867)

Registrant - DeLaval, Inc. (173704867)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Genex Cooperative, Inc		003437378	repack

Establishment

Name	Address	ID/FEI	Business Operations
Dairy Supply Service Inc		079912628	repack

Establishment			
Name	Address	ID/FEI	Business Operations
Ederer Dairy Supply LLC		022794466	repack

Establishment			
Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label

Establishment			
Name	Address	ID/FEI	Business Operations
Bob's Dairy Supply, Inc.		030184725	repack

Establishment			
Name	Address	ID/FEI	Business Operations
Advanced Dairy, LLC		117871358	repack

Establishment			
Name	Address	ID/FEI	Business Operations
Advanced Dairy, LLC		118248357	repack

Revised: 3/2025

DeLaval, Inc.