

**QC FIBER THERAPY ORANGE SMOOTH- psyllium husk powder**  
**QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Quality Choice NATURAL PSYLLIUM HUSK Orange Flavor**

***Drug Facts***

**Active ingredient: (in each tablespoon)**

Psyllium husk approximately 3.4 g

**Purpose**

Bulk-forming Laxative

**Uses:**

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

**Warnings:**

**Choking:**

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Allergy alert:**

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

**Ask a doctor before use if you have**

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

**Stop use and ask a doctor if**

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions:**

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

<b>Adults &amp; children 12 years &amp; older:</b>	1 rounded tablespoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
<b>Children 6-11 yrs :</b>	½ adult dose in 8 ounces of liquid, up to 3 times daily
<b>Children under 6 yrs:</b>	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

#### **New Users:**

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

#### **Other information:**

- **each teaspoon contains:** potassium 35 mg; sodium 5 mg
- store at room temperature. Keep the container tightly closed to protect from humidity
- contains a 100% natural, therapeutic fiber

#### **Inactive ingredients:**

citric acid, FD&C Yellow No. 6, natural and artificial orange flavor, silica, sucrose.

#### **Questions or comments?**

**1-866-467-2748**

#### **PRINCIPAL DISPLAY PANEL**

**Compare to the Fiber Content in Metamucil® 4 in 1 MultiHealth Fiber!™\***

**Fiber Therapy**

**100% Natural Psyllium Husk**

**MultiHealth Daily Fiber Supplement Therapy for Regularity**

**Orange Smooth**

**Naturally and Artificially Flavored**

Helps you **feel less hungry** between meals\*\*

Helps maintain **healthy blood sugar** levels as part of your diet\*\*

Helps **lower cholesterol** to promote heart health†

Promotes **digestive health**\*\*

Gluten free

fill controlled by weight, not volume

K PAREVE

‡Serving size varies See DIRECTIONS on back panel for more information

†See back for information about soluble fiber and heart disease.

**\*\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!™.

GLUTEN FREE if you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.

100% SATISFACTION GURANTEED

Distributed BY: C.D.M.A., Inc. ©

43157 W 9 Mile Rd

Novi, MI 48375

www.qualitychoice.com

Questions: 800-935-2362



NDC 63868-513-72

Compare to the Fiber Content  
in Metamucil® 4 in 1  
MultiHealth Fiber!™

# Fiber Therapy


**100% Natural Psyllium Husk**

**MultiHealth Daily Fiber Supplement  
Therapy for Regularity**

Helps you feel less hungry between meals\*\*  
Helps maintain healthy blood sugar levels  
as part of your diet\*\*  
Helps lower cholesterol to promote heart health†  
Promotes digestive health\*\*  
Gluten-Free

†Serving size varies. See DIRECTIONS  
on back panel for more information.  
†See back for information about soluble  
fiber and heart disease.

**Orange Smooth**  
Naturally and Artificially Flavored



**72** tablespoon doses! Net Wt 30.4 OZ (1.9 LBS) 861 g  
Fill controlled by weight, not volume

\*\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION.  
THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

### Supplement Facts

Serving Size	2 rounded Tbsp (24 g)	1 rounded Tbsp (12 g)
Servings Per Container	About 36	About 72
Amount per Serving		
Calories	90	45
Total Carbohydrate	23 g 8%	12 g 4%
Dietary Fiber	6 g 24%	3 g 12%
Soluble Fiber	5 g	2 g
Total Sugars	16 g	8 g
Includes Added Sugars	16 g 32%	8 g 16%
Iron	1.4 mg 8%	0.7 mg 4%
Sodium	10 mg <1%	5 mg <1%
Potassium	70 mg 1%	35 mg 1%

\*Percent Daily Values (DV) are based on a 2,000 calorie diet.  
†Daily Value (DV) not established.

**INGREDIENTS:** Sucrose, Psyllium Husk, Citric Acid, Natural and Artificial Orange Flavor, Silica, FD&C Yellow No. 6.

**Notice:** Put 1 dose of product into an empty glass. Mix this product with at least 8 ounces (a full glass) of liquid. Stir briskly and drink promptly. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

**Allergy alert:** This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium. Contact your doctor BEFORE USING this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

**New Users:** Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

**When used as a daily fiber supplement:**

**Fiber Supplement Information**

**Uses & Directions:**

**For feeling less hungry between meals\*\***  
**Adults & children 12 yrs. and over:** Two rounded tablespoons in 8 or more ounces of liquid with meals, up to 3 times daily.

**For lowering cholesterol to promote heart health†**  
**Adults & children 12 yrs. & over:** One rounded tablespoon in 8 ounces of liquid, 3 times daily. †Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesterol-lowering program.

**For maintaining healthy blood sugar levels as part of your diet\*\***  
**Adults & children 12 yrs. and over:** One rounded tablespoon in 8 ounces of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

**For promoting and maintaining digestive health\*\***  
**Adults & children 12 yrs. and over:** One rounded tablespoon in 8 ounces of liquid up to 3 times daily for fiber supplementation. For occasional constipation and to help promote and maintain regularity. **For children under 12 yrs.:** consult a doctor.

When used as a therapy for regularity:

### Drug Facts

Active ingredient (in each tablespoon)	Purpose
Psyllium husk approximately 3.4 g.....	Bulk-forming Laxative

**Uses** ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

**Warnings**

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Allergy alert:** This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium.

**Ask a doctor before use if you have**  
■ a sudden change in bowel habits persisting for 2 weeks ■ abdominal pain, nausea or vomiting

**Stop use and ask a doctor if** ■ constipation lasts more than 7 days ■ rectal bleeding occurs

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions** Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

<b>Adults &amp; children 12 years &amp; older:</b>	1 rounded tablespoon in 8 ounces of liquid at the first sign of irregularity. Can be taken up to 3 times daily.
<b>Children 6-11 yrs:</b>	1/2 adult dose in 8 ounces of liquid, up to 3 times daily
<b>Children under 6 yrs:</b>	Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

**New Users:** Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

**Other information**  
■ each tablespoon contains: potassium 35 mg; sodium 5 mg  
■ store at room temperature. Keep the container tightly closed to protect from humidity  
■ contains a 100% natural, therapeutic fiber

**Inactive ingredients** citric acid, FD&C Yellow No. 6, natural & artificial orange flavor, silica, sucrose

**Questions or comments?** 1-866-467-2748


\*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!™

**†THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.**

**TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING**

GLUTEN FREE (may contain trace amounts less than 20 ppm). If you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.



51372QCLR

LOT:

EXP:

Generic Section

NDC 63868-513-30

\*Compare to the Fiber Content  
in Metamucil® 4 in 1  
MultiHealth Fiber!™

# Fiber Therapy

## 100% Natural Psyllium Husk

### MultiHealth Daily Fiber Supplement Therapy for Regularity

Helps You Feel Less Hungry Between Meals\*\*  
Helps Maintain Healthy Blood Sugar Levels  
as Part of Your Diet\*\*  
Helps Lower Cholesterol to Promote Heart Health†  
Promotes Digestive Health\*\*  
Gluten-Free

†Serving Size Varies. See Directions  
on Back Panel for More Information

\*See Back for Information About Soluble  
Fiber and Heart Disease

## Orange Smooth

Naturally and Artificially Flavored

**30 Tablespoon Doses\*** Net Wt 13 oz (368 g)  
Fib. Controlled by Weight, Not Volume

\*\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION.  
THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

## Supplement Facts

Serving Size	2 rounded Tbsp (24 g)	1 rounded Tbsp (12 g)
Servings Per Container	About 15	About 30
Amount per Serving	%DV*	%DV*
Calories	90	45
Total Carbohydrate	23 g 8%*	12 g 4%*
Dietary Fiber	6 g 21%*	3 g 11%*
Soluble Fiber	5 g †	2 g †
Total Sugars	16 g †	8 g †
Includes Added Sugars	16 g 32%*	8 g 16%*
Iron	1.4 mg 8%	0.7 mg 4%
Sodium	10 mg <1%	5 mg <1%
Potassium	70 mg 1%	35 mg 1%

\*Percent Daily Values (%DV) are based on a 2,000 calorie diet.

† Daily Value (DV) not established.

**INGREDIENTS:** Sucrose, Psyllium Husk, Citric Acid, Natural and Artificial Orange Flavor, Silica, FD&C Yellow No. 6.

**Notice:** Put 1 dose of product into an empty glass. Mix this product with at least 8 ounces (a full glass) of liquid. Stir briskly and drink promptly. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

**Allergy alert:** This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium. Contact your doctor BEFORE USING this dietary supplement if you have recently experienced a sudden change in bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiting. STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

**New Users:** Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

**When used as a daily fiber supplement:**

### Fiber Supplement Information

**Uses & Directions:** For feeling less hungry between meals\*\*

**Adults & children 12 yrs. and over:** Two rounded tablespoons in 8 or more ounces of liquid with meals, up to 3 times daily.

**For lowering cholesterol to promote heart health†**

**Adults & children 12 yrs. and over:** One rounded tablespoon in 8 ounces of liquid, 3 times daily. †Diets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber. Consult a doctor if you are considering use of this product as a part of a cholesterol-lowering program.

**For maintaining healthy blood sugar levels as part of your diet\*\***

**Adults & children 12 yrs. and over:** One rounded tablespoon in 8 ounces of liquid, 3 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels.

**For promoting and maintaining digestive health\*\***

**Adults & children 12 yrs. and over:** One rounded tablespoon in 8 ounces of liquid up to 3 times daily for fiber supplementation. For occasional constipation and to help promote and maintain regularity. **For children under 12 yrs:** consult a doctor.

When used as a therapy for regularity:

## Drug Facts

### Active ingredient (in each tablespoon)

Psyllium husk approximately 3.4 g

### Purpose

Bulk-forming Laxative

**Uses** ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

### Warnings

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Allergy alert:** This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

**Ask a doctor before use if you have** ■ a sudden change in bowel habits persisting for 2 weeks

■ abdominal pain, nausea or vomiting

**Stop use and ask a doctor if** ■ constipation lasts more than 7 days ■ rectal bleeding occurs

These may be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions** Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

**Adults & children 12 years & older:** 1 rounded tablespoon in 8 ounces of liquid at the first sign of irregularity.

Can be taken up to 3 times daily.

**Children 6-11 yrs:** 1/2 adult dose in 8 ounces of liquid, up to 3 times daily

**Children under 6 yrs:** Consult a doctor

Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

**New Users:** Start with 1 serving per day; gradually increase to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

**Other information** ■ each tablespoon contains: potassium 35 mg, sodium 5 mg ■ store at room temperature. Keep the container tightly closed to protect from humidity ■ contains a 100% natural, therapeutic fiber

**Inactive ingredients** citric acid, FD&C Yellow No. 6, natural & artificial orange flavor, silica, sucrose

**Questions or comments?** 1-866-467-2748

This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil® 4 in 1 MultiHealth Fiber!™.

**\*\*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAG**

## QC FIBER THERAPY ORANGE SMOOTH

psyllium husk powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-513
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G)	PSYLLIUM HUSK	3.4 g in 12 g

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C Yellow No. 6 (UNII: H77VEI93A8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	BROWN (Light Yellowish)	Score	
-------	-------------------------	-------	--

Shape		Size	
Flavor	ORANGE (natural and artificial)	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-513-72	861 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2019	
2	NDC:63868-513-30	368 g in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/18/2019	

**Labeler** - QUALITY CHOICE (CHAIN DRUG MARKETING ASSOCIATION) (011920774)