

**ACETAMINOPHEN- acetaminophen tablet  
WALGREEN CO.**

-----  
**Rapid Release Gelcaps  
EXTRA STRENGTH  
Acetaminophen Gelcaps USP, 500 mg  
Pain reliever; Fever reducer  
Aspirin free**

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- toothache
- the common cold
- premenstrual and menstrual cramps
- temporarily reduces fever

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

liver disease.

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of the reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Overdose warning**

In case of accidental overdose, get medical help or contact a Poison Control Center right away (1-800- 222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

#### **■ do not take more than directed (see overdose warning)**

adults and children 12 years and over

- take 2 gelscaps every 6 hours while symptoms last
- do not take more than 6 gelscaps in 24 hours, unless directed by a doctor
- do not take more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F). See USP Controlled Room Temperature

- avoid high humidity
- see end panel for lot number and expiration date

### **Inactive Ingredients**

ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, hypromellose, iron oxide red, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide, yellow iron Oxide.

### **Questions or comments ?**

call **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST.

### **Principal Display Panel**

size	11x9/16 x 1x9/16 x 3	view	198137
ref #	19786660	date	10/1/12
material	1-016 285		

COATING FREE AREA

70000002501  
20000004065

10520000007

PMS 2147 CMYK

PMS 2347 CMYK

PMS COOL GRAY 5 CMYK

COATING FREE AREA

200000004065  
70000002501

COATING FREE AREA

COATING FREE AREA

200000004065  
70000002501

COATING FREE AREA

**Drug Facts (continued)**

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you are allergic to acetaminophen or any of the inactive ingredients in this product:

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if pain gets worse or lasts more than 10 days, fever gets worse or lasts more than 3 days, new symptoms occur, redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-2222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

do not take more than directed (see overdose warning)

adults and children 12 years and over

take 2 gelcaps every 6 hours while symptoms last

do not take more than 6 gelcaps in 24 hours, unless directed by a doctor

do not use for more than 10 days

**Drug Facts (continued)**

unless directed by a doctor

children under 12 years) ask a doctor

**Other information**

store at 20° - 25°C (68° - 77°F). See USP Controlled Room Temperature

avoid high humidity

see end panel for expiration date and lot number

**Inactive ingredients** ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #3, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, hypromellose, iron oxide red, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, propylene glycol, stearic acid, titanium dioxide, yellow iron oxide.

**Questions or comments?**

call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

**ASPIRIN FREE**

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2011 Walgreen Co. MADE IN INDIA

W30RG1221-F

COATING FREE AREA

COATING FREE AREA

200000004065  
70000002501

COATING FREE AREA

COATING FREE AREA

200000004065  
70000002501

COATING FREE AREA

COATING FREE AREA

200000004065  
70000002501

COATING FREE AREA

**Drug Facts (continued)**

unless directed by a doctor

children under 12 years) ask a doctor

**Other information**

store at 20° - 25°C (68° - 77°F). See USP Controlled Room Temperature

avoid high humidity

see end panel for expiration date and lot number

**Inactive ingredients** ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #3, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, hypromellose, iron oxide red, isopropyl alcohol, n-butyl alcohol, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, propylene glycol, stearic acid, titanium dioxide, yellow iron oxide.

**Questions or comments?**

call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Rapid Release Gels.

**ASPIRIN FREE**

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2011 Walgreen Co. MADE IN INDIA

W30RG1221-F

COATING FREE AREA

COATING FREE AREA

200000004065  
70000002501

COATING FREE AREA



Principal Display Panel







Principal Display Panel

**Walgreens** NDC 0363-9798-07

Compare to the active ingredient in Extra Strength Tylenol® Rapid Release Gels!

**Pain Reliever**  
**ACETAMINOPHEN USP, 500 mg**  
**PAIN RELIEVER / FEVER REDUCER**  
**Extra Strength**

**375**  
 RAPID RELEASE GELCAPS

**Pharmacist Recommended**

**IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE**  
**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**  
**Active ingredient (in each gelcap)**  
 Acetaminophen USP, 500 mg.....Pain reliever/fever reducer

**Purpose**  
 Pain reliever/fever reducer

**Uses**  
 ■ temporarily relieves minor aches and pains due to:  
 ■ headache ■ muscular aches ■ backache ■ minor pain of arthritis  
 ■ the common cold ■ toothache ■ premenstrual and menstrual cramps  
 ■ temporarily reduces fever

**Warnings**  
 Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product  
**Advisory alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ rash ■ blisters  
 If a skin reaction occurs, stop use and seek medical help right away  
 Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**  
**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 These could be signs of a serious condition

**Other information**  
 ■ store at 20°-25° C (68°-77° F). See USP Controlled Room Temperature  
 ■ avoid high humidity  
 ■ see bottom of the box for expiration date and lot number

**Inactive ingredients** ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #33, FD&C lake #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulosic, hypromellose, isopropyl alcohol, L-histidine, polyethylene glycol, polyvinylpyrrolidone K-30, pregelatinized starch, propylene glycol, red iron oxide, stearic acid, stearic acid, titanium dioxide, yellow iron oxide

**Questions or comments?**  
 Call 1-877-776-9183 Mon-Fri 8:00 AM EST to 5:00 PM PST

**Directions**  
 ■ do not take more than directed (see overdose warning)  
 ■ adults and children 12 years and over ■ take 2 gelcaps every 6 hours while symptoms last  
 ■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor  
 ■ do not use for more than 10 days unless directed by a doctor

**Drug Facts (continued)**  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children.  
 Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED**  
 walgreens.com 62024 Walgreen Co.  
 MADE IN INDIA  
 ASPHIN FREE  
 ITEM 492969 W10781-0864-F

**1191713624**  
 Lot  
 Exp.

**375**  
 RAPID RELEASE GELCAPS

**(CONTINUED ON BACK OF LABEL)**  
 Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
 This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol®

**Inside (adhesive side)**

**Drug Facts (continued)**  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children.  
 Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
 ■ do not take more than directed (see overdose warning)  
 ■ adults and children 12 years and over ■ take 2 gelcaps every 6 hours while symptoms last  
 ■ do not take more than 6 gelcaps in 24 hours, unless directed by a doctor  
 ■ do not use for more than 10 days unless directed by a doctor

**Other information**  
 ■ store at 20°-25° C (68°-77° F). See USP Controlled Room Temperature  
 ■ avoid high humidity  
 ■ see bottom of the box for expiration date and lot number

**Inactive ingredients** ammonium hydroxide, black iron oxide, colloidal silicon dioxide, croscarmellose sodium, D&C red #33, FD&C lake #1, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulosic, hypromellose, isopropyl alcohol, L-histidine, polyethylene glycol, polyvinylpyrrolidone K-30, pregelatinized starch, propylene glycol, red iron oxide, stearic acid, stearic acid, titanium dioxide, yellow iron oxide

**Questions or comments?**  
 Call 1-877-776-9183 Mon-Fri 8:00 AM EST to 5:00 PM PST

<b>ACETAMINOPHEN</b>			
acetaminophen tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9798
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg
<b>Inactive Ingredients</b>			
<b>Ingredient Name</b>		<b>Strength</b>	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)			
FERROSFERRIC OXIDE (UNII: XM0M87F357)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			

<b>GELATIN</b> (UNII: 2G86QN327L)
<b>HYDROXYMETHYL CELLULOSE</b> (UNII: 273FM27VK1)
<b>SHELLAC</b> (UNII: 46N107B71O)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)
<b>HYPROMELLOSE 2208 (100 MPA.S)</b> (UNII: B1QE5P712K)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>BUTYL ALCOHOL</b> (UNII: 8PJ61P6TS3)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)
<b>AMMONIA</b> (UNII: 5138Q19F1X)
<b>POVIDONE</b> (UNII: FZ989GH94E)
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)

Product Characteristics			
<b>Color</b>	gray (Encapsulated with red opaque and blue gray opaque hard gelatin shells)	<b>Score</b>	score with uneven pieces
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	G1
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9798-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2021	
2	NDC:0363-9798-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2021	
3	NDC:0363-9798-15	150 in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2022	
4	NDC:0363-9798-21	225 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2022	
5	NDC:0363-9798-37	375 in 1 BOTTLE; Type 0: Not a Combination Product	06/25/2022	
6	NDC:0363-9798-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/24/2021	

---

**Labeler** - WALGREEN CO. (008965063)

Revised: 12/2025

WALGREEN CO.