

OXYGEN - oxygen gas
Centura Home Oxygen

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.


oxygen

OXYGEN, COMPRESSED USP UN1072

OXYGEN 2


Centura Health At Home Centura Health 4260 Buckingham Dr., Ste 100 Colorado Springs, CO 80907 719-599-0202

Size	Contents	Size	Contents
M6	170 Liters	E	682 Liters
C	248 Liters	H	6910 Liters
D	415 Liters	Other	Liters



OXYGEN, REFRIGERATED LIQUID USP UN1073 CONTENTS: LITERS:
OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION
 WARNING: DO NOT CHANGE OR FORCEFIT CONNECTIONS. EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52C (125F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.
 CENTURA HOME OXYGEN 2590 West 2nd Ave, #5 Denver, CO 80219 (303) 561-5900
 CAS NO: 7782-44-7



OXYGEN, REFRIGERATED LIQUID USP UN1073 CONTENTS: LITERS:
 OXYGEN 2
 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION
 WARNING: DO NOT CHANGE OR FORCEFIT CONNECTIONS. EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Container temperature should not exceed 52C (125F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only. Uninterrupted use of high

concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. DO NOT REMOVE THIS PRODUCT LABEL.

CENTURA HOME OXYGEN 4025 Club Manor Drive Pueblo, CO 81008 (719) 557-6602

CAS NO: 7782-44-7

CAS NO: 7782-44-7

CENTURA HOME OXYGEN
4025 Club Manor Drive
Pueblo, CO 81008
(719) 557-6602

DO NOT REMOVE THIS PRODUCT LABEL.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.
Produced by Air Liquefaction

AVAILABILITY:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.

FIRST AID:

In case of FROSTBITE, obtain medical treatment immediately. Use in accordance with the Material Safety Data Sheet (MSDS).

Use a leak flow generator device in the liquid.

Close valve after each use and when empty.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Container temperature should not exceed 52°C (125°F).

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Store and use with adequate ventilation.

Keep oil, grease and combustibles away.

Use only with equipment cleaned for oxygen service.

Pressure

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI


EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI

EXCEEDS 100 PSI



OXYGEN				
oxygen gas				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:61935-001	
Route of Administration	RESPIRATORY (INHALATION)			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	995 mL in 1 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61935-001-01	165 L in 1 CYLINDER		
2	NDC:61935-001-02	255 L in 1 CYLINDER		
3	NDC:61935-001-03	425 L in 1 CYLINDER		
4	NDC:61935-001-04	650 L in 1 CYLINDER		
5	NDC:61935-001-05	200 L in 1 CYLINDER		
6	NDC:61935-001-06	7000 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/14/1998	

Labeler - Centura Home Oxygen (948185459)

Establishment

Name	Address	ID/FEI	Business Operations
Centura Home Oxygen		027696452	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Centura Home Oxygen		192491397	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Centura Home Oxygen		806855185	manufacture

Revised: 5/2010

Centura Home Oxygen