

**SINUS PE PLUS ALLERGY MAXIMUM STRENGTH- chlorpheniramine maleate,
phenylephrine hcl tablet
CVS Pharmacy**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS 44-462

***Active ingredients
(in each tablet)***

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
 - sinus congestion and pressure
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dose**
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use this product in children under 12 years of age

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, lactose, magnesium stearate, microcrystalline cellulose, silica gel, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

CVSHealth™

NDC 59779-962-08

Sinus PE + Allergy

CHLORPHENIRAMINE MALEATE - Antihistamine

PHENYLEPHRINE HYDROCHLORIDE - Nasal decongestant

MAXIMUM STRENGTH

Relieves:

- **Sinus pressure & Congestion**
- **Sneezing**
- **Itchy eyes**

• **Runny nose**

24 TABLETS UNCOATED

Actual Size

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

50844 ORG061246208

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2015 CVS/pharmacy

CVS.com[®] 1-800-SHOP CVS

Made in the U.S.A. with domestic and imported ingredients

V-19849

☐ **CVS[®]** Quality

Money Back Guarantee



Actual Size

24 TABLETS UNCOATED

- Sinus pressure & Congestion
- Sneezing
- Itchy eyes
- Runny nose

Relieves:

MAXIMUM STRENGTH

CHLORPHENIRAMINE MALEATE - Antihistamine
PHENYLEPHRINE HYDROCHLORIDE - Nasal decongestant

Sinus PE + Allergy



NDC 59779-962-08

CHLORPHENIRAMINE MALEATE - Antihistamine
PHENYLEPHRINE HYDROCHLORIDE - Nasal decongestant

Sinus PE + Allergy



B-0231-462-08-H
ORG0061246208

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each tablet)
Chlorpheniramine maleate 4 mg Antihistamine
Phenylephrine HCl 10 mg Nasal decongestant

Purpose
Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
 - sinus congestion and pressure
 - nasal congestion

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- Ask a doctor before use if you have
- high blood pressure
 - heart disease
 - thyroid disease
 - diabetes
 - glaucoma
 - a breathing problem such as emphysema or chronic bronchitis
 - trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

- When using this product
- do not exceed recommended dose
 - excitability may occur, especially in children

Drug Facts (continued)

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use this product in children under 12 years of age

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate, microcrystalline cellulose, silica gel, stearic acid

Questions or comments? 1-800-426-9391

CVS Quality
Money Back Guarantee

OMIT L

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2015 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
Made in the U.S.A. with domestic and imported ingredients
V-19849
PLEASE RECYCLE

50844 ORG001246208

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



CVS 44-462

SINUS PE PLUS ALLERGY MAXIMUM STRENGTH

chlorpheniramine maleate, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-962
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;462
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-962-08	1 in 1 CARTON	06/09/2005	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	06/09/2005	

Labeler - CVS Pharmacy (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(59779-962)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(59779-962)

Revised: 5/2020

CVS Pharmacy