

**MAYBELLINE NEW YORK FIT DEWY PLUS SMOOTH NORMAL TO DRY BROAD
SPECTRUM SPF 18 SUNSCREEN- octinoxate lotion**
L'Oreal USA Products Inc

Drug Facts

Active ingredient

Octinoxate 7%

Purpose

Sunscreen

Use

- helps prevent sunburn

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

- children under 6 months of age: Ask a doctor

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, dimethicone, glycerin, isotridecyl isononanoate, PEG-9 polydimethylsiloxyethyl dimethicone, disteardimonium hectorite, dimethicone/polyglycerin-3 crosspolymer, sodium chloride, phenoxyethanol, PEG-10 dimethicone, methylparaben, disodium stearyl glutamate, silica silylate, chlorphenesin, fragrance, trisodium ethylenediamine disuccinate, tocopherol, ascorbyl palmitate, aluminum hydroxide, dipropylene glycol, BHT, alpha-isomethyl ionone; may contain: titanium dioxide, iron oxides

Questions or comments?

1-800-322-2036

MAYBELLINE
NEW YORK

Fit

**DEWY
+SMOOTH**

OCTINOXATE SUNSCREEN

**BROAD SPECTRUM
SPF 18**

**NORMAL TO DRY
FOUNDATION**

1 FL. OZ / 30 ml

**Drug Facts** (continued)

Active ingredient	Purpose
Octinoxate 7%.....	Sunscreen

Use

- helps prevent sunburn

Warnings

For external use only

**Do not use on
damaged or broken
skin**

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 • apply liberally 15 minutes before sun exposure
 • reapply at least every 2 hours

Drug Facts (continued)

- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun

Drug Facts (continued)

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product from
excessive heat and
direct sun

Drug Facts (continued)

weber,
cyclobutasiloxane,
dimethicone,
glycerin, isododecyl
isooctanoate,
PEG-9
polydimethylsiloxethyl
dimethicone,
disteardimonium
hectorite,
dimethicone/
polyglycerin-3
crosspolymer,
sodium chloride, ▼

Drug Facts (continued)

phenoxyethanol,
PEG-10
dimethicone,
methylparaben,
disodium stearyl
glutamate,

silica silylate,
chlorphenesin,
fragrance, triisodilim

ethylenediamine
disuccinate,

nicotinic acid, ascorbyl
palmitate, aluminum

Drug Facts



FIT ME
DEWY+SMOOTH
GOING AHEAD



INGREDIENTS

H4T 1K5
MADE IN USA

NEW YORK, NY
JUMP, BY MAYBE

1-800-322-2
MAYBELLINE

Questions

0800 277200
patients.mayb...

Cell #190677E

dioxide, iron

ionone; may

dipropylene

Drug Facts (continued)

**MAYBELLINE NEW YORK FIT DEWY PLUS SMOOTH NORMAL TO DRY
BROAD SPECTRUM SPF 18 SUNSCREEN**

octinoxate lotion

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:82046-648
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)			OCTINOXATE	70 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
WATER (UNII: 059QF0KO0R)				
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GLYCERIN (UNII: PDC6A3C0OX)				
ISOTRIDECYL ISONONANOATE (UNII: WEF51750MT)				
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
DIMETHICONE/POLYGLYCERIN-3 CROSSPOLYMER (UNII: 2P2G24V6T9)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)				
CHLORPHENESIN (UNII: I670DAL4SZ)				
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)				
TOCOPHEROL (UNII: R0ZB2556P8)				
ASCORBYL PALMITATE (UNII: QN83US2B0N)				
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
BHT (UNII: 1P9D0Z171K)				
ALPHA-ISOMETHYL IONONE (UNII: 9XP4LC555B)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FERROSOFERRIC OXIDE (UNII: XM0M87F357)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-648-01	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/14/2024	
Marketing Information				
Marketing		Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M020	01/14/2024	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		624244349	manufacture(82046-648) , pack(82046-648)

Revised: 12/2023

L'Oreal USA Products Inc