

## **CERAMIDE MAKEUP SPF 15- octinoxate, titanium dioxide cream REVLON**

### **CERAMIDE LIFT AND FIRM MAKEUP BROAD SPECTRUM SUNSCREEN SPF 15**

#### **Active Ingredients Purpose**

OCTINOXATE 4.0%..... Sunscreen

TITANIUM DIOXIDE 3.0% .... Sunscreen

#### **Inactive Ingredients**

##### Inactive Ingredients

WATER/AQUA/EAU, CYCLOPENTASILOXANE, DIMETHICONE, ISOHEXADECANE, MICA, GLYCERIN, SORBITAN ISOSTEARATE, DIMETHICONE CROSSPOLYMER, ALUMINA, CAPRYLYL DIMETHICONE ETHOXY GLUCOSIDE, ALUMINUM/MAGNESIUM HYDROXIDE STEARATE, ACETYL OCTAPEPTIDE-3, ALANINE, ALPINIA SPECIOSA LEAF EXTRACT, ASCORBYL PALMITATE, ASPARTIC ACID, BUTYLENE GLYCOL, CAPRYLYL GLYCOL, CARBOMER, CERAMIDE 1, CERAMIDE 3, CERAMIDE 6 II, CHOLESTEROL, DEXTRIN, DISODIUM EDTA, FRUCTOSE, GLUCOSE, HEXYLENE GLYCOL, HIBISCUS ABELMOSCHUS SEED EXTRACT, LECITHIN, MANNITOL, PCA DIMETHICONE, PHYTOSPHINGOSINE, POLYPERFLUOROETHOXYMETHOXY DIFLUOROETHYL PEG PHOSPHATE, POLYQUATERNIUM-51, RETINYL PALMITATE, SILICA Silylate, SODIUM CHLORIDE, SODIUM HYALURONATE, SODIUM LAUROYL LACTYLATE, SODIUM PCA, SORBITOL, SUCROSE, TOCOPHEROL, TREHALOSE, TRIFOLIUM PRATENSE (CLOVER) FLOWER EXTRACT, UREA, XANTHAN GUM, ZINC STEARATE, BHT, BENZOIC ACID, CHLORPHENESIN, METHYLPARABEN, PHENOXYETHANOL, POTASSIUM SORBATE, PROPYLPARABEN, IRON OXIDES (CI 77491, CI 77492, CI 77499), TITANIUM DIOXIDE (CI 77891).

#### **Uses**

##### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

##### Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.

- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### **Directions For Sunscreen Use**

Directions For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure
- Reapply:
  - at least every 2 hours
  - use a water resistant sunscreen if swimming or sweating
  - Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor.

As needed

Helps prevent sunburn

Keep out of reach of children. If swallowed seek medical help or contact a Poison Control Center right away.




Sunscreen

**carton art**

**Kroger Packaging Inc.**

Foldover Label Dieline  
 Date: 3/5/12  
 Customer: Arden  
 Size: 1-1/2" x 1-3/4", 1/16" C.R. Foldover  
 (8 panel)

- Dieline
- 1/16" CLEARANCE AREA (no copy)



	COMPONENT CODE: 276559	PO No: FCF380X	produced by: Gai Zhou	created: 26-JUN-2012	modified:
		JOB TITLE: CER LIFT FIRM INSERT USA	LPC No: NA		
	WARRANT: PkgRptg USA	FORMULA No: 256886			
	COMPONENT TYPE: insert	DE (pack):			
	DIMENSIONS: 44.45 mm x 38.1 mm				

Black

**COLORBREAK**

Colors below do not print

Yellow does not print

Tag Packaging - Calls What? 2 The Calls, Leeds, LS2 7JL, UK www.tagworldwide.com t+44 (0) 113 205 1414

# CERAMIDE MAKEUP SPF 15

octinoxate, titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10967-668
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3 mg in 1 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	

<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>TRIFOLIUM PRATENSE FLOWER</b> (UNII: 4JS0838828)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>FRUCTOSE</b> (UNII: 6YSS42VSEV)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>ALPINIA ZERUMBET LEAF</b> (UNII: MS8P33AMKX)	
<b>ABELMOSCHUS MOSCHATUS SEED</b> (UNII: UN2QZ55I88)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SL0G7R0OK)	
<b>ACETYL OCTAPEPTIDE-3</b> (UNII: 8K14HJF88S)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CERAMIDE 1</b> (UNII: 5THT33P7X7)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>SODIUM LAUROYL LACTYLATE</b> (UNII: 7243K85WFO)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)	
<b>CERAMIDE 3</b> (UNII: 4370DF050B)	
<b>CERAMIDE 6 II</b> (UNII: F1X8L2B00J)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>PHYTOSPHINGOSINE</b> (UNII: GIN46U9Q2Q)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

**FERRIC OXIDE RED** (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-668-01	32 g in 1 JAR; Type 0: Not a Combination Product	11/11/2015	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/11/2015	

**Labeler** - REVLON (788820165)

**Registrant** - REVLON (788820165)

### Establishment

Name	Address	ID/FEI	Business Operations
Revlon		809725570	manufacture(10967-668)

Revised: 1/2024

REVLON