

**EIGHT HOUR NOURISHING LIP SPF 20- octinoxate, avobenzone emulsion
REVLON**

**ELIZABETH ARDEN EIGHT HOUR CREAM NOURISHING LIP BALM BROAD
SPECTRUM SUNSCREEN SPF 20**

Active Ingredients

Active Ingredients Purpose

OCTINOXATE 4.0%.....Sunscreen
AVOBENZONE 3.0%.....Sunscreen

Inactive Ingredients

POLYBUTENE, MICROCRYSTALLINE WAX/CERA MICROCRISTALLINA/CIRE
MICROCRISTALLINE, PETROLATUM, RICINUS COMMUNIS (CASTOR) SEED OIL,
BUTYROSPERMUM PARKII (SHEA) BUTTER, NYLON-12, DIOCTYLDODECYL
DODECANEDIOATE, C12-15 ALKYL BENZOATE, GLYCERETH-26, BUTYLOCTYL
SALICYLATE, LANOLIN, ASTROCARYUM MURUMURU SEED BUTTER, BEESWAX/CERA
ALBA/CIRE D'ABEILLE, COPERNICIA CERIFERA (CARNAUBA) WAX/CERA
CARNAUBA/CIRE DE CARNAUBA, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL,
HONEY EXTRACT, HYDROGENATED CASTOR OIL, LINOLEIC ACID, LINOLENIC ACI,
NASTURTIUM OFFICINALE FLOWER/LEAF EXTRACT, RETINYL PALMITATE, TO
DCOPHEROL, TOCOPHERYL ACETATE, BHT, IRON OXIDES (CI 77491, CI 77492).

Uses

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use

Directions For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - at least every 2 hours
 - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor.
- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Keep Out of Reach of Children. If product is swallowed, get medical help or contact a poison control center right away.


Sunscreen

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop using and ask a doctor if rash occurs.**

CARTON ART

10 copy)

50 PERCENT SCALE



Inside

Outside

Panel 2

This panel is behind the Front Panel

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. <p>Directions For Sunscreen Use:</p> <ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure Reapply: <ul style="list-style-type: none"> at least every 2 hours Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses Children under 6 months: Ask a doctor. <p>Inactive Ingredients POLYBUTENE, MICROCRYSTALLINE WAX/CERA, MICROCRYSTALLINE MICROCRYSTALLINE, PETROLATUM, RICINUS COMMUNIS (CASTOR) SEED OIL, BUTYROSPERMUM PARKII (SHEA) BUTTER.</p>	<p>Drug Facts (continued)</p> <p>NYLON-12, DIOCTYLDODECYL DODECANEDIOATE, C12-15 ALKYL BENZOATE, GLYCERETH-26, BUTYLOCTYL SALICYLATE, LANTOLIN, ASTROCARPUM MURUMURU SEED BUTTER, BEESWAX/CERA ALBA/CIRE D'ABELLE, COPERNICIA CERIFERA (CARNAUABA) WAX/CERA, CARNUBA/CIRE DE CARNAUABA, HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL, HONEY EXTRACT, HYDROGENATED CASTOR OIL, LINOLEIC ACID, LINOLENIC ACID, NASTURTIIUM OFFICINALE FLOWER/LEAF EXTRACT, RETINYL PALMITATE, TOCOPHEROL, TOCOPHERYL ACETATE, BHT, IRON OXIDES (CI 77491, CI 77492).</p> <p>Other Information</p> <ul style="list-style-type: none"> Protect this product from excessive heat and direct sun <p>Questions or comments?</p> <ul style="list-style-type: none"> Call toll free 1-800-326-7337
--	--

Panel 3

Panel 4

Panel 5

<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> Stop use and ask a doctor if rash occurs When using this product keep out of eyes. Rinse with water to remove. <p>Warnings</p> <ul style="list-style-type: none"> Do not use on damaged or broken skin For external use only For external use only 	<p>Drug Facts (continued)</p> <p>GLUE</p>
<p>Drug Facts</p> <p>Active Ingredients</p> <p>OCTINOXATE 4.0%.....</p> <p>AVOBENZONE 3.0%.....</p>	<p>Drug Facts (continued)</p> <p>Uses</p> <ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun
<p>Purpose</p> <p>Sunscreen</p> <p>Sunscreen</p>	

EIGHT HOUR NOURISHING LIP SPF 20

octinoxate, avobenzone emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-671
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
CASTOR OIL (UNII: D5340Y2I9G)	
NYLON-12 (UNII: 446U8J075B)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASTROCARYUM MURUMURU SEED BUTTER (UNII: 12V64UPU6R)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
LANOLIN (UNII: 7EV65EAW6H)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
SHEA BUTTER (UNII: K49155WL9Y)	
GLYCERETH-26 (UNII: NNE56F2N14)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
HONEY (UNII: Y9H1V576FH)	
LINOLENIC ACID (UNII: 0RBV727H71)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PETROLATUM (UNII: 4T6H12BN9U)	
DIOCTYLDODECYL DODECANEDIOATE (UNII: 7QDB5EE79Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-671-61	14.2 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product	10/21/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/21/2020	

Labeler - REVLON (788820165)

Registrant - REVLON (788820165)

Establishment

Name	Address	ID/FEI	Business Operations
Englewood Lab. INC.		172198223	manufacture(10967-671)

Revised: 12/2025

REVLON