

MEDIQUE CHLORPHEN- chlorpheniramine maleate tablet
Unifirst First Aid Corporation

Medique Chlorphen

Drug Facts

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use to make a child sleepy.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before us if you are taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If you are pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control

Center (1-800-222-1222) right away.

Directions

Adults and children (12 years and older): 1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.

Children under 12 years: Do not give to children under 12 years of age

Other information

- tamper evident sealed packets
- do not use any opened or torn packets
- store at 77°F (25°C); excursions permitted between 59°-86°F (15°-30°C)
- protect from excessive moisture
- use by expiration date on packet

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

Questions or comments? Call 1-800-634-7680

Medique Chlorphen Label

Medique ®

Chlorphen

Allergy and Hay Fever Relief

Alivio a las alergias y la fiebre del heno

Antihistamine • Chlorpheniramine Maleate 4mg

Antihistminico • Maleato de Clorfeniramina 4mg

Pull To Open

Tire Para Abrir

250 Tablets

(250 x 1)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

Drug Facts

Active ingredient (in each tablet) Chlorpheniramine maleate, 4 mg	Purpose Antihistaminic				
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat 					
Warnings Do not use to make a child sleepy.					
Ask a doctor before use if you have: <ul style="list-style-type: none"> ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland 					
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.					
When using this product <ul style="list-style-type: none"> ■ drowsiness may occur ■ avoid alcoholic beverages ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children 					
If you are pregnant or breast feeding, ask a health professional before use.					
Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.					
Directions <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Adults and children 12 years and older</td> <td>1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.</td> </tr> <tr> <td>Children under 12 years</td> <td>Do not give to children under 12 years of age.</td> </tr> </table>		Adults and children 12 years and older	1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.	Children under 12 years	Do not give to children under 12 years of age.
Adults and children 12 years and older	1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.				
Children under 12 years	Do not give to children under 12 years of age.				
Other information <ul style="list-style-type: none"> ■ tamper-evident sealed packets ■ do not use any opened or torn packets ■ store at 20°C (68°F); excursions permitted between 15°-30°C (59°-86°F) (15°-30°C) ■ protect from excessive moisture ■ use for respiratory relief only 					
Inactive ingredients corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose					
Questions or comments? 1-800-634-7680					

Retain carton for complete product information

Medique
Chlorphen
Allergy & Hay Fever Relief
Alivio a las alergias y la fiebre del heno

✓ Antihistamine • Chlorpheniramine Maleate 4 mg
Antihistaminico • Maleato de Clorfeniramina 4 mg

Pull to Open
The Flip-Top

250
Tablets
(250 x 1)

Tamper Evident Unit Dose Packets
Empaquetado con Sellado Evidente en Dosis Unitarias

Información del Medicamento

Ingrediente activo (en cada tableta) Maleato de clorfeniramina, 4 mg	Propiedad Antihistaminico				
Usos para el alivio temporal de los siguientes síntomas los cuales se asocian con fiebre del heno y otras alergias del sistema respiratorio superior: <ul style="list-style-type: none"> ■ goteo de la nariz ■ ojos con comezón o llorosos ■ estornudo ■ congestión de la nariz o garganta 					
Advertencias No se debe usar para hacer a un niño con sueño.					
Consulte con el médico antes de consumirlo si usted tiene: <ul style="list-style-type: none"> ■ glaucoma ■ problema al respirar como emfisema o bronquitis crónica ■ dificultad al orinar debido al crecimiento de la glándula prostática 					
Consulte con su médico o farmacéutico antes de administrarlo, si usted está tomando sedativos o tranquilizantes.					
Cuando usted consuma este producto <ul style="list-style-type: none"> ■ puede ocurrir somnolencia ■ evite el consumo de bebidas alcohólicas ■ el alcohol, los sedativos y tranquilizantes pueden incrementar los efectos de somnolencia ■ sea cuidadoso al manejar un vehículo motorizado o al operar maquinaria ■ puede provocar excitación, en especial en menores de edad 					
Si usted está embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.					
Manténgalo lejos y fuera del alcance de los niños. En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (1-800-222-1222).					
Instrucciones <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Adultos y niños (de 12 años y mayores)</td> <td>Turne 1 tableta cada 4 a 6 horas. No consuma más de 6 tabletas en 24 horas.</td> </tr> <tr> <td>Niños menores de 12 años</td> <td>No se administre a niños menores de 12 años de edad.</td> </tr> </table>		Adultos y niños (de 12 años y mayores)	Turne 1 tableta cada 4 a 6 horas. No consuma más de 6 tabletas en 24 horas.	Niños menores de 12 años	No se administre a niños menores de 12 años de edad.
Adultos y niños (de 12 años y mayores)	Turne 1 tableta cada 4 a 6 horas. No consuma más de 6 tabletas en 24 horas.				
Niños menores de 12 años	No se administre a niños menores de 12 años de edad.				
Otra información <ul style="list-style-type: none"> ■ empaquetado con sellado evidente ■ no use ningún paquete abierto o roto ■ almacenar a 20°C (68°F); excursiones permitidas entre 15°-30°C (59°-86°F) (15°-30°C) ■ evitar exposición a humedad excesiva ■ usar antes de la fecha de expiración en el paquete 					
Ingredientes inactivos amidon de maíz, amarillo 10 y C #10 lacas de aluminio, lactosa anhidra, estearato de magnesio, celulosa microcristalina					
¿Tiene alguna pregunta o comentario? Llame al 1-800-634-7680					

Conserve la caja para obtener la información completa del producto

MEDIQUE CHLORPHEN

chlorpheniramine maleate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-169
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
ANHYDROUS LACTOSE (UNII: 3S5Y5LH9PMK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	

Product Characteristics

Color	yellow	Score	2 pieces
Shape	ROUND	Size	8mm
Flavor		Imprint Code	44;194
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-169-46	1 in 1 PACKET; Type 0: Not a Combination Product	11/25/2020	
2	NDC:47682-169-64	24 in 1 BOX	11/25/2020	
2		1 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-169-48	250 in 1 BOX	11/25/2020	
3		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/25/2020	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation