

**TUSSIN COUGH AND CHEST CONGESTION DM ADULT- dextromethorphan hbr,
guaifenesin liquid
Rite Aid Corporation**

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with the dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL= milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store between 20-25°C(68-77°F). Do not refrigerate

Inactive ingredients

acesulfame potassium, anhydrous citric acid, flavor, glycerin, methylparaben, polyethylene glycol, povidone propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Robitussin® Peak Cold Sugar-Free Cough-+Chest Congestion DM*

FREE ALCOHOL FREE

FROM SUGAR FREE

TUSSIN

COUGH + CHEST CONGESTION

ADULT

NON-DROWSY • ALCOHOL FREE

COUGH SUPPRESSANT

EXPECTORANT

DEXTROMETHORPHAN HBr 20 mg

GUAIFENESIN 200 mg

Relieves cough, mucus

Specially formulated for diabetics

For ages 12 years and over

DM SUGAR-FREE

FL OZ (mL)

DOSAGE CUP INCLUDED

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Sugar-Free Cough + Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY:

RITE AID

30 HUNTER LANE,

CAMP HILL, PA 17011

www.riteaid.com

Package Label

Drug Facts (continued)

Inactive ingredients acesulfame potassium, citric acid, flavor, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



DOSAGE CUP INCLUDED

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

DISTRIBUTED BY:
RITE AID
30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

NDC 11822-1173-7 Compare to the active ingredients in Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM*

FREE ALCOHOL FREE
F R M SUGAR FREE

TUSSIN
COUGH + CHEST CONGESTION

ADULT
NON-DROWSY • ALCOHOL FREE
COUGH SUPPRESSANT
EXPECTORANT

DEXTROMETHORPHAN
HBr 20 mg
GUAIFENESIN 200 mg

Relieves cough, mucus
Specially formulated for diabetics
For ages 12 & over



4 FL OZ (118 mL)

NDC 11822-1173-7 Compare to the active ingredients in Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM*

FREE ALCOHOL FREE
F R M SUGAR FREE

TUSSIN
COUGH + CHEST CONGESTION

ADULT
NON-DROWSY • ALCOHOL FREE
COUGH SUPPRESSANT
EXPECTORANT

DEXTROMETHORPHAN
HBr 20 mg
GUAIFENESIN 200 mg

Relieves cough, mucus
Specially formulated for diabetics
For ages 12 & over



4 FL OZ (118 mL)

Drug Facts

Active ingredients (in each 10 mL) Dextromethorphan HBr 20 mg.....Cough suppressant
Guaifenesin 200 mg.....Expectorant

Purposes

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- 1 mL = 1 milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store between 20-25°C (68-77°F). Do not refrigerate.



FD005827
PLD-K324C

Lot No.:
Exp. Date:

RITE AID Tussin Sugar Free Cough and Chest Congestion DM

TUSSIN COUGH AND CHEST CONGESTION DM ADULT

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1173
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1173-7	1 in 1 BOX	11/19/2021	02/27/2026
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/19/2021	02/27/2026

Labeler - Rite Aid Corporation (014578892)

Revised: 11/2024

Rite Aid Corporation