CLOTRIMAZOLE- clotrimazole cream Promex, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Clotrimazole 1%

Purpose

Antifungal

Uses

- Cures most athlete's foot, jock itch, and ringworm
- Relieves itching, burning, cracking, scaling and discomfort which accompany these conditions

Warnings

For external use only

Do not use

• on children under 2 years of age except under the advice and supervision of a doctor

When using this product

avoid contact with the eyes

Stop use and ask a doctor if

• Irritation occurs There is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)Do not use for diaper rash

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Wash affected area and dry thoroughly
- Apply a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- Supervise children in the use of this product
- For athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once a day
- For athlete's foot and ringworm use daily for 4 weeks, for jock itch use daily for 2 weeks
- If conditions persist longer, ask a doctor
- This product is not effective on the scalp or nails

Other information

• store between 2°and 30°C (36°and 86°F)

Inactive ingredients

Benzyl alcohol, Carbomer940, Cetyl alcohol, Glycerin, Glyceryl monostearate, Light liquid paraffin, Purified water, Stearic acid and Trolamine

Clotrimazole



KNEZTEN

- -Relieves itching, burning, cracking and scaling
- -Alivia la picazón, ardor, agrietamiento y exfoliación

KNEZTENG

-Relieves itching, burning, cracking and scaling

-Alivia la picazón, ardor, agrietamiento y exfoliación

28.35 g. (1 oz)

Pro-Mex ® Miami, FL 33179 Guestions Comments?

Inactive ingredients benzyl sicchol, carbomer 940, cetyl alcohol, glycerin, glyceryl monostearete, light liquid paraffin, purified water, stearic acid, Archamhe

Drug Facts (continued)

Ž

EZ

bnuticada, ácido esteárico, y trolamina aicohol bencilico, carbómero 940, alcohol cetilico, glicerina, monoestearato de glicerilo, parafina líquida ligera, agua muntesada esperanto de glicerilo, parafina líquida ligera, agua ingredientes inactivos

Información adicional

Almacenar entre 2°-30°C (36°-86°F)

Información del Medicamento (continuación)

Store between 2' and 30 °C (36' and 86' F) Other information

itch use daily for 2 weeks

If conditions persist longer, ask a doctor

This product is not effective on the scalp or nails

■ Wash affected area and dry thoroughly

■ Wash affected area and dry thoroughly

■ Apply a thin layer over affected area twice daily (morning and night) or sa directed by a doctor

■ Supervise children in the use of this product the cost, wear well-fitting, ventilisted shoes and change shoes and socks at least once a day

■ For athlete's four, pays special aftention to spaces between the toes, wear well-fitting, ventilisted shoes and change shoes and socks at least once a day

■ For athlete's foot and ingworm use daily for 4 weeks, for jock itch use daily for 2 weeks

■ For athlete's foot should be a feature of the cost and the cost

Directions

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

■ Do not use for diaper rash

■ There is no improvement within 4 weeks(for athlete's foot and

Stop use and ask a doctor if When using this product avoid contact with the eyes

For external use only

Warnings Do not use on children under 2 years of age except under the advice and supervision of a doctor

Relieves itching, burning, cracking, scaling and discomfort

Cures most athlete's foot, jock itch, and ringworm

Antifungal Purpose

Active ingredients (in each gram)

Drug Facts

Clotrimazole 1%

■ Este producto no es eficaz en el cuero cabelludo o las uñas

durante 4 semanas para la tiña inguinal utilizar diariamente durante 2 semanas e Si las condiciones persisten más tiempo, consulte a un menos una vez al día. Para el pie de atleta y dermatofitosis utilizar diariamente

espacios entre el dedos de los pies, use zapatos comodos con ventiliación, cambiar los zapatos y los calcetines por lo ■ Para el pie de atleta, prestar especial atención a los espacios entre el dedos de los pies, use zapatos comodos espacios entre el dedos de los pies, use zapatos comodos espacios entre el dedos de los pies, use zapatos los selectos estados en la comodos el periodos el

■ Supervisar los niños en el uso de este producto día (mañana y noche) o como lo indique un médico

■ Aplicar una capa fina sobre la zona afectada dos veces al Indicaciones

que ses ingendo, obtenga ayuda médica o contacte un Centro de Control de Intoxicación inmediatamente. Mantener fuera del alcance de los niños. En caso de

Suspenda el uso y pregúntele a un médico si — Se produce irritáción — No hay ninguna mejorta en 4 semanas (para el pie de atleta y la tiña) o 2 semanas (para la tiña inguinal) — No utilice para la dermatitis del pañal

Al usar este producto evite el contacto con los ojos

Sólo para uso externo Advertencias No utilizar en niños menores de 2 años, excepto bajo la recomendación y supervisión de un médico. Esto pasa les este en esta de la seconeción.

■ Cura la mayona de los casos de pie de atleta, comezón de deportista, y tiña ■ Alivia la picazón, ardor, grietas, descamación y molestias que acompañan a estas condiciones SOSU

Ingredientes activos (por cada gramo) Propósito Clotrimazol 1% Antihongos

Información del Medicamento

XZEZIEZ LOT & EXP.

CLOTRIMAZOLE

clotrimazole cream

Dro	duct	Infor	mation
ГІО			11141111111

Product Type HUMAN OTC DRUG Item Code (Source) NDC:58988-0022

Route of Administration TOPICAL

Active Ingredient/Active Moiety

ı	Active ingredient/Active wrotery		
	Ingredient Name	Basis of Strength	Strength
	Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	1 g in 100 g

Inactive Ingredients Ingredient Name Strength BENZYL ALCOHOL (UNII: LKG8494WBH) CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E) CETYL ALCOHOL (UNII: 936JST6JCN) GLYCERIN (UNII: PDC6A3C0OX) GLYCERYL MONOSTEARATE (UNII: 230OU9 XXE4) PARAFFIN (UNII: 1900 E3H2ZE) STEARIC ACID (UNII: 4ELV7Z65AP) TROLAMINE (UNII: 903K93S3TK) WATER (UNII: 059QF0KO0R)

I	ackaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:58988-0022-1	1 in 1 BOX					
1		28.35 g in 1 TUBE					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph final	part333C	12/04/2013				

Labeler - Promex, LLC (789974388)

Revised: 12/2013 Promex, LLC