

OCEANBLU PRE-POST- glycolic acid solution
DeLaval

DeLaval
OceanBlu® Pre-Post MEX

Sanitizing Post dip Barrier with 5% glycerin

Aids in reducing the spread of mastitis-causing organisms

Desinfectante post ordeno con 5% de glicerina

Ayuda a reducir la transmision de microorganismos que causan mastitis

ACTIVE INGREDIENTS:

Glycolic Acid 3%

INACTIVE INGREDIENTS:

Emollient* 5%

* From Glycerin

GlyTec™

US Patent: US10028924

2062-C0116

GLY

NPE FREE Formula

KEEP OUT OF REACH OF CHILDREN

!CAUTION

MANTENER FUERA DEL ALCANCE DE LOST NINOS

!CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS PRODUCT

FIRST AID

If in Eyes: Flush with water. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing.

If Swallowed: Do not induce vomiting. Get immediate medical attention.

STORAGE AND HANDLING

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep from freezing. If product is frozen, thaw in warm room and mix well before using.

Keep from exposing product to direct sunlight. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner. Keep away from chlorine or chlorinated products.

CHEM-TREC EMERGENCY NUMBER 1-800-424-9300

Not for Human Use

Additional Information on Safety Data Sheet

GENERAL INSTRUCTIONS

- DeLaval **OceanBlu® Pre-Post** is a pre and post milking sanitizing teat dip that aids in reducing the spread of mastitis-causing organisms.
- Use DeLaval **Ocean Blu® Pre-Post** teat sanitizer at full strength. **Do not dilute.**
- Consult veterinarian before starting or continuing to use teat dip if cow's teats are sore or chapped.
- Thoroughly clean and sanitize teat dip cup before each milking.
- Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Discard any teat sanitizing solution that becomes dirty or contaminated for any reason.
- Good dairy practices suggest the thorough cleaning and sanitizing of teats before milking to avoid contamination and assist in the control of mastitis.

PRE-DIPPING

- Remove excess organic debris and forestrip. (if water is used, use a minimal amount and dry thoroughly with clean, single-service paper towel before forestripping.)
- Dip, spray, or foam cow's teats with DeLaval **OceanBlu® Pre-Post**.
- Allow a 15 - 30 second contact time.
- Dry teats thoroughly with a clean, single-service paper towel or clean, dry towel.
- Attach milker unit.

POST-DIPPING

- Immediately after removing milking unit, dip or spray teats with DeLaval **OceanBlu® Pre-Post**. Do not wipe.
- If outside temperature is below freezing, allow DeLaval **OceanBlu® Pre-Post** to air-dry on cow's teats before cow is released outside; or allow teat dip to remain on teats for one minute, then dry teats with a single-service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Manufactured for: **DeLaval, Inc.**

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

Manufactured by: WestAgro, Inc.

©2018, Made in USA

NET CONTENTS:

LOT NO.:

EXP. DATE:



OceanBlu™ Pre-Post

2587



CUIDADO MANTENER FUERA DEL ALCANCE DE LOS NIÑOS Y ANIMALES DOMÉSTICOS

LEA Y ENTIENDA TODAS LAS INSTRUCCIONES ANTES DE USAR ESTE PRODUCTO. NO PARA USO HUMANO. INFORMACIÓN ADICIONAL EN LA HOJA DE SEGURIDAD.

PRIMEROS AUXILIOS: El contacto con el producto puede causar irritación en los ojos. Evite el contacto con los ojos.
EN CASO DE CONTACTO CON LOS OJOS: Enjuague con agua. Retirar los lentes de contacto, si los tiene, después de los primeros 5 minutos. Luego, continúe enjuagando.
EN CASO DE INGESTIÓN: No induzca el vómito. Busque atención médica inmediata.

ALMACENAMIENTO Y DESECHO:
ENJUAGUE COMPLETAMENTE LOS DISPOSITIVOS DE MEDICIÓN Y MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS. EVITAR LA CONTAMINACIÓN DE ALIMENTOS O PIENSOS. Evite almacenar cerca del calor o llama directa. Evite que se congele. Si el producto está congelado, descongélelo en una habitación tibia y mézclelo bien antes de usarlo. Evite exponer el producto a la luz solar directa. Mantenga el contenedor bien cerrado cuando no se esté utilizando. No reutilice el recipiente vacío. Enjuague el recipiente vacío antes de desecharlo de manera segura. Mantenga alejado del cloro o productos clorados.

NÚMERO DE EMERGENCIA ANIQ-SETIQ 800-00-214-00

INSTRUCCIONES GENERALES:

- OceanBlu™ Pre-Post es un antiséptico de pezones pre y post ordeño que ayuda a reducir la propagación de los organismos que causan la mastitis.
- Usar el producto OceanBlu™ Pre-Post puro. No diluir.
- Consulte a su médico veterinario antes de iniciar o continuar usando el producto en caso de observar heridas o lesiones en los pezones.
- Limpiar y sanitizar la copa de aplicación antes de su uso.
- Use siempre soluciones diarias frescas de OceanBlu™ Pre-Post y descarte cualquier solución que se encuentre sucia o contaminada.
- Buenas prácticas de ordeño sugieren una buena limpieza y desinfección de los pezones antes y después del ordeño para prevenir nuevas infecciones de mastitis.

PRE-ORDEÑO:

- Remueva el exceso de restos orgánicos. Si se usa agua, use una cantidad mínima y seque completamente con una toalla de papel limpia de un solo servicio antes de presellar y despunte.
- Sumerja, rocíe o haga espuma en los pezones con OceanBlu™ Pre-Post.
- Permita un tiempo de contacto de 15 a 30 segundos.
- Seque completamente los pezones con una hoja de papel limpia y desechable.
- Coloque la unidad de ordeño o inicie la ordeña.

POST-ORDEÑO:

- Inmediatamente después de la remoción de la unidad de ordeño, sumerja o rocíe los pezones en la solución de OceanBlu™ Pre-Post, permitiendo un tiempo de contacto de por lo menos 15 a 30 segundos. No seque.
- Después de utilizar el producto, procurar que las vacas se mantengan de pie (al menos durante 20 a 30 minutos), para permitir el secado de los pezones al aire y el cierre del conducto de los pezones, evitando el contacto de los pezones con superficies contaminadas y el material de la cama.
- Si la temperatura exterior está por debajo de congelación, deje que la solución de OceanBlu™ Barrier se seque al aire en los pezones antes que la vaca salga de la sala de ordeño; o permita que el sellador de pezones se mantenga en contacto por 1 minuto, luego seque los pezones con una toalla de papel. El incumplimiento de estas instrucciones puede resultar en pezones congelados y animales lesionados.

ELABORADO POR:
DeLaval Manufacturing
11100 N. Congress Avenue, Kansas
City MO. 64153 - Planta 1856 S. MT.
Prospect Rd. Des Plaines, IL 60018
Fabricado en Estados Unidos
Tel. 816-891-7700

IMPORTADO Y DISTRIBUIDO POR:
DeLaval S.A. de C.V.
Acceso II, No 16B, Int6
Zona Industrial Benito Juárez
Querétaro, Qro. C.P.76120- México
Tel. +52 442 248 1761

CONTENIDO NETO: _____
FECHA DE CADUCIDAD: _____
LOTE NO.: _____

OceanBlu™ Pre-Post

Desinfectante Pre y Post ordeño con 5% de glicerina
Ayuda a reducir la transmisión de microorganismos que causan mastitis

INGREDIENTES ACTIVOS:
Ácido glicólico.....3.0%
INGREDIENTES INACTIVOS:
Emoliente.....5.0%
*De Glicerina



US Patente: US10028924
2587-MX012/V1

Add image transcription here...

OCEANBLU PRE-POST			
glycolic acid solution			
Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-162
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	GLYCOLIC ACID (UNII: 0WT12SX38S) (GLYCOLIC ACID - UNII:0WT12SX38S)	GLYCOLIC ACID	30.4 g in 1 L
Inactive Ingredients			
	Ingredient Name		Strength
	GLYCERIN (UNII: PDC6A3C0OX)		
	XANTHAN GUM (UNII: TTV12P4NEE)		

C9-11 PARETH-8 (UNII: 80E6PSE1XL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
1-OCTANESULFONIC ACID (UNII: DU4821I15A)	
SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55756-162-02	56.7 L in 1 DRUM		
2	NDC:55756-162-01	208.4 L in 1 DRUM		
3	NDC:55756-162-08	18.9 L in 1 PAIL		
4	NDC:55756-162-27	1041 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		06/23/2022	

Labeler - DeLaval (173704867)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		00222368	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
Graham Dairy Supply Inc		014157770	repack

Establishment

Name	Address	ID/FEI	Business Operations
S&S Dairy Systems LLC		964813583	repack

Establishment

Name	Address	ID/FEI	Business Operations
JBZ Dairy Advantage Inc		016914287	repack

Establishment

Name	Address	ID/FEI	Business Operations
Noble Road Milking Equipment LLC		828991521	repack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, pack, label

Revised: 12/2021

DeLaval