

**BRUSH AND GO OILY PROBLEMATIC SKIN- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder**

**BRUSH AND GO OILY PROBLEMATIC SKIN MATTE FINISH TONE 1- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder**

**BRUSH AND GO OILY PROBLEMATIC SKIN MATTE FINISH TONE 2- titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder**

**Noon Aesthetics M.R. Ltd**

-----  
**Brush and Go™  
Oily Problematic Skin**

## **Drug Facts**

### **Active Ingredients**

Titanium Dioxide 25%  
Ethylhexyl Methoxycinnamate 4.7%  
Octocrylene 4.5%  
Ethylhexyl Salicylate 2.7%  
Butyl Methoxydibenzoylmethane 1.5%  
Benzophenone 1.5%

### **Purpose**

Sunscreen

### **Use**

Help prevent sunburn

### **Warnings**

**For external use only**

**Do not use** on damage or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a poison control center right away.

### **Directions**

Apply generously 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor for sunscreen use

### **Inactive Ingredients**

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead Sea Mineral Mud), Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Crosspolymer, Oligopeptide-10, Silver, Curcuma Longa (Turmeric) Root extract , Boswellia Serrata Extract, Honey Extract, Trimyristin, Hydrogenated Lecithin, Phenoxyethanol, Caprylyl glycol, Potassium Sorbate, Hexylene Glycol, Eucalyptus, Tea Tree Oil, CI 77492, Hydrogenated Lecithin, CI 77491, CI 77499.

### **Other information**

Protect this product from excessive heat and direct sun.

### **Questions or comments?**

Visit [www.nooaesthetics.com](http://www.nooaesthetics.com) or call toll free 1-833-666-6246

### **PRINCIPAL DISPLAY PANEL - 5 g Bottle Label**

Brush&Go™

Oily Skin

Drug Facts:

Purpose: Sunscreen

Active Ingredients:

- Titanium Dioxide 25%
- Ethylhexyl Methoxycinnamate 4.7%
- Octocrylene 4.5%
- Ethylhexyl Salicylate 2.7%
- Butyl Methoxydibenzoylmethane 1.5%
- Benzophenone 1.5%

Use: Help prevent sunburn

# Brush&Go™

Oily Skin

## Drug Facts:

**Purpose:** Sunscreen

## Active Ingredients:

- Titanium Dioxide 25%
- Ethylhexyl Methoxycinnamate 4.7%
- Octocrylene 4.5%
- Ethylhexyl Salicylate 2.7%
- Butyl Methoxydibenzoylmethane 1.5%
- Benzophenone 1.5%

---

**Use: Help prevent sunburn**

---

## Warnings:

- **For external use only**
- **Do not use** on damage or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a poison control center right away.

## Inactive Ingredients:

Mica, Methyl Methacrylate Crosspolymer, Aloe Barbadensis Leaf Juice, BHT, Silica, Maris Limus (Dead Sea Mineral Mud), Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Crosspolymer, Oligopeptide-10, Silver, Curcuma Longa (Turmeric) Root extract, Boswellia Serrata Extract, Honey Extract, Trimyrustin, Hydracithin, Phenoxyethanol, Caprylyl glycol, Potassium Sorbate, Hexylene Glycol, Eucalyptus, Tea Tree Oil. CI 77492 Hydrogenated

**Directions:**

Apply generously 15 minutes before sun exposure.

Children under 6 months of age:

Ask a doctor for sunscreen use

Lecithin, CI 77491, ci 77499

Protect this product from excessive heat and direct sun.

Questions or comments?

Visit [www.nonaesthetics.com](http://www.nonaesthetics.com)

or call Toll Free:

**1-833-666-6246**

**PRINCIPAL DISPLAY PANEL - 5 gr Bottle Carton - Tone no. 01**

noon™ AESTHETICS

Brush  
& Go™

SPF 50

For Oily/Problematic Skin  
Matte Finish

Tone  
no. 01

2 x 5 gr / 0.17 Oz e



NOON<sup>™</sup> AESTHETICS

# Brush & Go<sup>™</sup>

SPF 50

For Oily/Problematic Skin  
Matte Finish

2 x 5 gr / 0.17 Oz e

Tone  
no. 01

## Drug Facts

### Active Ingredients

Titanium Dioxide 25% .....Sunscreen  
Ethylhexyl Methoxycinnamate 4,7% .....Sunscreen  
Octocrylene 4,5% .....Sunscreen  
Ethylhexyl Salicylate 2,7% .....Sunscreen  
Butyl Methoxydibenzoylmethane 1,5% .....Sunscreen  
Benzophenone 1,5% .....Sunscreen

### Purpose

Tone  
no. 01

### Uses

Helps prevent  
sunburn.

PEEL HERE FOR CONTINUED DRUG FACTS ►

## Drug Facts (continued)

### Warnings

#### For external use only.

#### Do not use

- On damaged or broken skin.

#### When using this product

- Keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if

- Rash or irritation develops and lasts.

#### Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

## Drug Facts (continued)

**Directions** • Apply liberally 15 minutes before sun exposure and as needed. • Use a water-resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

## Drug Facts (continued)

### Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Maris Limus (Dead Sea Mineral Mud), Aqua, Silica, Eucalyptus Globulus Leaf Oil, Tea Tree Oil, Polymethylsilsesquioxane, BHT, HDI/Trimethylol Hexylactone Crosspolymer, Boswellia Serrata Extract, Honey Extract, Trimyristin, Hydrogenated Lecithin, Caprylyl Glycol, Potassium Sorbate, Hexylene Glycol, Phenoxyethanol, Oligopeptide-10, Curcuma Longa (Turmeric) Root Extract, Silver, CI 77491, CI 77492, CI 77499.

## Drug Facts (continued)

*Comments and Questions* Call +1-833-666-6246



3 X 5 ml / 0.17 fl Oz e

**PRINCIPAL DISPLAY PANEL - 5 gr Bottle Carton - Tone no. 02**

noon™ AESTHETICS

Brush  
& Go™

SPF 50

For Oily/Problematic Skin  
Matte Finish

Tone  
no. 02

2 x 5 gr / 0.17 Oz e



NOON<sup>™</sup> AESTHETICS

# Brush & Go<sup>™</sup>


SPF 50

For Oily/Problematic Skin  
Matte Finish

2 x 5 gr / 0.17 Oz e

Тон  
но. 02





## Drug Facts

### Active Ingredients

Titanium Dioxide 25% .....	Sunscreen
Ethylhexyl Methoxycinnamate 4,7% .....	Sunscreen
Octocrylene 4.5% .....	Sunscreen
Ethylhexyl Salicylate 2,7%.....	Sunscreen
Butyl Methoxydibenzoylmethane 1.5% .....	Sunscreen
Benzophenone 1,5% .....	Sunscreen

### Purpose

Tone  
no. 02

### Uses

Helps prevent  
sunburn.

PEEL HERE FOR CONTINUED DRUG FACTS >

## Drug Facts (continued)

### Warnings

**For external use only.**

**Do not use**

- On damaged or broken skin.

**When using this product**

- Keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- Rash or irritation develops and lasts.

**Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away.

## Drug Facts (continued)

**Directions** • Apply liberally 15 minutes before sun exposure and as needed. • Use a water-resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.– 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

## Drug Facts (continued)

### Inactive Ingredients

Mica, Methyl Methacrylate Crosspolymer, Maris Limus (Dead Sea Mineral Mud), Aqua, Silica, Eucalyptus Globulus Leaf Oil, Tea Tree Oil, Polymethylsilsesquioxane, BHT, HDI/Trimethylol Hexyllactone Crosspolymer, Boswellia Serrata Extract, Honey Extract, Trimyristin, Hydrogenated Lecithin, Caprylyl Glycol, Potassium

Sorbate, Hexylene Glycol, Phenoxyethanol, Oligopeptide-10, Curcuma Longa (Turmeric) Root Extract, Silver, CI 77491, CI 77492, CI 77499.

**Drug Facts (continued)**

**Comments and Questions** Call +1-833-666-6246



3 X 5 ml / 0.17 fl Oz e

**BRUSH AND GO OILY PROBLEMATIC SKIN**

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-1012
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>MICA</b> (UNII: V8A1AW0880)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>Polymethylsilsesquioxane (4.5 Microns)</b> (UNII: 59Z907ZB69)	

**HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER** (UNII: WB5K9Y35Y9)

**Oligopeptide-10** (UNII: Q46328TRNK)

**Silver** (UNII: 3M4G523W1G)

**TURMERIC** (UNII: 856YO1Z64F)

**INDIAN FRANKINCENSE** (UNII: 4PW41QCO2M)

**Honey** (UNII: Y9H1V576FH)

**Trimyrustin** (UNII: 18L31PSR28)

**Phenoxyethanol** (UNII: HIE492ZZ3T)

**Caprylyl Glycol** (UNII: 00YIU5438U)

**Potassium Sorbate** (UNII: 1VPU26JZZ4)

**Hexylene Glycol** (UNII: KEHOA3F75J)

**Eucalyptus Gum** (UNII: 72T9EZC2VX)

**Tea Tree oil** (UNII: VIF565UC2G)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1012-2	5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	05/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2020	

## BRUSH AND GO OILY PROBLEMATIC SKIN MATTE FINISH TONE 1

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-1016
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

### Inactive Ingredients

Ingredient Name	Strength
<b>MICA</b> (UNII: V8A1AW0880)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>Polymethylsilsesquioxane (4.5 Microns)</b> (UNII: 59Z907ZB69)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>Oligopeptide-10</b> (UNII: Q46328TRNK)	
<b>Silver</b> (UNII: 3M4G523W1G)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>Honey</b> (UNII: Y9H1V576FH)	
<b>Trimyristin</b> (UNII: 18L31PSR28)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>Hexylene Glycol</b> (UNII: KEH0A3F75J)	
<b>Eucalyptus Gum</b> (UNII: 72T9EZC2VX)	
<b>Tea Tree oil</b> (UNII: VIF565UC2G)	

### Product Characteristics

<b>Color</b>	BROWN (light brown)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1016-2	2 in 1 CARTON	01/01/2023	
1		5 g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:78863-1016-3	3 in 1 CARTON	01/01/2023	
2		5 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2023	

# BRUSH AND GO OILY PROBLEMATIC SKIN MATTE FINISH TONE 2

titanium dioxide, octinoxate, octocrylene, octisalate, avobenzone, and oxybenzone powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:78863-1017
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	1.25 g in 5 g
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.236 g in 5 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	0.225 g in 5 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	0.135 g in 5 g
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	0.075 g in 5 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.075 g in 5 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MICA</b> (UNII: V8A1AW0880)	
<b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>Polymethylsilsesquioxane (4.5 Microns)</b> (UNII: 59Z907ZB69)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>Oligopeptide-10</b> (UNII: Q46328TRNK)	
<b>Silver</b> (UNII: 3M4G523W1G)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>Honey</b> (UNII: Y9H1V576FH)	
<b>Trimyristin</b> (UNII: 18L31PSR28)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>Hexylene Glycol</b> (UNII: KEH0A3F75J)	
<b>Eucalyptus Gum</b> (UNII: 72T9EZC2VX)	
<b>Tea Tree oil</b> (UNII: VIF565UC2G)	

## Product Characteristics

<b>Color</b>	BROWN (light brown)	<b>Score</b>	
--------------	---------------------	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78863-1017-2	2 in 1 CARTON	01/01/2023	
1		5 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:78863-1017-3	3 in 1 CARTON	01/01/2023	
2		5 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2023	

**Labeler** - Noon Aesthetics M.R. Ltd (600185560)

### Establishment

Name	Address	ID/FEI	Business Operations
NOON Aesthetics M.R Ltd		600185560	MANUFACTURE(78863-1012, 78863-1016, 78863-1017)

Revised: 1/2025

Noon Aesthetics M.R. Ltd