

LYMPHOCIL- phytolacca decandra, arsenicum iodatum, agraphis nutans, apium graveolens, eriodictyon californicum, allium sativum, erigeron canadensis, euonymus atropurpureus, aconitum lycoctonum, aethiops antimonialis, euonymus europaeus, absinthium, apis mellifica, causticum, sanguinaria canadensis, uva ursi, capsicum annuum liquid Nucleic Products, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Absinthium 30C, Aconitum Lycoctonum 9C, Aethiops Antimonialis 9C, Agraphis Nutans 12X, 6C, Allium Sativum 6C, Apis Mellifica 30C, Apium Graveolens 3C, 6C, Arsenicum Iodatum 12X, 3C, Capsicum Annuum 30C, 200C, Causticum 30C, Erigeron Canadensis 6C, 9C, Eriodictyon Californicum 3C, 6C, 9C, Euonymus Atropurpureus 6C, 9C, 12C, Euonymus Europaeus 9C, 12C, Phytolacca Decandra 4X, 6X, Sanguinaria Canadensis 30C, Uva Ursi 30C.

PURPOSE:

Absinthium - For temporary relief of stomach ailments, Aconitum Lycoctonum - For temporary relief of swelling, Aethiops Antimonialis - For minor support of fatigue, Agraphis Nutans - For temporary relief of aggravated bowels, Allium Sativum - For temporary relief of skin affections, Apis Mellifica - For temporary relief of seasonal affections, Apium Graveolens - For temporary relief of stomach acids, Arsenicum Iodatum - For temporary relief of aggravated skin, Capsicum Annuum - For temporary relief of skin affections, Causticum - For temporary relief of stomach affections, Erigeron Canadensis - For temporary relief of lung affections, Eriodictyon Californicum - For temporary relief of lung affections, Euonymus Atropurpureus - For temporary relief of seasonal affections, Euonymus Europaeus - For temporary relief of minor pain, Phytolacca Decandra - For temporary relief of bowel irregularity, Sanguinaria Canadensis - For temporary relief of lung affections, Uva Ursi - For temporary relief of urinary affections

USES:

Temporarily relieves symptoms of lymphatic congestions and swelling.

Claims based on homeopathic theory, not accepted medical evidence. Not FDA evaluated.

*These "uses" have not been evaluated by the Food and Drug Administration.

**C, K, CK, and X are homeopathic dilutions see www.hp.us.com

WARNINGS:

As with any drug, ask a doctor before use if pregnant or nursing.

Consult a physician if: Symptoms persist for more than 7 days or worsen.

Keep this and all medications out of reach of children.

In case of accidental overdose, contact a medical professional or poison control center immediately.

Do not use if seal is broken or missing.

This Product does not contain sugar, starch, preservatives, artificial flavors or additives, and no wheat, gluten, soy or milk derivatives.

KEEP OUT OF REACH OF CHILDREN:

In case of accidental overdose, contact a medical professional or poison control center immediately.

DIRECTIONS:

Place drops under tongue 30 minutes before/after meals.

Adults and children 12 years of age and older: Take 1 full eyedropper twice a day to help alleviate symptoms of lymphatic congestion.

Under 12 years of age: Consult a physician.

INACTIVE INGREDIENTS

20% organic ethanol, purified water

QUESTIONS:

Distributed By:

Nucleic Products, LLC

PO Box 7148 Grove, OK 74344

Call weekdays 9am-5pm (918)791-1727

PACKAGE LABEL DISPLAY:

NDC: 75053-0002-1

Nu cleic

Lymphocil


Temperare Regulation Series

Homeopathic Medicine

For Professional Use Only

4 fl oz. (118 ml)

NDC: 75053-0002-1



Nucleic
42
21,9089

Lymphocil
Temperare Regulation Series
Homeopathic Medicine

20% organic ethanol

For Professional Use Only

4 fl oz. (118 ml)

Amount Per Serving: .034 Fl oz. (1ml)

DRUG FACTS

Active Ingredients:	Purpose:
Absinthium 30C.....	For temporary relief of stomach ailments
Aconitum Lycoctonum 9C.....	For temporary relief of swelling
Aethiops Antimonialis 9C.....	For minor support of fatigue
Agraphis Nutans 12X, 6C.....	For temporary relief of aggravated bowels
Allium Sativum 6C.....	For temporary relief of skin affections
Apis Mellifica 30C.....	For temporary relief of seasonal affections
Apium Graveolens 3C, 6C.....	For temporary relief of stomach acids
Arsenicum Iodatum 12X, 3C.....	For temporary relief of aggravated skin
Capsicum Annum 30C, 200C.....	For temporary relief of skin affections
Causticum 30C.....	For temporary relief of stomach affections
Erigeron Canadensis 6C, 9C.....	For temporary relief of lung affections
Eriodictyon Californicum 3C, 6C, 9C.....	For temporary relief of lung affections
Euonymus Atropurpureus 6C, 9C, 12C.....	For temporary relief of seasonal affections
Euonymus Europaeus 9C, 12C.....	For temporary relief of minor pain
Phytolacca Decandra 4X, 6X.....	For temporary relief of bowel irregularity
Sanguinaria Canadensis 30C.....	For temporary relief of lung affections
Uva Ursi 30C.....	For temporary relief of urinary affections

Uses Temporarily relieves symptoms of lymphatic congestion & swelling.

Warnings As with any drug, ask a doctor before use if pregnant or nursing. Consult a physician if: Symptoms persist for more than 7 days or worsen. **Keep this and all medications out of the reach of children**. In case of accidental overdose, contact a medical professional or a poison control center immediately.

Directions: Place drops under tongue 30 minutes before/after meals. Adults and Children 12 years of age and older: Take 1 full eyedropper twice a day to help alleviate symptoms of lymphatic congestion. Under 12 years of age: Consult a physician.

Other Information: Do not use if seal is broken or missing. This product does not contain sugar, starch, preservatives, artificial flavors or additives, and no wheat, gluten, soy, or milk derivatives.


Inactive Ingredients: 20% organic ethanol, purified water

Questions? Call weekdays 9am-5pm (918)791-1727

Distributed By: Nucleic Products, LLC PO Box 7148 Grove, OK 74344

*These "uses" have not been evaluated by the Food and Drug Administration. **C,K,Q, and X are homeopathic dilutions; see www.nucleic.com

NDC: 75053-0002-1



Nucleic
42
21,9089

Lymphocil
Temperare Regulation Series
Homeopathic Medicine

20% organic ethanol

For Professional Use Only

4 fl oz. (118 ml)

Amount Per Serving: .034 Fl oz. (1ml)

DRUG FACTS

Active Ingredients:	Purpose:
Absinthium 30C.....	For temporary relief of stomach ailments
Aconitum Lycoctonum 9C.....	For temporary relief of swelling
Aethiops Antimonialis 9C.....	For minor support of fatigue
Agraphis Nutans 12X, 6C.....	For temporary relief of aggravated bowels
Allium Sativum 6C.....	For temporary relief of skin affections
Apis Mellifica 30C.....	For temporary relief of seasonal affections
Apium Graveolens 3C, 6C.....	For temporary relief of stomach acids
Arsenicum Iodatum 12X, 3C.....	For temporary relief of aggravated skin
Capsicum Annum 30C, 200C.....	For temporary relief of skin affections
Causticum 30C.....	For temporary relief of stomach affections
Erigeron Canadensis 6C, 9C.....	For temporary relief of lung affections
Eriodictyon Californicum 3C, 6C, 9C.....	For temporary relief of lung affections
Euonymus Atropurpureus 6C, 9C, 12C.....	For temporary relief of seasonal affections
Euonymus Europaeus 9C, 12C.....	For temporary relief of minor pain
Phytolacca Decandra 4X, 6X.....	For temporary relief of bowel irregularity
Sanguinaria Canadensis 30C.....	For temporary relief of lung affections
Uva Ursi 30C.....	For temporary relief of urinary affections

Uses Temporarily relieves symptoms of lymphatic congestion & swelling.

Warnings As with any drug, ask a doctor before use if pregnant or nursing. Consult a physician if: Symptoms persist for more than 7 days or worsen. **Keep this and all medications out of the reach of children**. In case of accidental overdose, contact a medical professional or a poison control center immediately.

Directions: Place drops under tongue 30 minutes before/after meals. Adults and Children 12 years of age and older: Take 1 full eyedropper twice a day to help alleviate symptoms of lymphatic congestion. Under 12 years of age: Consult a physician.

Other Information: Do not use if seal is broken or missing. This product does not contain sugar, starch, preservatives, artificial flavors or additives, and no wheat, gluten, soy, or milk derivatives.

Inactive Ingredients: 20% organic ethanol, purified water

Questions? Call weekdays 9am-5pm (918)791-1727

Distributed By: Nucleic Products, LLC PO Box 7148 Grove, OK 74344

*These "uses" have not been evaluated by the Food and Drug Administration. **C,K,Q, and X are homeopathic dilutions; see www.nucleic.com

LYMPHOCIL

phytolacca decandra, arsenicum iodatum, agraphis nutans, apium graveolens, eriodictyon californicum, allium sativum, erigeron canadensis, euonymus atropurpureus, aconitum lycoctonum, aethiops antimonialis, euonymus europaeus, absinthium, apis mellifica, causticum, sanguinaria canadensis, uva ursi, capsicum annuum liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75053-0002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	4 [hp_X] in 1 mL
ARSENIC TRIIODIDE (UNII: 3029988O2T) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIIODIDE	12 [hp_X] in 1 mL
HYACINTHOIDES NON-SCRIPTA WHOLE (UNII: 5F658PFU56) (HYACINTHOIDES NON-SCRIPTA WHOLE - UNII:5F658PFU56)	HYACINTHOIDES NON-SCRIPTA WHOLE	12 [hp_X] in 1 mL
CELERY SEED (UNII: 1G1EAA320L) (CELERY SEED - UNII:1G1EAA320L)	CELERY SEED	3 [hp_C] in 1 mL
ERIODICTYON CALIFORNICUM LEAF (UNII: 2Y7TIQ135H) (ERIODICTYON CALIFORNICUM LEAF - UNII:2Y7TIQ135H)	ERIODICTYON CALIFORNICUM LEAF	3 [hp_C] in 1 mL
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	6 [hp_C] in 1 mL
ERIGERON CANADENSIS WHOLE (UNII: 16D08B0B9N) (ERIGERON CANADENSIS - UNII:16D08B0B9N)	ERIGERON CANADENSIS WHOLE	6 [hp_C] in 1 mL
EUONYMUS ATROPURPUREUS BRANCH BARK/ROOT BARK (UNII: WJK59V19EW) (EUONYMUS ATROPURPUREUS BRANCH BARK/ROOT BARK - UNII:WJK59V19EW)	EUONYMUS ATROPURPUREUS BRANCH BARK/ROOT BARK	6 [hp_C] in 1 mL
ACONITUM LYCOCTONUM WHOLE (UNII: EX75Q30TX6) (ACONITUM LYCOCTONUM WHOLE - UNII:EX75Q30TX6)	ACONITUM LYCOCTONUM WHOLE	9 [hp_C] in 1 mL
MERCURIC SULFIDE (UNII: ZI0T668SF1) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC SULFIDE	9 [hp_C] in 1 mL
EUONYMUS EUROPAEUS SEED (UNII: XCD2B9880O) (EUONYMUS EUROPAEUS SEED - UNII:XCD2B9880O)	EUONYMUS EUROPAEUS SEED	9 [hp_C] in 1 mL
WORMWOOD (UNII: F84709P2XV) (WORMWOOD - UNII:F84709P2XV)	WORMWOOD	30 [hp_C] in 1 mL
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	30 [hp_C] in 1 mL
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUSTICUM	30 [hp_C] in 1 mL
SANGUINARIA CANADENSIS ROOT (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	30 [hp_C] in 1 mL
ARCTOSTAPHYLOS UVA-URSI LEAF (UNII: 3M5V3D1X36) (ARCTOSTAPHYLOS UVA-URSI LEAF - UNII:3M5V3D1X36)	ARCTOSTAPHYLOS UVA-URSI LEAF	30 [hp_C] in 1 mL
CAPSICUM (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75053-0002-1	118 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/29/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/29/2020	

Labeler - Nucleic Products, LLC (117470417)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(75053-0002) , api manufacture(75053-0002) , label(75053-0002) , pack(75053-0002)

Revised: 11/2025

Nucleic Products, LLC