

GEA BI-SEPT ACTIVATOR PRE-POST MILKING NON-IODINE TEAT DIP- non-iodine teat dip liquid

GEA Farm Technologies, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Bi-Sept Activator

CONTENTS:

ACTIVE INGREDIENT: 2.9% lactic acid

INACTIVE INGREDIENTS: 97.1%

Net Content: 5 U.S. GAL (18.9L)

KEEP OUT OF REACH OF CHILDREN

WARNING

HAZARD STATEMENT:

Causes eye irritation.

PRECAUTIONARY STATEMENTS

PREVENTION: Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child / 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

FOR ASSISTANCE WITH MEDICAL EMERGENCY

CALL 1-877-741-1032.

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY

- NOT FOR HUMAN USE

Bi-Sept is a Trademark of GEA Farm Technologies, Inc.

Made in U.S.A.

INDICATIONS: This topical liquid product, when properly mixed with Bi-SEPT Base and used undiluted as a pre and post teat dip, effectively aids in reducing the spread of

mastitis.

DIRECTIONS FOR USE: Use only when properly mixed with Bi-Sept Base. Do not dilute. Always prepare mixture in a ventilated area: add ONE volume of Bi-Sept Activator to ONE volume of Bi-Sept Base to a clean container. Mix thoroughly. Once mixed, product can remain effective for up to three days. However, for optimum results, it is recommended to use each Bi-Sept Activator / Base mixture no longer than 24 hours.

PRE DIPPING: Before milking, dip each teat with Bi-Sept. After 15 to 30 seconds, dry each teat thoroughly with a single service towel. If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of Bi-Sept teat dip.

POST DIPPING: Immediately after milking, dip each teat with Bi-Sept. Allow teats to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before the cow leaves the parlor to prevent freezing. At the end of lactation, apply this product daily for one week after the last milking. In addition, begin application of this product about one week prior to calving. If a common teat dip cup is used for application, a fresh solution should always be used at each milking. The teat dip cup should be emptied, cleaned and rinsed with potable water after each milking session or when cup becomes contaminated during milking. Do not pour remaining solution from dip cup back into original container.

STORAGE INSTRUCTIONS:

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.

NPE FREE

See accompanying label for warnings and first aid information.

7751-0094-242 (Rev. 04-17)

GEA Farm Technologies, Inc. • 1880 Country Farm Drive • Naperville, IL 60563 U.S.A.
• www.gea-farmtechnologies.com

7751-0040-242

GEA Farm Technologies, Inc.

1880 Country Farm Dr.

Naperville, IL 60563 U.S.A.

630-548-8832

7751-0094-248 (Rev. 12-15)

Bi-Sept® Activator

Pre-Post Milking Non-Iodine Teat Dip

Bi-Sept® Activator

Pre-Post Milking Non-Iodine Teat Dip

Sellador de pezones no yodado para pre y post ordeño



GEA Farm Technologies
WestfaliaSurge

GEA Farm Technologies, Inc. | 1880 Country Farm Drive | Naperville, IL 60563 U.S.A. | www.gea-farmtechnologies.com

KEEP OUT OF REACH OF CHILDREN WARNING

FOR FARM, COMMERCIAL & INDUSTRIAL USE ONLY - NOT FOR HUMAN USE

Bi-Sept is a Trademark of GEA Farm Technologies, Inc.
Made in U.S.A.

CONTENTS:

Active Ingredient:2.9% Lactic Acid
Inactive Ingredients:97.1%

INDICATIONS: This topical liquid product, when properly mixed with BI-SEPT Base and used undiluted as a pre and post teat dip, effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE: Use only when properly mixed with Bi-Sept Base.
Do not dilute.

Always prepare mixture in a ventilated area; add ONE volume of Bi-Sept Activator to ONE volume of Bi-Sept Base to a clean container. Mix thoroughly. Once mixed, product can remain effective for up to three days. However, for optimum results, it is recommended to use each Bi-Sept Activator / Base mixture no longer than 24 hours.

PRE DIPPING: Before milking, dip each teat with Bi-Sept. After 15 to 30 seconds, dry each teat thoroughly with a single service towel. If the udder and teats are heavily soiled, wash with a sanitizing solution and dry before application of Bi-Sept teat dip.

POST DIPPING: Immediately after milking, dip each teat with Bi-Sept. Allow teats to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before the cow leaves the parlor to prevent freezing. At the end of lactation, apply this product daily for one week after the last milking. In addition, begin application of this product about one week prior to calving. If a common teat dip cup is used for application, a fresh solution should always be used at each milking. The teat dip cup should be emptied, cleaned and rinsed with potable water after each milking session or when cup becomes contaminated during milking. Do not pour remaining solution from dip cup back into original container.

STORAGE INSTRUCTIONS:

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. Keep containers closed to prevent contamination of this product. Keep from freezing.
NPE FREE

See accompanying label for warnings and first aid information.

Net Content: 5 U.S. GAL (18.9L)

7751-0094-242 (Rev. 04-17)

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

PARA USO AGRÍCOLA, COMERCIAL E INDUSTRIAL SOLAMENTE- NO PARA EL USO HUMANO

Bi-Sept es una marca registrada de GEA Farm Technologies, Inc.
Fabricado en EE.UU.

CONTENIDO:

Ingrediente activo:2.9% de ácido láctico
Ingredientes inactivo:97.1%

INDICACIONES: Este producto tópico líquido ayuda efectivamente a reducir la propagación de mastitis cuando se mezcla apropiadamente con BI-SEPT Base y se usa sin diluir como sellador de pezones después del ordeño.

INSTRUCCIONES PARA EL USO: Úselo solamente cuando sea mezclado apropiadamente con Bi-Sept Base. No lo diluya. Siempre prepare la mezcla en un área ventilada: vierta UN volumen de Bi-Sept Activador y UN volumen de Bi-Sept Base a un recipiente limpio. Mezcle cuidadosamente. El producto mezclado se conserva hasta tres días; sin embargo, para lograr resultados óptimos, se recomienda no usar una misma mezcla Activador / Base de Bi-Sept por más de 24 hs.
PRE SELLADO: Previo al ordeño, remoje cada pezón con Bi-Sept. Después de 15 a 30 segundos, seque completamente cada pezón con una toalla de uso individual. Si la ubre y los pezones están muy sucios, lave con una solución sanitaria y seque antes de la aplicación de Bi-Sept.

POST SELLADO: Inmediatamente después del ordeño, remoje cada pezón con Bi-Sept. Deje secar los pezones al aire. No los seque con un trapo. Si la temperatura exterior es menor que la de congelación, permita que se sequen al aire antes de que la vaca salga de la sala para evitar el congelamiento. Al final de la lactancia, aplique este producto diariamente durante una semana después del último ordeño. También, comience la aplicación de este producto diariamente durante una semana antes del parto. Si se utiliza una copa común para la aplicación del sellador de pezones, siempre se debe usar una solución fresca en cada ordeño. La copa para sellar pezones debe ser vaciada, lavada y enjuagada con agua potable después de cada sesión de ordeño o cuando se contamine durante el ordeño. No vierta la solución restante de la copa de vuelta al envase original.

INSTRUCCIONES PARA EL ALMACENAJE:

Almacene este producto en un área fresca y seca, lejos de la luz solar directa y del calor para evitar la degradación. Mantenga los envases cerrados para evitar la contaminación de este producto. Evite el congelamiento.
LIBRE DE NPE

Lea la etiqueta adjunta para información sobre medidas de prevención y de primeros auxilios.

7751-0040-242

Lot# 2412608R00 Exp. 01-26



Bi-Sept® Activator

Pre-Post Milking Non-Iodine Teat Dip

Sellador de pezones no yodado para pre y post ordeño

KEEP OUT OF REACH OF CHILDREN WARNING

HAZARD STATEMENT: Causes eye irritation.

PRECAUTIONARY STATEMENTS:

PREVENTION: Wear protective gloves. Wear eye or face protection. Wash hands thoroughly after handling. Refer to Safety Data sheet (SDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly, then give small amount/glass of water (4-6 oz. child/ 10-12 oz. adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: Flush with large volumes of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

FOR ASSISTANCE WITH MEDICAL
EMERGENCY CALL 1-877-741-1032

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA

DECLARACIÓN DE PELIGRO: Causa irritación de los ojos.

DECLARACIONES DE PRECAUCIÓN:

PREVENCIÓN: Utilice guantes de protección. Utilice protección para los ojos o para el rostro. Lávese las manos cuidadosamente luego de la manipulación del producto. Consulte la Hoja de Información de Seguridad (HIS).

PRIMEROS AUXILIOS:

En contacto con los ojos: Enjuáguese con abundante agua durante al menos 15 minutos. Consulte a un médico de inmediato.

En caso de ingestión: NO provoque el vómito. Enjuáguese la boca inmediatamente e ingiera una pequeña cantidad (o un vaso) de agua: 120-180 ml, niños/300-360 ml, adultos (4-6 oz., niños/10-12 oz., adultos). Evite el alcohol. Consulte a un médico inmediatamente. NO administre nada vía oral a una persona inconsciente o con convulsiones.

En contacto con la piel: Lávese con abundante agua durante al menos 15 minutos mientras se quita la ropa y el calzado contaminados. En caso de irritación y de que esta persista, busque atención médica.

Inhalación de vapores: En caso de respiración dificultosa o irritación, retírese a un ambiente con aire fresco. Si los síntomas persisten, llame a un médico.

PARA ASISTENCIA MÉDICA DE EMERGENCIA
LLAME AL 1-877-741-1032

GEA Farm Technologies, Inc.
1890 Country Farm Dr.
Naperville, IL 60563 U.S.A.
630-548-8832

7751-0094-248 (Rev. 12-15)

GEA BI-SEPT ACTIVATOR PRE-POST MILKING NON-IODINE TEAT DIP

non-iodine teat dip liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51070-7005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	2.9 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
UREA (UNII: 8W8T17847W)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	

Product Characteristics

Color	yellow (clear yellow)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51070-7005-3	56700 g in 1 DRUM		
2	NDC:51070-7005-2	18900 g in 1 JUG		
3	NDC:51070-7005-5	208000 g in 1 DRUM		
4	NDC:51070-7005-6	945000 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/01/2010	

Labeler - GEA Farm Technologies, Inc. (018037309)

Registrant - GEA Farm Technologies, Inc (018037309)

Establishment

Name	Address	ID/FEI	Business Operations
GEA Farm Technologies, Inc.		018037309	api manufacture, manufacture

Revised: 5/2024

GEA Farm Technologies, Inc.