

**DIPHENHYDRAMINE HYDROCHLORIDE 25MG- diphenhydramine hydrochloride
25mg tablet
Strive Pharmaceuticals Inc**

RIGHT REMEDIES Allergy Relief

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- take every 4 to 6 hours, or as directed by doctor
- do not take more than 6 times in 24 hours

| | |
|--|----------------|
| adults and children 12 years and older | 1 to 2 tablets |
| children 6 to under 12 years | 1 tablet |
| children under 6 years old | do not use |

Other information

- **each tablet contains:** calcium 18.64 mg
- store between 20-25°C (68-77°F)
- protect from light.

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, D&C red #27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

RIGHT REMEDIES

Compare to the active ingredient of **Benadryl® Allergy ULTRATAB®***

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®

Distributed by:

Strive Pharmaceuticals Inc.
East Brunswick, NJ 08816

Product of India

Packaged and Quality Assured in the USA

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Packaging

Packaging: 100 tablets



Allergy Relief

sneezing, runny nose,
itchy watery eyes,
itchy throat

diphenhydramine HCl 25mg

READ AND KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

†This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark BENADRYL® ALLERGY ULTRATAB®

↑compare to active ingredient in
BENADRYL® ALLERGY ULTRATAB®

NDC 70692-148-01

Allergy Relief

sneezing, runny nose,
itchy watery eyes,
itchy throat

diphenhydramine HCl **25mg** each caplet

100 caplets

Distributed by: STRIVE PHARMACEUTICALS INC.
East Brunswick, NJ 08816
CT7069214801 - REV/00-092020



3 70692 13601 2

Lot. No.:
Exp. Date:

COATING FREE AREA

Drug Facts (continued)

Keep out of reach of children.
OVERDOSE WARNING: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- take every 4 to 6 hours, or as directed by doctor
- do not take more than 6 doses in 24 hours
- adults & children 12 years and over: take 1 to 2 caplets
- children 6 to under 12 years: take 1 caplet
- children under 6 years: do not use

Other information

- store at room temperature between 20-25°C (68-77°F).
- avoid excessive heat, cold and humidity.
- close cap tightly after use.
- **TAMPER EVIDENT:** Do not use if imprinted safety seal is broken or missing.

Inactive ingredients

crosscarmellose sodium, dicalcium phosphate DT, D&C red #27 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide.

Questions or comments?
Call 1 (888) 577-9033

Drug Facts

Active ingredient (in each caplet) Purpose
Diphenhydramine HCl 25 mgAntihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland


Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- avoid, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Packaging: 72 tablets



Compare to the active ingredient
of **Benadryl® Allergy Ultratabs®***

NDC 70692-148-46

Allergy Relief

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Diphenhydramine HCl 25 mg **Purpose** Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Warnings
Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions
■ take every 4 to 6 hours, or as directed by a doctor
■ do not take more than 6 times in 24 hours

| | |
|--|----------------|
| adults and children 12 years and older | 1 to 2 tablets |
| children 6 to under 12 years | 1 tablet |
| children under 6 years old | do not use |

Other information ■ each tablet contains: calcium 18.64 mg ■ store between 20-25°C (68-77°F) ■ protect from light.


Inactive ingredients croscarmellose sodium, dicalcium phosphate, D&C red #27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments? 1-888-577-8033 Monday-Friday 8am-4pm EST

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®.

Distributed by:
Strive Pharmaceuticals Inc.
East Brunswick, NJ 08816

Product of India
Packaged and Quality Assured in the USA



LOT: No Varnish
EXP:

3 70692 00026 9
LB7069214862 REV.00-062021

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Diphenhydramine HCl 25 mg **Purpose** Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Warnings
Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions
■ take every 4 to 6 hours, or as directed by a doctor
■ do not take more than 6 times in 24 hours

| | |
|--|----------------|
| adults and children 12 years and older | 1 to 2 tablets |
| children 6 to under 12 years | 1 tablet |
| children under 6 years old | do not use |

Other information ■ each tablet contains: calcium 18.64 mg ■ store between 20-25°C (68-77°F) ■ protect from light.


Inactive ingredients croscarmellose sodium, dicalcium phosphate, D&C red #27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

Questions or comments? 1-888-577-8033 Monday-Friday 8am-4pm EST

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy ULTRATAB®.

Distributed by:
Strive Pharmaceuticals Inc.
East Brunswick, NJ 08816

Product of India
Packaged and Quality Assured in the USA



LOT: No Varnish
EXP:

3 70692 00027 6
LB7069214811 REV.00-062021

DIPHENHYDRAMINE HYDROCHLORIDE 25MG

diphenhydramine hydrochloride 25mg tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70692-148 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CROSCARMELOSE SODIUM (UNII: M28OL1HH48) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| TALC (UNII: 7SEV7J4R1U) | |

| | |
|---|--|
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| D&C RED NO. 27 (UNII: 2LRS185U6K) | |
| ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|----------|
| Color | pink | Score | no score |
| Shape | CAPSULE | Size | 12mm |
| Flavor | | Imprint Code | DP |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:70692-148-01 | 100 in 1 PACKAGE; Type 0: Not a Combination Product | 12/28/2018 | |
| 2 | NDC:70692-148-46 | 1 in 1 CARTON | 04/06/2023 | |
| 2 | | 72 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 3 | NDC:70692-148-40 | 400 in 1 BOTTLE; Type 0: Not a Combination Product | 06/01/2021 | |
| 4 | NDC:70692-148-62 | 600 in 1 BOTTLE; Type 0: Not a Combination Product | 06/01/2021 | |
| 5 | NDC:70692-148-11 | 1000 in 1 BOTTLE; Type 0: Not a Combination Product | 06/01/2021 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 12/20/2018 | |

Labeler - Strive Pharmaceuticals Inc (080028013)

Revised: 12/2024

Strive Pharmaceuticals Inc