

**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 1-
octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 2-
octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 3-
octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 4-
octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 5-
octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM
6- octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM
7- octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE
8- octinoxate, titanium dioxide, zinc oxide paste**
**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE
9- octinoxate, titanium dioxide, zinc oxide paste**
Ventura International LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15

Active Ingredients Purpose

Octinoxate 6.50% Sunscreen

Titanium 2.44% Sunscreen

Zinc Oxide 1.57% Sunscreen

- Helps prevent sunburn.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- **Stop use and ask a doctor** if rash occurs.

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor

Cylcopentasiloxane, Mica, Dimethicone Crosspolymer, dimethicone/vinyl dimethicone crosspolymer,

trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium Hectorite, alumina, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane. May Contain: titanium dioxide , iron oxides

Other Information

Protect the product in this container from excessive heat and direct sun

L'BEL

Mousse Mattifiant

Base textura mousse acabado mate FPS 15

Matte finish mousse foundation SPF 15

Base textura mousse acabamentoo mate FPS 15

Tone: Claire 1

Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone.

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl ppg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd, DBA Bekcorp USA, Miami, FL 33126, Made in Colombia; PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia

■ TONE: CLAIRE 1

www.lbel.com

**L'BEL
 MOUSSE
 MATIFIANT**

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamentoo mate FPS 15

Net wt. 1 oz. e (30 g)



**ARTE REFERENCIAL
 NO REPRODUCIR**
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL
 Mousse Mattifiant
 Base textura mousse acabado mate FPS 15
 Matte finish mousse foundation SPF 15
 Base textura mousse acabamentoo mate FPS 15

Tone: Claire 2
 Net wt 1 oz. (30 g)



Drug Facts
Active Ingredients Purpose
 Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients
 Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, ▶

Drug Facts
 (continued)
 octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd., DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

U.S.A.: Dist. by Ventura Int'l Ltd., DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

L'BEL
MOUSSE
MATIFIANT
 Base textura mousse
 acabado mate FPS 15
 Matte finish mousse
 foundation SPF 15
 Base textura mousse
 acabamento mate FPS 15

U.S.A.: Dist. by Ventura Int'l Ltd., DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

Net wt. 1 oz. e (30 g)



ARTE REFERENCIAL
NO REPRODUCIR
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL
 Mousse Matifiant

Base textura mousse acabado mate FPS 15
 Matte finish mousse foundation SPF 15
 Base textura mousse acabamentoo mate FPS 15
 Tone: Claire 3
 Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxyaluminate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, ▶

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

-tone: CLAIRE 3

www.lbel.com

**L'BEL
 MOUSSE
 MATIFIANT**

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamentoo mate FPS 15

Net wt. 1 oz. e (30 g)



**ARTE REFERENCIAL
 NO REPRODUCIR**
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL

Mousse Mattifiant

Base textura mousse acabado mate FPS 15

Matte finish mousse foundation SPF 15

Base textura mousse acabamentoo mate FPS 15

Tone: Claire 4

Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone.

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Bekorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia

TOPE: CLAIRE 4

www.lbel.com

**L'BEL
 MOUSSE
 MATIFIANT**

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamentoo mate FPS 15

Net wt. 1 oz. e (30 g)



**ARTE REFERENCIAL
 NO REPRODUCIR**
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL
 Mousse Mattifiant
 Base textura mousse acabado mate FPS 15
 Matte finish mousse foundation SPF 15
 Base textura mousse acabamentoo mate FPS 15

Tone: Medium 5
 Net wt 1 oz. (30 g)



Drug Facts
Active Ingredients Purpose
 Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients
 Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, ▶

Drug Facts
 (continued)
 octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

www.lbel.com

L'BEL
MOUSSE
MATIFIANT
 Base textura mousse
 acabado mate FPS 15
 Matte finish mousse
 foundation SPF 15
 Base textura mousse
 acabamento mate FPS 15

Net wt. 1 oz. e (30 g)



ARTE REFERENCIAL
NO REPRODUCIR
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL
 Mousse Matifiant

Base textura mousse acabado mate FPS 15
 Matte finish mousse foundation SPF 15
 Base textura mousse acabamentoo mate FPS 15
 Tone: Medium 6
 Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose
 Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxyaluminate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, ▶

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

TO NE: MEDIUM 6

www.lbel.com

**L'BEL
 MOUSSE
 MATIFIANT**

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamentoo mate FPS 15

Net wt. 1 oz. e (30 g)



**ARTE REFERENCIAL
 NO REPRODUCIR**
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL

Mousse Mattifiant

Base textura mousse acabado mate FPS 15

Matte finish mousse foundation SPF 15

Base textura mousse acabamento mate FPS 15

Tone: Medium 7

Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age; ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone.

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Bekcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia

■ TONE: MEDIUM 7

www.lbel.com

**L'BEL
 MOUSSE
 MATIFIANT**

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamentoo mate FPS 15

Net wt. 1 oz. e (30 g)



**ARTE REFERENCIAL
 NO REPRODUCIR**
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL
 Mousse Mattifiant
 Base textura mousse acabado mate FPS 15
 Matte finish mousse foundation SPF 15
 Base textura mousse acabamentoo mate FPS 15

Tone: Obscure 8
 Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose
 Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
 ■ For external use only.
 ■ Do not use on damaged or broken skin.
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, ▶

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int'l Ltd., DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

-tone: OBSCURE 8

www.lbel.com

L'BEL
MOUSSE
MATIFIANT

Base textura mousse
 acabado mate FPS 15
 Matte finish mousse
 foundation SPF 15
 Base textura mousse
 acabamento mate FPS 15

Net wt. 1 oz. e (30 g)



ARTE REFERENCIAL
NO REPRODUCIR
 SOLICITAR ARTE EN ILLUSTRADOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

L'BEL
 Mousse Matifiant

Base textura mousse acabado mate FPS 15
 Matte finish mousse foundation SPF 15
 Base textura mousse acabamentoo mate FPS 15
 Tone: Obscure 9
 Net wt 1 oz. (30 g)



Drug Facts

Active Ingredients Purpose

Octinoxate 6.50% Sunscreen
 Titanium Dioxide 2.44% Sunscreen
 Zinc Oxide 1.57% Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use on damaged or broken skin.**

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsilyloxysilicate, cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, ▶

Drug Facts

(continued)

octyldodecanol, phenoxyethanol, boron nitride, irvingia gabonensis kernel butter, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, silica, hydrogenated coco-glycerides, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, propylene carbonate, hydrogen dimethicone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, rhodiola rosea root extract, carnosine, triethoxycaprylylsilane, alanyl glutamine. May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

STONE: OBSCURE 9

www.lbel.com

**L'BEL
 MOUSSE
 MATIFIANT**

Base textura mousse
 acabado mate FPS 15

Matte finish mousse
 foundation SPF 15

Base textura mousse
 acabamentoo mate FPS 15

Net wt. 1 oz. e (30 g)



**ARTE REFERENCIAL
 NO REPRODUCIR**
 SOLICITAR ARTE EN ILLUSTRATOR A COMPRAS

Arte - Caja		
Arte N°: CJ-51807-E	Nombre del Producto: MOUSSE MATIFIANT Matte Finish Mousse 30g	
Plano: DS010441A	Fecha: 12/08/19	Destino: USA Y PUERTO RICO

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 1

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-227
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	

TRIMETHYLSILOXYLSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-227-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 2

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-228
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
OCTYLDODECANOL (UNII: 461N1O614Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM OXIDE (UNII: LM26O6933)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-228-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 3

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-229
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g
--	------------	-----------------

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-229-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 CLAIRE 4

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-230
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OCTYLDODECANOL (UNII: 461N10614Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

ALUMINUM OXIDE (UNII: LM26O6933)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-230-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 5

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-231
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
OCTYLDODECANOL (UNII: 461N1O614Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM OXIDE (UNII: LM26O6933)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-231-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 6

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-232
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-232-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 MEDIUM 7

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-233
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (45000 MPAS AT 12 % IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-233-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE 8

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-234
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
LAUROYL LYSINE (UNII: 113171Q70B)
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
OCTYLDODECANOL (UNII: 461N10614Y)
BORON NITRIDE (UNII: 2U4T60A6YD)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM OXIDE (UNII: LMI2606933)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ALANYL GLUTAMINE (UNII: U5JDO2770Z)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-234-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 15 OBSCURE 9

octinoxate, titanium dioxide, zinc oxide paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-235
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.44 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	6.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.57 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
DIMETHICONE CROSSPOLYMER (450000 MPAS AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CARNOSINE (UNII: 8HO6PVN24W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
DIMETHICONOL (14000 CST) (UNII: M2HW98ZA4V)	
BIS-HYDROXYETHOXYPROPYL DIMETHICONE (37 CST) (UNII: 7K226YI89Y)	
IRVINGIA GABONENSIS SEED BUTTER (UNII: 8Y12O726LX)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
LAUROYL LYSINE (UNII: 113171Q70B)	
SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALANYL GLUTAMINE (UNII: U5JDO2770Z)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-235-01	30 g in 1 TUBE; Type 0: Not a Combination Product	11/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/12/2020	

Labeler - Ventura International LTD (603192787)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	manufacture(14783-227, 14783-228, 14783-229, 14783-230, 14783-231, 14783-232, 14783-233, 14783-234, 14783-235)

Revised: 11/2020

Ventura International LTD