ATOPALM DIAPER RASH - zinc oxide cream NeoPharm Co., Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ATOPALM Diaper Rash Cream

ATOPALM Diaper Rash Cream

Active Ingredient

Zinc Oxide 10%

Purpose

Skin Protectant

Uses

- Helps treat and prevent diaper rash
- Protects chafed skin and minor irritation associated with diaper rash
- Helps seal out wetness.

Warnings

For external use only.

When using this product

• avoid contact with the eyes.

Stop use and ask a doctor if

- Conditions worsen
- symptoms last more than seven days
- symptoms clear up and occur within a few days.

Keep out of reach of children.

If swallowed, get medical help immediately or contact a Poison Control Center right away.

Directions

- Change wet and soiled promptly
- Cleanse the diaper area and allow to dry.
- Apply cream liberally, as often as necessary, with each diaper change, especially at bedtime or before any prolonged exposure to wet diapers.

Other Information

• store at 15 degrees - 30 degrees C (59 degrees - 86 degrees F)

• see carton flap or tube crimp for lot number and expiration date

Questions or information call toll free:

1-855-ATOPALM

Inactive Ingredients

WATER, WHITE PETROLATUM, LIGHT MINERAL OIL, SORBITAN SESQUILEATE, WHITE BEESWAX, TALC, STEARIC ACID, DIMETHICONE, ALOE VERA GEL, MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA, CHOLESTEROL, PANTHENOL, TOCOPHERYL ACETATE, BENZYL ALCOHOL, SODIUM BENZOATE, FRAGRANCE.

ATOPALM Diaper Rash Cream 2oz (51141-0237-2)



Drug Facts	Drug Facts (continued)	
Active Ingredient Purpose Zinc Oxide 10%		
Uses ■ Hebs treat and prevent diaper rash ■ protects chafed skin and minor irritation associated with diaper rash ■ helps seal out wetness.	Directions III Change wet and solied diapers promptly. III Cleanse the diaper area and allow to dry. III Apply cream liberally, as often as necessary, with each diaper change, especially at bedtime or before any	
Warnings For external use only.	prolonged exposure to wet diapers.	
When using this product ■ avoid contact with the eyes.	Other Information ■ store at 15°-30°C (59°-86°F) ■ see carton flap or tube crimp for lot number and expiration date	
Stop use and ask a doctor if ■ Conditions worsen ■ symptoms last more than seven days ■ symptoms clear up and occur within a few days. ▶	Questions or information call toll free: 1-855-ATOPALM	

Batch/Lot # / Exp. Date

Drug Facts (continued)

Inactive Ingredients

WATER, WHITE PETROLATUM, LIGHT MINERAL OIL, SORBITAN SESQUIOLEATE, WHITE BEESWAX, TALC, STEARIC ACID, DINETHICONE, ALOE VERA GEL, MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA, CHOLESTEROL, PANTHENOL, TOCOPHERYL ACETATE, BENZYL ALCOHOL, SODIUM BENZOATE, FRAGRANCE.

US Patent # US 6221371B1 Distributed by: NeoPharm USA, 1 Oyster Bay Drive, Rumson, NJ 07760 Made in Korea



75727

PROVIDES LONG LASTING PROTECTION

ATOPALM[™] DIAPER RASH CREAM



Contains Vitamin E Acetate - Paraben Free

Net Wt. 2 oz/57 g

Skin moisturizing formula based upon US Patented Pseudoceramide

Active Ingredient Zinc Oxide 10%

Uses Helps treat and prevent diaper rash ■ protects chafed skin and minor irritation associated with diaper rash ■ helps seal out wetness.

Warnings: For external use only.

Avoid contact with the eyes. If condition worsens or does not improve in 7 days or if symptoms clear up and occur again within a few days, consult a doctor.

Keep out of reach of children. If swallowed, get medical help immediately or contact a Poison Control Center right away.

Directions ■ Change wet and soiled diapers promptly ■ cleanse the diaper area ■ allow to dry ■ apply cream liberally, as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged.

Other information Store at 15° to 30°C (59° to 86°F).

Questions or information call toll free: 1-855 ATOPALM

Distributed by: NeoPharm USA, 1 Oyster Bay Drive, Rumson, NJ 07760

Made in Korea #75727

10 g in 100 g

ZINC OXIDE

ATOPALM DIAPER RASH

zinc oxide cream

Product Information

1 Todact Imormation			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51141-0237

Route of Administration TOPICAL

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
PETROLATUM (UNII: 4T6H12BN9U)		
LIGHT MINERAL OIL (UNII: N6K5787QVP)		

SORBITAN SESQUIOLEATE (UNII: 0 W8 RRI5W5A)	
WHITE WAX (UNII: 7G1J5DA97F)	
TALC (UNII: 7SEV7J4R1U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
MYRISTO YL/PALMITO YL O XO STEARAMIDE/ARACHAMIDE MEA (UNII: 1211AIM8 G7)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
PANTHENOL (UNII: WV9CM0O67Z)	
.ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:51141-0237-2	57 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part347	06/07/2012	

Labeler - NeoPharm Co., Ltd (965502912)

Registrant - NeoPharm Co., Ltd (965502912)

Establishment			
Name	Address	ID/FEI	Business Operations
Neo Pharm Co., Ltd		631101883	manufacture

Revised: 6/2012 NeoPharm Co., Ltd