

**EXTRA STRENGTH MINI SOFTGELS PAIN RELIEVER- acetaminophen capsule,
liquid filled
THE KROGER CO**

Extra Strength Mini Softgels Pain Reliever

Drug Facts

Active Ingredient

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours with other drugs
- containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if youhave liver disease

Ask a doctor or pharmacist before use if you aretaking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see **overdose warning**)

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

store between 20-25°C (68-77°F)


Inactive ingredients

FD & C Red # 40, gelatin, glycerin, polyethylene glycol 40, polyethylene glycol 400, povidone, purified water, sorbitan solution, titanium dioxide

Questions or comments?

1-800-632-6900

Compare to the active ingredient



NDC XXXX-XXX-XX

COMPARE TO THE ACTIVE
INGREDIENT IN TYLENOL EXTRA STRENGTH®

EXTRA STRENGTH
Mini Softgels
Pain Reliever
Acetaminophen 500 mg
Pain Reliever/
Fever Reducer

ACTUAL
SIZE

ULTRA CONCENTRATED
MINI SOFTGELS
DISSOLVES QUICKLY

50
MINI SOFTGELS

**TAPE EVIDENT: DO NOT USE IF SAFETY SEAL UNDER THE CAP IS
BROKEN OR MISSING**

Drug Facts

Active ingredient (in each softgel) Purpose
Acetaminophen Pain reliever/
500 mg fever reducer

Uses
Temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings
Liver warning:
This product contains acetaminophen. Severe liver damage may occur if you take


- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

ALLERGY alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued under label)



80% FOR POSITION ONLY
0 41260 00136 9

PROUDLY DISTRIBUTED
BY THE KROGER CO.
CINCINNATI, OH 45202
MADE IN INDIA

Quality Guaranteed
Kroger.com/guarantee
800-632-6800

LOT:
EXP:

<p>Drug Facts (Continued)</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product <p>Ask a doctor before use if you have liver disease</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning</p> <p>In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.</p>					
<p>Directions</p> <p>do not take more than directed (see overdose warning)</p> <table border="1"> <tr> <td>adults and children 12 years and over</td> <td> <ul style="list-style-type: none"> ■ take 2 softgels every 6 hours while symptoms last ■ do not take more than 6 softgels in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor </td> </tr> <tr> <td>children under 12 years</td> <td>ask a doctor</td> </tr> </table>		adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 softgels every 6 hours while symptoms last ■ do not take more than 6 softgels in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor 	children under 12 years	ask a doctor
adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 softgels every 6 hours while symptoms last ■ do not take more than 6 softgels in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor 				
children under 12 years	ask a doctor				
<p>Other information</p> <p>store between 20-25°C (68-77°F)</p>					
<p>Inactive ingredients</p> <p>FD & C Red # 40, gelatin, glycerin, polyethylene glycol 40, polyethylene glycol 400, povidone, purified water, sorbitan solution, titanium dioxide</p>					
<p>Questions or comments? Call 1-800-632-6900</p>					
<p>*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol®.</p>					

acetaminophen capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41226-101
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg	
Inactive Ingredients				
Ingredient Name			Strength	
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
PEG-40 (UNII: HAF0412YIT)				
POVIDONE (UNII: FZ989GH94E)				
SORBITAN (UNII: 6O92ICV9RU)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
WATER (UNII: 059QF0KO0R)				
Product Characteristics				
Color	red	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	SD31	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41226-101-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	01/27/2026	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		01/27/2026	

Labeler - THE KROGER CO (006999528)