

**SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT-** titanium dioxide and zinc oxide liquid  
**SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM-** titanium dioxide and zinc oxide liquid  
**SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN TAN-** titanium dioxide and zinc oxide liquid  
**SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN DEEP-** titanium dioxide and zinc oxide liquid  
Tarte, Inc.

-----  
**sugar rush™ skin treat poreless tinted moisturizer Broad Spectrum SPF 20 Sunscreen**

### ***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide 4.55%	Sunscreen
Zinc Oxide 3.50%	Sunscreen

### **Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Stop use and ask doctor** if rash occurs.

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

Shake before use.

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses

### **Other information**

Protect the product in this container from excessive heat and direct sunlight.

- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

### **Inactive Ingredients**

Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesquioxane, mica, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsilane, dipalmitoyl hydroxyproline, diamond powder, iron oxides. OX100FZ000091.


Dist. by tarte, Inc. New York,  
NY 10018.

### **PRINCIPAL DISPLAY PANEL - 10 mL Tube Carton - Light**

tarte™  
sugar rush

poreless tinted moisturizer  
Broad Spectrum  
SPF 20 Sunscreen  
net 10 mL / 0.33 Fl. Oz.

209.5



**Drug Facts** (continued)

**Directions**  
Shake before use. • Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**  
Protect the product in this container from excessive heat and direct sunlight. • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ◀


Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORUS, Wavre, BE / London WC2H 9JQ, UK.

**Drug Facts**

**Active Ingredients Purpose**  
Titanium Dioxide 4.55% Sunscreen  
Zinc Oxide 3.50% Sunscreen


**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
**Stop use and ask doctor** if rash occurs.  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ◀



tarte<sup>®</sup>  
sugar  rush

poreless tinted moisturizer  
**Broad Spectrum SPF 20 Sunscreen**  
net 10 mL / 0.33 FL Oz.




**Drug Facts** (continued)

**Inactive Ingredients**  
Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesquioxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, mica, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylsilane, dipalmitoyl hydroxyproline, diamond powder, iron oxides, OX100FZ000081.

• 12-hour makeup  
• dermatologist tested

#sugarsquad  
@sugarrush  
sugarrushbeauty.com





**PRINCIPAL DISPLAY PANEL - 10 mL Tube Carton - Medium**

tarte™

sugar rush





poreless tinted moisturizer

Broad Spectrum

SPF 20 Sunscreen

net 10 mL / 0.33 Fl. Oz.

209.5



**Drug Facts** (continued)

**Directions**  
Shake before use. • Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**  
Protect the product in this container from excessive heat and direct sunlight. • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ◀


**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 4.55%	Sunscreen
Zinc Oxide 3.50%	Sunscreen

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
**Stop use and ask doctor** if rash occurs.  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ◀

medium

tarte<sup>®</sup>  
sugar  rush


86mm

**Drug Facts** (continued)

**Inactive Ingredients**  
Cyclopentasiloxane, isododecane, polysilicone-11, mica, polymethylsilsesquioxane, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsilane, dipalmitoyl hydroxyproline, diamond powder, iron oxides, OX100F2000101.

- 12-hour makeup
- dermatologist tested





#sugarsquad  
@sugarrush  
sugarrushbeauty.com



Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORUS, Wavre, BE / London WC2H 9JQ, UK.



poreless tinted moisturizer  
**Broad Spectrum SPF 20 Sunscreen**  
net 10 mL / 0.33 FL Oz.



FG08089-01



**PRINCIPAL DISPLAY PANEL - 10 mL Tube Carton - Tan**

tarte™

sugar rush





poreless tinted moisturizer

Broad Spectrum

SPF 20 Sunscreen

net 10 mL / 0.33 Fl. Oz.

209.5



**Drug Facts** (continued)

**Directions**  
Shake before use. • Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants, hats and sunglasses


**Other information**  
Protect the product in this container from excessive heat and direct sunlight. • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ◀

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide 4.55%	Sunscreen
Zinc Oxide 3.50%	Sunscreen

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
**Stop use and ask doctor** if rash occurs.  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ◀

tarte<sup>®</sup>  
sugar  rush


86mm

**Drug Facts** (continued)

**Inactive Ingredients**  
Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsequioxane, mica, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsilane, dipalmitoyl hydroxyproline, diamond powder, iron oxides, OX100FZ000091.

- 12-hour makeup
- dermatologist tested


#sugarsquad  
@sugarrush  
sugarrushbeauty.com



Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIORBUS, Wavre, BE / London WC2H 9UJ, UK.



poreless tinted moisturizer  
**Broad Spectrum SPF 20 Sunscreen**  
net 10 mL / 0.33 FL Oz.





**PRINCIPAL DISPLAY PANEL - 10 mL Tube Carton - Deep**

tarte™

sugar rush

poreless tinted moisturizer


Broad Spectrum

SPF 20 Sunscreen

net 10 mL / 0.33 Fl. Oz.



209.5



**Drug Facts** (continued)

**Directions**  
Shake before use. • Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: -Limit time in the sun, especially from 10 a.m.-2 p.m. -Wear long-sleeved shirts, pants, hats and sunglasses

**Other information**  
Protect the product in this container from excessive heat and direct sunlight. • You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ◀


Made in USA. Dist. by tarte, Inc. New York, NY 10018. All rights reserved. BIONUS, Wavre, BE / London WC2H 9JQ, UK.

**Drug Facts**

**Active Ingredients Purpose**  
Titanium Dioxide 4.55% Sunscreen  
Zinc Oxide 3.50% Sunscreen

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
**Stop use and ask doctor** if rash occurs.  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ◀



tarte<sup>®</sup>  
sugar  rush


poreless tinted moisturizer  
**Broad Spectrum  
SPF 20 Sunscreen**  
net 10 mL / 0.33 FL Oz.

**Drug Facts** (continued)







**Inactive Ingredients**  
Cyclopentasiloxane, isododecane, polysilicone-11, polymethylsilsesquioxane, mica, hexyl laurate, PEG-10 dimethicone, polyglyceryl-4 isostearate, stearic acid, cetyl PEG/PPG-10/1 dimethicone, alumina, triethoxycaprylylsilane, dipalmitoyl hydroxyproline, diamond powder, iron oxides, OX100FZ000091.

• 12-hour makeup  
• dermatologist tested

#sugarsquad  
@sugarrush  
sugarrushbeauty.com



crucityfree  
andvegan





# SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN LIGHT

titanium dioxide and zinc oxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51060-320
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	45.5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	35 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-320-01	1 in 1 CARTON	05/13/2019	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2019	

## SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN MEDIUM

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-321
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	45.5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	35 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:51060-321-01	1 in 1 CARTON	05/13/2019	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2019	

## SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN TAN

titanium dioxide and zinc oxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-322
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	45.5 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	35 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
DIAMOND (UNII: 6GRV67N0U2)	
MICA (UNII: V8A1AW0880)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-322-01	1 in 1 CARTON	05/13/2019	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2019	

# SUGAR RUSH SKIN TREAT PORELESS TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN DEEP

titanium dioxide and zinc oxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-323
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	45.5 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	35 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3)</b> (UNII: G300307ZXP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DIPALMITOYL HYDROXYPROLINE</b> (UNII: E6AHA53N1H)	
<b>DIAMOND</b> (UNII: 6GRV67N0U2)	
<b>MICA</b> (UNII: V8A1AW0880)	

**FERROSFERRIC OXIDE** (UNII: XM0M87F357)

**FERRIC OXIDE YELLOW** (UNII: EX438O2MRT)

**FERRIC OXIDE RED** (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-323-01	1 in 1 CARTON	05/13/2019	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/13/2019	

**Labeler** - Tarte, Inc. (027905186)

Revised: 12/2023

Tarte, Inc.