

SEPHORA DAILY SUNSCREEN CREAM BROAD SPECTRUM SPF 30- zinc oxide cream
S+

Sephora Daily Sunscreen Cream Broad Spectrum SPF 30

Drug Facts

Active ingredient

Zinc Oxide 15.5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Dimethicone, Glycerin, Ethylhexyl Palmitate, Propanediol, Shea Butter (Butyrospermum Parkii), Safflower (Carthamus Tinctorius) Oleosomes, Glyceryl Stearate Se, Polyhydroxystearic Acid, Sorbitan Isostearate, Cetyl Alcohol, Pentaerythrityl Tetraistearate, Phenyl Trimethicone, Silica, Inulin Lauryl Carbamate, Ethylhexylglycerin, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Hydroxyacetophenone, Polysilicone-11, Xanthan Gum, Gluconolactone, Trisodium Ethylenediamine Disuccinate, Sodium Citrate, Sodium Benzoate, Tocopherol, Citric Acid.

Package Labeling:

SPF 30

Drug Facts (continued)

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

Other information

■ Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Dimethicone, Glycerin, Ethylhexyl Palmitate, Propanediol, Shea Butter (Butyrospermum Parkii), Safflower (Carthamus Tinctorius) Oleosomes, Glyceryl Stearate Se, Polyhydroxystearic Acid, Sorbitan Isostearate, Cetyl Alcohol, Pentaerythrityl Tetraisostearate, Phenyl Trimethicone, Silica, Inulin Lauryl Carbamate, Ethylhexylglycerin, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Phenoxyethanol, Hydroxyacetophenone, Polysilicone-11, Xanthan Gum, Gluconolactone, Trisodium Ethylenediamine Disuccinate, Sodium Citrate, Sodium Benzoate, Tocopherol, Citric Acid.

DISTRIBUTED BY SEPHORA USA,
525 MARKET STREET,
32ND FLOOR,
SAN FRANCISCO, CA 94105
MADE IN USA



Clinically proven tolerance.

FEATURED INGREDIENT

Broad Spectrum SPF 30 Mineral sunscreen that helps prevent sunburn.

HOW TO USE



Apply generously as the last step of your skincare routine or instead of your daily moisturizer.

+27% hydration⁽¹⁾
found the product
90% has a **bareskin finish**⁽²⁾

⁽¹⁾Scientific measure on 43 volunteers, 8 hours after application.

⁽²⁾% of volunteers satisfied after 28 days of use. Consumer test on 80 volunteers.

SEPHORA

SPF 30

DAILY SUNSCREEN CREAM BROAD SPECTRUM SPF 30 15.5% ZINC OXIDE

FOR ALL SKIN TYPES INVISIBLE FINISH

+△+
Unscented

0.34 fl.oz. (10 mL)

Drug Facts

Active ingredient Purpose
Zinc Oxide 15.5%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor



3378872233992

SEPHORA

SPF
30

**DAILY SUNSCREEN
CREAM BROAD
SPECTRUM
SPF 30
15.5% ZINC OXIDE**

INVISIBLE FINISH



0.34 fl.oz. (10 mL)

THIS UNIT NOT LABELED FOR RETAIL SALE.

ACTIVE INGREDIENT ZINC OXIDE 15.5%

USES HELPS PREVENT SUNBURN. IF USED AS DIRECTED WITH OTHER SUN PROTECTION MEASURES (SEE

DIRECTIONS), DECREASES THE RISK OF SKIN CANCER AND EARLY SKIN AGING CAUSED BY THE SUN. **WARNINGS**

FOR EXTERNAL USE ONLY DO NOT USE ■ ON DAMAGED OR BROKEN SKIN **WHEN USING THIS PRODUCT** ■ KEEP

OUT OF EYES. RINSE WITH WATER TO REMOVE. **STOP USE AND ASK A DOCTOR IF** ■ RASH OCCURS. **KEEP OUT OF**

REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT

AWAY. **DIRECTIONS** APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY 2

HOURS. USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR SWEATING. CHILDREN UNDER 6 MONTHS

OF AGE: ASK A DOCTOR. **SUN PROTECTION MEASURES.** SPENDING TIME IN THE SUN INCREASES YOUR RISK OF

SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD

SPECTRUM SPF VALUE OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING: ■ LIMIT TIME IN

THE SUN, ESPECIALLY FROM 10 A.M. - 2 P.M. ■ WEAR LONG-SLEEVED SHIRTS, PANTS, HATS AND SUNGLASSES.

OTHER INFORMATION PROTECT THE PRODUCT IN THIS CONTAINER FROM EXCESSIVE HEAT AND DIRECT SUN.

DISTRIBUTED BY SEPHORA USA, 525 MARKET STREET, 32ND FLOOR, SAN FRANCISCO, CA 94105

MADE IN USA



SEPHORA DAILY SUNSCREEN CREAM BROAD SPECTRUM SPF 30

zinc oxide cream

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:31720-251
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	155 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)				
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GLYCERIN (UNII: PDC6A3C0OX)				
ETHYLHEXYL PALMITATE (UNII: 2865993309)				
PROPANEDIOL (UNII: 5965N8W85T)				
SHEA BUTTER (UNII: K49155WL9Y)				
CARTHAMUS TINCTORIUS SEED OLEOSOMES (UNII: 9S60Q72309)				
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)				
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)				
CETYL ALCOHOL (UNII: 936JT6JCN)				
PENTAERYTHRITYL TETRAISOSTEARATE (UNII: 9D7IK5483F)				
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
INULIN LAURYL CARBAMATE (UNII: 48RFF58ESG)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
XANTHAN GUM (UNII: TTV12P4NEE)				
GLUCONOLACTONE (UNII: WQ29KQ9POT)				
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
TOCOPHEROL (UNII: R0ZB2556P8)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:31720-251-06	1 in 1 BOX	04/10/2025	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/10/2025	

Labeler - S+ (572406531)

Registrant - S+ (572406531)

Revised: 4/2025

S+