#### WALGREEN MAXIMUM STRENGTH SEVERE CONGESTION AND COUGHdextromethorphan hbr, guaifenesin, phenylephrine hcl liquid WALGREENS CO.

-----

# Walgreen Maximum Strength Severe Congestion & Cough Drug Facts

## Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg Guaifenesin 400 mg

Phenylephrine HCl 10 mg

### Purposes

Cough suppressant Expectorant

Nasal Decongestant

### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

### Warnings

### Do not use

 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- heart disease
- high blood pressure

- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

# When using this product,

### do not use more than directed.

#### Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with a fever
- cough comes back, or occurs with rash or persistent headache. These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

### Directions

- do not take more than 6 doses in a 24-hour period
- measure only with dosing cup provided.
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- adults and children 12 years of age and older: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: Do not use

# Other information

- each 20 mL contains: sodium 8 mg
- low sodium
- store at room temperature
- do not refrigerate

# Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavor, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

#### **Questions or comments?**

1-866-467-2748

# **Principal Display Panel**

Compare to Mucinex ® Fast-Max ® Maximum Strength Severe Congestion & Cough active ingredients\*

NDC 0363-7389-09

Maximum Strength

# Severe Congestion and Cough

Dextromethorphan HBr - Cough Suppressant

Guaifenesin - Expectorant

Phenylephrine HCI - Nasal Decongestant

- Controls Cough
- Relieves Nasal & Chest Congestion
- Thins & Loosens Mucus

For Ages 12 +


9 FL OZ (266 mL)

# TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.

PEEL CORNER TO READ COMPLETE DRUG FACTS AND INFORMATION

### Distributed by:

\*This product is not manufactured or distributed by Reckitt Benckiser, the distributor of Mucinex® Fast-Max® Maximum Strength Severe Congestion & Cough.



# WALGREEN MAXIMUM STRENGTH SEVERE CONGESTION AND COUGH

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

HUMAN OTC DRUG	Item Code (Source)		NDC:0363-7389						
ORAL									
Active Ingredient/Active Moiety									
lient Name		Basis of Stre	ength	Strength					
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE						
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			GUAIFENES IN						
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE		10 mg in 20 mL					
	ORAL Moiety lient Name COMIDE (UNII: 9D2RTI9KYH BROTS) (GUAIFENESIN - UNII:495W	ORAL Moiety lient Name COMIDE (UNII: 9D2RTI9KYH) BROTS) (GUAIFENESIN - UNII:495W7451VQ)	ORAL Basis of Street   Moiety Basis of Street   Iient Name Basis of Street   ROMIDE (UNII: 9D2RTI9KYH) DEXTROMETHORPH   BROTS) GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN   DE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE	ORAL Basis of Strength   Moiety Basis of Strength   Iient Name Basis of Strength   COMIDE (UNII: 9D2RTI9KYH) DEXTROMETHORPHAN HYDROBROMIDE   (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN   DE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE					

Inactive Ingredients				
Ingredient Name	Strength			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZ B9127XOA)				
POTASSIUM CITRATE (UNII: EE900NI6FF)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				

		(UNII: 8D4SNN7V92)		
w	ATER (UNII: 059Q	F0KO0R)		
SC	DDIUM BENZOAT	E (UNII: OJ245FE5EU)		
SC	DRBITOL (UNII: 50	06T60A25R)		
รเ	JCRALOSE (UNII:	96K6UQ3ZD4)		
XÆ	ANTHAN GUM (UN	NII: TTV12P4NEE)		
P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
			Dutt	Date
1		266 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/25/2024	Date
1				Date
1				Date
-	7389-09 (			
-	7389-09 (	Combination Product		Marketing End Date

Labeler - WALGREENS CO. (008965063)

Revised: 12/2024

WALGREENS CO.