

HONGOCURA M- undecylenic acid spray
MENPER DISTRIBUTORS, INC.

Hongocura M

Active Ingredient Purpose

Undecylenic Acid 20% v/v.....Antifungal

Purpose

- Antifungal

Warnings

For external use only. Flammable: Keep away from fire and flame.

Do not use on children

- Under 2 years of age, unless directed by a doctor
- for diaper rash

Stop use and ask a doctor if

- Irritation occurs
- there is no improvement within 4 weeks

When using this product

- Avoid contact with eyes and mucus membrane

Do not use on children

- Under 2 years of age, unless directed by a doctor
- for diaper rash

Stop use and ask a doctor if

- Irritation occurs
- there is no improvement within 4 weeks

When using this product

- Avoid contact with eyes and mucus membrane

If pregnant or breast-feeding, consult a doctor before use.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a thin layer of **Hongocura M Antifungal Spray** over the affected area twice daily (morning and night) or as directed by a doctor
- supervise children in use of this product
- for athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks. if condition persists longer, consult a doctor

- this product is not effective on the scalp or nails
- store between 15°-30°C(59°-86°F)

Inactive Ingredients

isopropyl alcohol and water.

Questions: 1-800-560-5223 Monday - Friday (9 AM - 4 PM EST)

www.menperdistributors.com

For the cure of most:

- Athlete's Foot (tinea pedis)
- Ringworm (tinea corporis)

For the relief of:

- Itching
- Burning
- Cracking

**UP DOWN SPRAY
EASY-TO-USE**



Distributed by:
Menper Distributors, Inc.
11421 N.W. 107 Street, Suite #24,
Miami, FL 33178
www.menperdistributors.com



2 FL OZ (60 mL)

Para la cura de la Mayoría:

- Pie de Atleta (tinea pedis)
- Tiña (tinea corporis)

Para el alivio de:

- Picazón
- Ardor
- Agrietamiento

**ATOMIZADOR PARA USO
DE INCLINACIÓN MÚLTIPLE
EASY-TO-USE**





0 42279 31102 9

Drug Facts

Active ingredient Undecylenic Acid 20% w/v..... Purpose Antifungal

Uses For the cure of most: athlete's foot (tinea pedis) ringworm (tinea corporis). For the relief of: itching burning scaling cracking soresness irritation.

Warnings For external use only. Flammable: Keep away from fire and flame. Do not use on children: Under 2 years of age, unless directed by a doctor. For diaper rash. Stop use and ask a doctor if irritation occurs: there is no improvement within 2 weeks. When using this product: avoid contact with the eyes and mucous membrane. If pregnant or breast-feeding, consult a doctor before use. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Clean the affected area and dry thoroughly. Apply a thin layer of Hongocura M Antifungal Spray over the affected area twice daily (morning and night) or as directed by a doctor. Supervise children in use of this product. For athlete's foot: Pay special attention to spaces between the toes, wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

Other information Store between 15°-30° C (59°-86° F) protect from freezing. Freezing occurs, warm to room temperature.

Inactive ingredients isopropyl alcohol and water.

Questions or Comments? 1-800-560-5223 Monday - Friday (9 AM - 4 PM Eastern) www.menperdistributors.com

Factores Farmacológicos

Ingredientes activo Ácido Undecilénico 20% w/v..... **Propósito** Antifungal

Usos Para curar la mayoría de casos de: pie de atleta (tinea pedis). Tiña (tinea corporis). Para el alivio de: picazón quemazón escamao frotamiento agrietamiento.

Advertencias Solo para uso externo. Inflamable: mantener lejos del fuego y de las flamas. No lo use en niños menores de 2 años de edad, a menos que lo indique un médico. Para la dermatitis del pañal. Pare el uso y consulte a un médico si se produce irritación no hay mejoría al cabo de 4 semanas. Al utilizar este producto evitar el contacto con los ojos y membranas mucosas. Si está embarazada o en periodo de lactancia, consulte a un médico antes de usar. Mantener fuera del alcance de los niños. En caso de ingestión, obtenga ayuda médica o contacte un Centro de Toxicología.

Direcciones Limpie el área afectada y seque a fondo. Aplicar una fina capa de Hongocura M Roció Antifungal sobre el área afectada dos veces al día (mañana y noche) o como dirigido por un médico. Supervise a los niños en el uso de este producto. Para el pie de atleta: Preste especial atención a los espacios entre los dedos de los pies. Lleve bien ajustados, ventilados zapatos y calcetines de algodón y los calcetines por lo menos una vez al día. Para el pie de atleta y tiña, utilice al día durante 4 semanas, solo condición persista por más tiempo, consulte a un médico. Este producto no es eficaz en el cuero cabelludo o las uñas.

Otra información Almacene entre 15°-30° C (59°-86° F) proteger de la congelación. Si se congela, calienta a temperatura ambiente.

Ingredientes inactivos alcohol isopropílico y agua.

Preguntas o comentarios? 1-800-560-5223 Lunes - Viernes (9 AM - 4 PM, EST) www.menperdistributors.com

Cures Athlete's Foot

HONGOCURA M
Antifungal Spray

For the cure of most:

- Athlete's Foot (tinea pedis)
- Ringworm (tinea corporis)

For the relief of:

- Itching
- Burning
- Cracking

Para la cura de la Mayoría:

- Pie de Atleta (tinea pedis)
- Tiña (tinea corporis)

Para el alivio de:

- Picazón
- Ardor
- Agrietamiento

2 FL OZ (60 mL)

HONGOCURA M

undecylenic acid spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53145-219
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	20 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-219-03	1 in 1 CARTON	04/06/2020	
1		60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/06/2020	

Labeler - MENPER DISTRIBUTORS, INC. (101947166)

Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(53145-219)

Revised: 7/2025

MENPER DISTRIBUTORS, INC.