PAIN RELIEVER EXTRA STRENGTH- acetaminophen liquid Walgreens

Drug Facts

Active ingredient (in each 15 mL)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks ever day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- do not take more then 4 doses in any 24 hours period
- measure only with dosing cup provided. Do not use any other dosing device
- mL=milliliter
- keep dosing cup with product
- adults and children 12 years and over
 - 30 mL every 6 hours while symptoms last
 - do not take more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information

- each 15 mL contains:sodium 6 mg
- store between 20-25°C (68-77°F) do not refrigerate
- protect from light

Inactive ingredients

citric acid, D&C red 33, FD&C red 40, flavors, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Campare to the active ingredient in Tylenol® Extra Strengthtt

ADULT

Pain Reliever

ACETAMINOPHEN 500 mg per 15 mL /

PAIN RELIEVER / FEVER REDUCER

Extra Strength 12 Years & Older

CHERRY FLAVOR

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.


††This product is not manufactured or distributed by Johnson & Johnson, owner of the registered Trademark Tylenol®.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Label



PAIN RELIEVER EXT	RA STRENGTH		
acetaminophen liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0278
Route of Administration	ORAL		
Active Ingredient/Active	Moiety		
Ingro	gth Strength		
ingred	dient Name	Basis of Streng	jui Sucingui
•		•	
ACETAMINOPHEN (UNII: 36209IT		•	
		•	
		•	
ACETAMINOPHEN (UNII: 36209IT		•	
ACETAMINOPHEN (UNII: 36209IT	L9D) (ACETAMINOPHEN - UN Ingredient Name	•	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL)	•	500 mg in 15 mL
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII:	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) B0L)	•	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII: D&C RED NO. 33 (UNII: 9DBA0SB	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) B0L) 7XOA)	•	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII: D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZ B912	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) B0L) 7XOA) UNII: XY6UN3QB6S)	II:36209ITL9D) ACETAMINOPHEN	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII: D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZ B912 HIGH FRUCTOSE CORN SYRUP (L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) B0L) 7XOA) UNII: XY6UN3QB6S) ECIFIED (UNII: 3WJQ0SDW1/	II:36209ITL9D) ACETAMINOPHEN	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII: D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZ B912 HIGH FRUCTOSE CORN SYRUP (POLYETHYLENE GLYCOL, UNSP	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) B0L) 7XOA) UNII: XY6UN3QB6S) ECIFIED (UNII: 3WJQ0SDW1/	II:36209ITL9D) ACETAMINOPHEN	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII: D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZ B912 HIGH FRUCTOSE CORN SYRUP (POLYETHYLENE GLYCOL, UNSP PROPYLENE GLYCOL (UNII: 6DC9	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) B0L) 7XOA) UNII: XY6UN3QB6S) ECIFIED (UNII: 3WJQ0SDW1. Q167V3)	II:36209ITL9D) ACETAMINOPHEN	500 mg in 15 ml
ACETAMINOPHEN (UNII: 36209IT Inactive Ingredients ANHYDROUS CITRIC ACID (UNII: D&C RED NO. 33 (UNII: 9DBA0SB FD&C RED NO. 40 (UNII: WZ B912 HIGH FRUCTOSE CORN SYRUP (POLYETHYLENE GLYCOL, UNSP PROPYLENE GLYCOL (UNII: 6DC9 WATER (UNII: 059QF0K00R)	L9D) (ACETAMINOPHEN - UN Ingredient Name XF417D3PSL) BOL) 7XOA) UNII: XY6UN3QB6S) ECIFIED (UNII: 3WJQ0SDW1, Q167V3) UX40TY)	II:36209ITL9D) ACETAMINOPHEN	500 mg in 15 m

SORBITOL (UNII: 506T60A25R)

P	roduct Chara	cteristics							
Color			Score						
Shape			Size						
Flavor		CHERRY	Imprint Code						
Сс	ontains								
D	-								
Packaging									
#	Item Code	Р	Package Description		Marketing Start Date	Marketing End Date			
1		37 mL in 1 BC ombination Pr	TTLE, PLASTIC; Type 0: N oduct	lot a	01/31/2016				
Marketing Information									
	Marketing Category	Applica	ition Number or Mon Citation	ograph	Marketing Start Date	Marketing End Date			
					1/31/2016				

Labeler - Walgreens (008965063)

Revised: 10/2023

Walgreens