
ASTRAPHARM CHILLI BRAND EXTERNAL ANALGESIC PLASTER

Active ingredients

Capsaicin 0.25%.....External analgesic

Stop use and ask doctor if

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Clean and dry affected area, peel plaster away from paper backing and apply to the affected area by pressing edges down firmly.
- If needed, cut plaster into smaller pieces.
- Adults and children 12 years of age and over: Apply to affected area not more than 3 times daily. Children under 12 years, consult doctor before use.

Other information:

- Once opened, keep the unused plaster in an air-tight container.
- Store at 20-25°C(68-77°F)

Inactive ingredients:

Beta-pinene homopolymer, calcium carbonate, light steam-cracked aromatic naphtha(petroleum), polybutenes, rubber(natural), synthetic iron oxide, and zinc oxide

Questions or comments?

M-F, 9 am to 5 pm Pacific Time

• You may also report serious side effects to this phone number.

Purpose

External analgesic

Do not use

- on wounds
- damaged or irritated skin

When using this product

- avoid contact with the eyes or mucous membranes
- do not bandage tightly
- may cause rash or festering. Not recommended for people with sensitive skin.
- burning sensation may occur. Not recommended for use when in contact with hot water.
- highly adhesive plaster may hurt skin upon removal of product. Do not apply on hairy surface of skin.

Stop use and ask a doctor if

- Excessive irritation of the skin develops
- Condition worsens
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days
- When using for pain of arthritis:
- if redness is present
- in conditions affecting children under 12 years of age

Uses:

Temporarily relieves minor aches and pains of muscles and joints due to:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Astrapharm "Chilli Brand" External Analgesic Plaster 4.5in x 7in

1.jpg



Inner Package 4.5in x 7in

2.jpg



Astrapharm "Chilli Brand" External Analgesic Plaster 4.5in x 3.4in

3.jpg




Inner Package 4.5in x 3.5in

4.jpg

26/02/2020 5-Sheets Pouch Chilli Brand Back

Front



	Drug Facts 藥品資料 Active ingredients 和效成份 Capacient Name 0.2304 Uses 作用: Temporarily relivere minor aches and pains of nurviers and points due to. 新聞報酬的 FTRESS(Pains, Applications) impobe backaches and achter is straines brukes equals and impobe backaches and pains of nurviers and points due to. 新聞報酬 minor aches and pains of nurviers and points due to. 新聞報酬 minor Aches and pains of nurviers and points due to. 新聞報酬 minor Aches and pains of nurviers and points due to. 新聞報酬 minor Aches and pains of nurviers and points and points aches and pains of nurviers and points aches and pains of nurviers aches and points aches and pains of nurviers aches aches aches aches aches aches aches aches aches aches aches aches aches ac
	Uses 作用: Temporarily relieves minor aches and pains of mascles and joints due to 智祥福中於下列探討自然向柔内相關證書: simple backache arthouis strains bruises surains
	Warnings 豐告: For external use only. 本品價供外用 Allergy alert This product contains natural rubber latex which may cause allergic
1 20	過敏管告 reactions. 本品含天然乳膠 · 可能含引起過数反應 · Do not use ■ on wounds ■ on damaged or irritated skin
2	予要用記 値論を変更充実 一部のは、のは、のは、のは、のは、のは、のは、のは、のは、のは、のは、のは、のは、の
AIR	Do not apply on hairy surface of skin. 本品熱性很強。在制除時可能會 備及皮膚。不要用於皮膚多系類也。 Stop use and ask a doctor if 如有下列症狀。停止使用並讀就看譯: excessive irritation of the skin dwwlops
	展通は現在展示表示数型。 のrmptome persist for more than 7 days
6/(Directions 刑法: ■ Clean and dir affected area, peel plaster away from parer backing and right to the affected area by pressing edges down firmly 方式はな年息。 (調査者 開始) 在 道道政策構成: ■ 医医特司克莱姆氏成小者: ■ If meedica, cu plaster into smaller process. ■ 医医特司克莱姆氏成小者: ■ Adulta and children 12 years and over: Apply to affected area not more than 3 times daily. Children under 12 years, consult doctor before use. 成在人気で温度な上小者: 同一部企業日使用不超過3次 - 12歳以下兒童. 使用前提及問題時:
	Other information 其它注意事項: ■ Once opened, keep the unused plaster in an air-tight container. 面包接触。調釋養養保育校應用容認為。 ■ Store at 20-25/CI66-77°E) 保存较值的20-25度 (第氏68-77度) 之間。
21	Inactive ingredients 辅助成分: Beta-pinene homopolymet calcium carbonate.ight Hanas-cracked anomatic regulthing-ortnorum, polytatenes, rubben (natural).synthetic iron oxide and zinc oxide 借款起始問題等。使用目 素符 現代芳香石圖經過(石油)、新丁烯、總理(天常)、自該集代權、聚代錄。
ent	Questions or comments? 問題或建語?(626)823-9933 MFF2 am to 5 pm Pacht Time 用一到用五・上午時間半午年時 • You may also report acrisus side effects to this phone number. 却可以使用這個電話候稿特計量量的動作用
	Manufactured by: Dersan Pharmacoutical Co., Ltd Chia-Yi Hsien, Taiwan

ASTRAPHARM CHILI				
capsaicin plaster				
Product Information				
Product Type	HUMAN OTC DRUG	ltem Cod	e (Source)	NDC:11993-000
Route of Administration	TOPICAL			
Active Ingredient/Active	Moiety			
Ingred	ent Name		Basis of Strengt	th Strength
CAPSAICIN (UNII: S07044R1ZM) (CAPSAICIN - UNII:S07044R1	ZM)	CAPSAICIN	0.25 g in 100 g
Inactive Ingredients				
	Ingredient Name			Strength
.BETAPINENE (UNII: 4MS8VHZ1	IJ)			
CALCIUM CARBONATE (UNII: HOC	9379FGK)			
NAPHTHA (UNII: O3L624621X)				
POLYBUTENE (1400 MW) (UNII:	1NA5AO9GH7)			

NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN) BROWN IRON OXIDE (UNII: 1N032N7MFO) ZINC OXIDE (UNII: SOI2LOH54Z)

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11993-000- 01	24 in 1 PACKAGE	03/01/2020	
1	NDC:11993-000- 11	0.25 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:11993-000- 02	50 in 1 PACKAGE	03/01/2020	
2	NDC:11993-000- 12	5 in 1 PACKAGE		
2		0.25 g in 1 PATCH; Type 0: Not a Combination Product		
-				
	larketing l	nformation		
	arketing l Marketing Category		Marketing Start Date	Marketing End Date

Labeler - Dersan Pharmaceutical Co., Ltd (657669362)

Revised: 12/2023

Dersan Pharmaceutical Co., Ltd