RAPIDOL SODIUM BICARBONATE- sodium bicarbonate powder Pharmadel LLC

Rapidol Sodium Bicarbonate Antacid Powder (WP)

Drug Facts

Active Ingredient & Purposes

Active ingredient (in each $\frac{1}{2}$ teaspoon)	Purpose
Sodium bicarbonate 2,616	Antacid
mg	Antacia

Uses For the relief of an upset stomach associated with these symptoms

- heatburn
- sour stomach
- acid indigestion

Warnings

Stomach Waring: To avoid serious injury, do not take powder until it is completely dissolved. It is very important not to take this product when overly full from food or drink. Consult a doctor if severe stomach pain occurs after taking this product.

Do not use

- the maximum daily dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor
- this product except under advice and supervision of a physician if you are allergic to milk or milk products

When using this product

- may cause constipation
- may have laxative effect

Ask a doctor or pharmacist before use if you are

• presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Ask a doctor before use if you have

a sodium-restricted diet

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of an accidental overdose, seek professional assistance or contact a Poison Control center right away.

Directions

- do not take more than your "maximum daily dosage for your age group" in a 24-hour period. See Warnings.
- take a ½ teaspoon in a 4 fl. oz. (½ a glass) of water every 2 hours up to the **maximum daily dosage** or as directed by a doctor
- dissolve completely in water before drinking

age	maximum daily dosage
adults 60 years of age and over	$\frac{1}{2}$ teaspoon, 3 times a day
adults under 60 and children 12 years of age and over	½ teaspoon, 6 times a day
children under 12 years of age	do not use

Other information

- each ½ teaspoonful contains: sodium 716 mg
- store in cool dry place below 77°F
- do not use if seal under cap is torn, broken or missing

None

Ouestions & comments?

PHARMADEL LLC.

New Castle, DE, 19720

+1-866-359-3478

www.pharmadel.com

Prinicpal Display Panel

55758-327-04

4 Oz



RAPIDOL SODIUM BICARBONATE

sodium bicarbonate powder

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	SODIUM BICARBONATE	2.6 g in 2.6 g

	 \sim 1		
Drod	Char	3CTA	ristics
	CHAL	acte	1 13 LICS

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:55758-319- 04	113 g in 1 BOTTLE; Type 0: Not a Combination Product	11/23/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	11/23/2020		

Labeler - Pharmadel LLC (030129680)

Revised: 11/2024 Pharmadel LLC