

**RAPIDOL SODIUM BICARBONATE- sodium bicarbonate powder**  
**Pharmadel LLC**

-----  
**Rapidol Sodium Bicarbonate Antacid Powder (WP)(DA)**

**Drug Facts**

**Active Ingredient & Purposes**

---

<b>Active ingredient (in each ½ teaspoon)</b>	<b>Purpose</b>
Sodium bicarbonate 2,616 mg.....	Antacid

---

**Uses For the relief of an upset stomach associated with these symptoms**

- heartburn
- sour stomach
- acid indigestion

**Warnings**

**Stomach Warning:** To avoid serious injury, do not take powder until it is completely dissolved. It is very important not to take this product when overly full from food or drink. Consult a doctor if severe stomach pain occurs after taking this product.

**Do not use**

- the maximum daily dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor
- this product except under advice and supervision of a physician if you are allergic to milk or milk products

**When using this product**

- may cause constipation
- may have laxative effect

**Ask a doctor or pharmacist before use if you are**

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Ask a doctor before use if you have**

- a sodium-restricted diet

**If pregnant or breast-feeding,**

ask a health professional before use.

## **KEEP OUT OF REACH OF CHILDREN.**

In case of an accidental overdose, seek professional assistance or contact a Poison Control center right away.

### ***Directions***

- do not take more than your “ **maximum daily dosage for your age group**” in a **24-hour period. See Warnings.**
- take a ½ teaspoon in a 4 fl. oz. (½ a glass) of water every 2 hours up to the **maximum daily dosage** or as directed by a doctor
- dissolve completely in water before drinking

---

<b>age</b>	<b>maximum daily dosage</b>
adults 60 years of age and over	½ teaspoon, 3 times a day
adults under 60 and children 12 years of age and over	½ teaspoon, 6 times a day
children under 12 years of age	<b>do not use</b>

---

### ***Other information***

- **each ½ teaspoonful contains:** sodium 716 mg
- store in cool dry place below 77°F
- do not use if seal under cap is torn, broken or missing

None

### ***Questions & comments?***

#### **PHARMADEL LLC.**

New Castle, DE, 19720

**+1-866-359-3478**

[www.pharmadel.com](http://www.pharmadel.com)

### **Prinicpal Display Panel**

55758-327-04

4 Oz

NDC 55758-327-04

**Rapidol<sup>®</sup>**

**Bicarbonato  
de Sodio USP**  
**Sodium Bicarbonate USP**



4 oz (113 g)

**RAPIDOL SODIUM BICARBONATE**

sodium bicarbonate powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55758-319
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	2.6 g in 2.6 g

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-319-04	113 g in 1 BOTTLE; Type 0: Not a Combination Product	11/23/2020	08/01/2027

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	11/23/2020	08/01/2027

**Labeler** - Pharmadel LLC (030129680)

Revised: 12/2025

Pharmadel LLC