

MED NAP CLEANSING - benzalkonium chloride liquid

Med-Nap LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Benzalkonium Chloride, 0.13% v/v

Purpose

Antiseptic

Keep out of reach of children

Keep out of reach of children.

If swallowed, get medical help or contact a poison Control Center right away.

Uses

- First aid antiseptic to help prevent skin infection in:
- Minor Cuts
- Scrapes
- Burns
- Antiseptic Cleaning
- Perineal and maternity care

Warnings

For External Use Only.

Ask a doctor before use if you have

- Deep or puncture wounds
- Animal bites
- Serious burns

Stop use

- If irritation and redness develop
- If condition persists more than 72 hours, consult a physician.

Directions

- Tear at notch
- Remove towelette
- Use only once

As a first aid antiseptic

- Clean affected area
- Apply 1 to 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

Other information

- Store at room temperature
- Avoid excessive heat

Inactive Ingredients

Water, Alcohol 5%v/v, Kathon CG

MED NAP CLEANSING TOWELETTE

NDC # 59647-234-01



MED NAP
CLEANSING TOWELETTE

100 Packets
Latex Free

Made by:
MED-NAP LLC,
Brooksville, FL 34601
www.mednap.us

Reorder No 3301

Made in USA

<p>NDC # 59647-243-01</p>  <p>CLEANSING TOWELETTE</p> <p>100 Packets Latex Free</p> <p>Made by: MED-NAP LLC, Brooksville, FL 34601 www.mednap.us</p> <p>Reorder No. 3301</p>	 <p>CLEANSING TOWELETTE</p> <p>100 Packets Latex Free</p> <p>Made by: MED-NAP LLC, Brooksville, FL 34601 www.mednap.us</p> <p>Reorder No. 3301</p>	<table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active Ingredient</td><td>Purpose</td></tr><tr><td>Benzalkonium Chloride, 0.13% w/v</td><td>Antiseptic</td></tr><tr><td colspan="2">Uses</td></tr><tr><td colspan="2">• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns • Antiseptic Cleansing • Perineal and maternity care</td></tr><tr><td colspan="2">Warnings</td></tr><tr><td colspan="2">For External Use Only.</td></tr><tr><td colspan="2">Do not use • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body</td></tr><tr><td colspan="2">Ask a doctor before use if you have • Deep or puncture wounds • Animal bites • Serious burns</td></tr><tr><td colspan="2">Stop use • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.</td></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions</td></tr><tr><td colspan="2">• Tear at notch • Remove towelette • Use only once</td></tr><tr><td colspan="2">As a first aid antiseptic • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first</td></tr><tr><td colspan="2">Other information</td></tr><tr><td colspan="2">• Store at room temperature • Avoid excessive heat</td></tr><tr><td colspan="2">Inactive Ingredients Water, Alcohol, Kathon CG</td></tr></table> <p>Made in USA</p> <p>Reorder No. 3301</p>	Drug Facts		Active Ingredient	Purpose	Benzalkonium Chloride, 0.13% w/v	Antiseptic	Uses		• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns • Antiseptic Cleansing • Perineal and maternity care		Warnings		For External Use Only.		Do not use • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body		Ask a doctor before use if you have • Deep or puncture wounds • Animal bites • Serious burns		Stop use • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions		• Tear at notch • Remove towelette • Use only once		As a first aid antiseptic • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first		Other information		• Store at room temperature • Avoid excessive heat		Inactive Ingredients Water, Alcohol, Kathon CG	
Drug Facts																																				
Active Ingredient	Purpose																																			
Benzalkonium Chloride, 0.13% w/v	Antiseptic																																			
Uses																																				
• First aid antiseptic to help prevent skin infection in: • Minor Cuts • Scrapes • Burns • Antiseptic Cleansing • Perineal and maternity care																																				
Warnings																																				
For External Use Only.																																				
Do not use • As an antiseptic for more than 1 week • In the eyes • Over large areas of the body																																				
Ask a doctor before use if you have • Deep or puncture wounds • Animal bites • Serious burns																																				
Stop use • If irritation and redness develop • If condition persists more than 72 hours, consult a physician.																																				
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																				
Directions																																				
• Tear at notch • Remove towelette • Use only once																																				
As a first aid antiseptic • Clean affected area • Apply 1 to 3 times daily • May be covered with a sterile bandage • If bandaged, let dry first																																				
Other information																																				
• Store at room temperature • Avoid excessive heat																																				
Inactive Ingredients Water, Alcohol, Kathon CG																																				

MED NAP CLEANSING

benzalkonium chloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59647-243
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1.7 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLCHLOROISO THIAZOLINONE (UNII: DEL7T5QRPN)	
METHYLISO THIAZOLINONE (UNII: 229D0E1QFA)	
MAGNESIUM CHLORIDE ANHYDROUS (UNII: 59XN63C8VM)	
MAGNESIUM NITRATE (UNII: 77CBG3UN78)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59647-243-01	100 in 1 BOX	09/09/2013	
1	NDC:59647-243-00	1.7 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/09/2013	

Labeler - Med-Nap LLC (079086400)

Registrant - Med-Nap LLC (079086400)

Establishment

Name	Address	ID/FEI	Business Operations
Med-Nap LLC		079086400	manufacture(59647-243)