HEALTH MART ADULT TUSSIN- dextromethorphan hydrobromide, guaifenes in solution Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

McKesson Adult Tussin Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

Other information

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Robitussin® Cough + Chest Congestion DM active ingredients

COLD RELIEF

Adult Tussin Cough + Chest Congestion DM

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Relieves:

Cough/Mucus

For ages 12 & over

Non-Drowsy

Gluten Free - Alcohol Free

8 Fl oz (237 mL)





COLD RELIEF

Health Mart.





Compare to Robitussin⁴ Cough + Chest Congestion DM active ingredients*

COLD RELIEF

Adult Tussin

Cough + Chest Congestion DM

Cough Suppressant (Dextromethorphan HBr) **Expectorant (Guaifenesin)**

Cough/Mucus For ages 12 & over Non-Drowsy Gluten Free • Alcohol Free



8 Fl oz (237 mL)



Health Mart.

Compare to Robitussin[®] Cough + Chest Congestion DM active ingredients*

COLD RELIEF

NDC 62011-0091-2

Adult **Tussin**

Cough + Chest Congestion DM

Cough Suppressant (Dextromethorphan HBr) Expectorant (Guaifenesin)

Cough/Mucus For ages 12 & over Non-Drowsy Gluten Free • Alcohol Free



8 Fl oz (237 mL)

Drug Facts

Active ingredients (in each 10 mL) Purposes Dextromethorphan HBr,

USP 20 mg......Cou Guaifenesin, USP 200 mg..... ..Cough suppressant

Uses

 temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking the product. taking this product.

Ask a doctor before use if you have cough that occurs with too much

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

(1-800-222-1222). Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided keep dosing cup with product

Drug Facts (continued)

■ mL = milliliter
■ this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

■ each 10 mL contains: sodium 6 mg ■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Dosage Cup Provided

MSKESSON

Another Quality Product Distributed by McKessor 6555 State Highway 161, Irving, TX 75039 Money Back Guarantee





HEALTH MART ADULT TUSSIN

dextromethorphan hydrobromide, guaifenesin solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62011-0091

ORAL Route of Administration

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	RED (Orange-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0091-1	1 in 1 CARTON	0 1/18/20 12	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:62011-0091-2	1 in 1 CARTON	0 1/11/20 12	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	0 1/11/20 12	

Labeler - Strategic Sourcing Services LLC (116956644)