

SALICYLIC ACID- medicated corn removers patch
Kroger Co.

Kroger Medicated Corn Removers

Active ingredient

Salicylic acid 40%

Purpose

Corn remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are diabetic
- have poor blood circulation
- on irritated skin, or any area that is infected or reddened

Stop use and ask a doctor if discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel**Kroger****MEDICATED****corn removers****Salicylic Acid**

- Therapeutic Corn Removal Treatment
- Protects Against Pressure and Pain

9 PADS**9 MEDICATED PATCHES**



Drug Facts
Active ingredient Purpose
 Salicylic acid 40%.....Corn remover

Uses
 ■ for the removal of corns
 ■ relieves pain by removing corns

Warnings
 For external use only.
Do not use
 ■ if you are diabetic
 ■ if you have poor blood circulation
 ■ on irritated skin, on any area that is infected or reddened
Stop use and ask a doctor if discomfort persists
Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ wash affected area and dry thoroughly ■ if necessary, cut medicated patch to fit corn
 ■ apply adhesive side down of medicated patch onto corn
 ■ cover medicated patch with pad
 ■ after 48 hours, remove medicated patch
 ■ repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
 ■ may soak corn in warm water for 5 minutes to assist in removal

Other information
 store between 15° and 30°C (59° and 86°F)

Inactive ingredients
 acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions? Call 1-800-632-6900

DISTRIBUTED BY THE KROGER CO.
 CINCINNATI, OHIO 45202 MADE IN U.S.A.
 QUALITY GUARANTEE
www.kroger.com

52-003KR


SALICYLIC ACID

- Therapeutic Corn Removal Treatment
- Protects Against Pressure & Pain

9 PADS
 9 MEDICATED PATCHES

**LOT #
 EXP DATE:**

*This product is not manufactured or distributed by the Bayer Corporation, owner of the registered trademark Dr. Scholl's®.



SALICYLIC ACID

medicated corn removers patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-128
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 9	

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-128-09	9 in 1 PACKAGE; Type 0: Not a Combination Product	01/12/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/12/2012	

Labeler - Kroger Co. (006999528)

Revised: 1/2026

Kroger Co.