

BERKLEY AND JENSEN ALLERGY RELIEF- diphenhydramine hydrochloride tablet
BJWC

BJWC Allergy Relief Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

temporarily relieves symptoms due to hay fever, other upper respiratory allergies and the common cold

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 20 mg
- store at 20-25°C (68-77°F). Avoid high humidity. Protect from light.

Inactive ingredients

carnauba wax, crospovidone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-800-934-1204

Principal Display Panel

berkley jensen®

Compare to the active ingredient in Benadryl® Allergy

ALLERGY RELIEF

DIPHENHYDRAMINE HCl 25mg

ANTIHISTAMINE

SNEEZING

ITCHY, WATERY EYES

RUNNY NOSE

ITCHY THROAT

EASY TO SWALLOW

MINI-TABS

400 TABLETS

Compare to the active ingredient in Benadryl® Allergy*



ALLERGY RELIEF

DIPHENHYDRAMINE HCl
25mg

ANTIHISTAMINE

SNEEZING
ITCHY, WATERY EYES
RUNNY NOSE
ITCHY THROAT

EASY TO SWALLOW
MINI-TABS

400 TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING
Active ingredient (in each tablet) Diphenhydramine HCl 25 mg	Purpose Antihistamine
Uses temporarily relieves symptoms due to hay fever, or other upper respiratory allergies and the common cold	
Warnings Do not use ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin Ask a doctor before use if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers	
When using this product ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ excitability may occur, especially in children ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Directions ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 doses in 24 hours	
adults and children 12 years and over children 6 to under 12 years children under 6 years	1 to 2 tablets 1 tablet do not use
Other information ■ each tablet contains: calcium 20 mg ■ store at 20-25°C (68-77°F). Avoid high humidity. Protect from light.	
Inactive ingredients carnauba wax, crospovidone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, stearic acid, titanium dioxide	
Questions or comments? 1-800-934-1204	

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Benadryl® Allergy.

GLUTEN FREE
BJ #6669636
Mant. #075798088



8 88670 01816 3

Distributed by:
BJ's Wholesale Club, Inc.
350 Campus Drive
Marlborough, MA 01752

EXP LOT
: 47979 D3 F7

BERKLEY AND JENSEN ALLERGY RELIEF

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68391-200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

Product Characteristics

Color	PINK (dark)	Score	no score
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L479;25
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-200-79	400 in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/10/2013	

Labeler - BJWC (159082692)

Revised: 7/2024

BJWC