

**WALGREENS ANTI ITCH CREAM- anti itch cream cream**  
**Walgreens Company**

-----  
**Walgreens Anti Itch Cream**

**Drug Facts:**

**Active ingredients**

Diphenhydramine hydrochloride 2%

Zinc Acetate 0.1%

**Purpose**

Topical analgesic

Skin protectant

**Uses**

For temporary relief from pain and itching associated with :

- insect bites
- minor burns
- sunburn
- minor skin irritations
- rashes due to poison ivy, poison oak, and poison sumac

Dries the oozing and weeping of poison

- ivy
- oak
- sumac

**Warnings**

**For external use only**

**Do not use**

- on large areas of the body
- with any other product containing diphenhydramine , even one taken by the mouth.

**Ask a Doctor before use**

- on chicken pox
- on measles

**When using this product avoid contact with eyes.**

**Stop use and ask a doctor if**

- conditions worsen or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep this and all drugs out of the reach of children.**

If swallowed get medical help or contact a Poison Control Center immediately.

**Directions**

- do not use more than directed
- adults and children 2 years of age and older; apply to affected areas not more than 3 to 4 times daily
- children under 2 years of age , consult a doctor

**Other Information**

- Store at controlled room temperature 20°-25°C (68° - 77°F)
- Close the cap tightly after use

**Inactive ingredients**

Cetyl Alcohol, Citric Acid, Diazoldinyl Urea, Glycerol Stearate, Methylparaben, Polyethylene Glycol Monsterate 1000, Sodium Citrate, Water

(Purified)

**Other Information**

- Store at controlled room temperature 20° -25°C (68°-77°F)
- Close Cap tightly after use

**Principal Display Panel**

Walgreens     NDC 0363-2315-28

Anti Itch Cream

Diphenhydramine HCL 2.0%     Topical Analgesic

Zinc Acetate 0.1%                     Skin Protectant

NET WT 1.0 oz (28g)

Walgreens



Compare to the active ingredients in Benadryl® Extra Strength Itch Stopping Cream\*

Extra Strength

Antihistamine

• Temporarily relieves itching associated with insect bites, poison ivy, oak & sumac

Temporary relief of itch & pain

# Anti-Itch Cream

DIPHENHYDRAMINE HYDROCHLORIDE 2% / ANTI-ITCH / ZINC ACETATE 0.1% / SKIN PROTECTANT

NET WT 1 OZ (28 g)

LOT  
EXP



DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com 1-800-222-1087  
©2021 Walgreen Co.

ITEM 324082 W00000-0000-0



\*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. †This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark BENADRYL®.

W3ORG0921-F

**Drug Facts**

**Active ingredients**  
Diphenhydramine hydrochloride 2%  
Zinc acetate 0.1%  
**Purpose**  
Topical analgesic  
Skin protectant

**Uses**  
For the temporary relief from pain and itching associated with:  
■ insect bites ■ minor burns ■ sunburn ■ minor skin irritations ■ rashes due to poison ivy, poison oak, and poison sumac

**Warnings**  
For external use only  
Do not use ■ on large areas of the body ■ with any other product containing diphenhydramine, even one taken by mouth.  
Ask a doctor before use ■ on chicken pox ■ on measles  
When using this product avoid contact with the eyes  
Stop use and ask a doctor if  
■ condition worsens or does not improve within 7 days  
■ symptoms persist for more than 7 days or clear up and occur again within a few days  
Keep this and all drugs out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**  
do not use more than directed.  
■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily  
■ children under 2 years of age: consult a doctor

**Other information**  
■ Store at controlled room temperature 20°-25°C (68°-77°F) ■ Close the cap tightly after use

**Inactive ingredients**  
Propylene Glycol, Propylparaben, Sodium Citrate, Water (Purified)  
Cetyl Alcohol, Citric Acid, Diazolidinyl Urea, Glyceryl Stearate, Methylparaben, Polyethylene Glycol Monostearate 1000.

Walgreens

# Anti-Itch Cream

DIPHENHYDRAMINE HYDROCHLORIDE 2% / ANTI-ITCH / ZINC ACETATE 0.1% / SKIN PROTECTANT

Extra Strength

Antihistamine

NET WT 1 OZ (28 g)

**Active Ingredients:**

Diphenhydramine hydrochloride 2% ..... Topical analgesic  
Zinc acetate 0.1% ..... Skin protectant

**Purpose:**

**Uses:** For the temporary relief from pain and itching associated with: ■ insect bites ■ minor burns ■ sunburn ■ minor skin irritations ■ rashes due to poison ivy, poison oak, and poison sumac.

Dries the oozing and weeping of poison: ■ ivy ■ oak ■ sumac

**Warnings:** ■ **For external use only. Do not use** ■ on large areas of the body ■ with any other product containing diphenhydramine, even one taken by mouth. **Ask a doctor before use** ■ on chicken pox ■ on measles. **When using this product avoid contact with the eyes. Stop use and ask a doctor if** ■ condition worsens or does not improve within 7 days ■ symptoms persist for more than 7 days or clear up and occur again within a few days. **Keep this and all drugs out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately. 1-800-222-1222

**Directions:** ■ do not use more than directed. ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. ■ children under 2 years of age: consult a doctor. **Other Information:** ■ Store at controlled room temperature 20°- 25°C (68°- 77°F). ■ Close the cap tightly after use.

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com 1-800-222-1087 ©2021 Walgreen Co.  
ITEM 324082 W00000-0000-0 W3ORG0921-F REV07017-RF

Walgreens Pharmacist Recommended.  
Our pharmacists recommend the  
Walgreens brand. We invite you to  
compare to national brands.



## WALGREENS ANTI ITCH CREAM

anti itch cream cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2315
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	20 mg in 1 g
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	1 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PEG-20 STEARATE</b> (UNII: NBX892EA57)	
<b>PROPYLENE GLYCOL MONOSTEARATE</b> (UNII: MZM1I680W0)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2315-28	1 in 1 CARTON	05/05/2014	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/05/2014	

**Labeler** - Walgreens Company (008965063)

Revised: 1/2026

Walgreens Company