#### NITROUS OXIDE- nitrous oxide gas Spectrum Gas Products, Inc

-----

#### **Nitrous Oxide**

#### **Nitrous Oxide**

NITROUS OXIDE,

**USP** 

**RX ONLY** 

**UN1070** 

NON-FLAMMABLE GAS 2 SGP-26 OXIDIZER 5.1

**Spectrum Gas Products** 

2381 E. Winston Road

Anaheim, CA 92806

Rx only. WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. DANGER: MAY CAUSE OR INTENSIFY FIRE, OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been rad and understood. Keep and store away from clothing and other combustible materials. Keep valves ad fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back-flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52oC (125oF). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2 DO NOT REMOVE THIS PRODUCT LABEL.



# NITROUS OXIDE, USP UN 1070 Rx ONLY



WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For Use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED, MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND

CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well- ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN:

Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2 DO NOT REMOVE THIS PRODUCT LABEL.



Distributed By

#### Spectrum Gas Products 2381 E. Winston Road Anaheim, CA 92806 714-444-0477

SGP-27 116

#### **NITROUS OXIDE**

nitrous oxide gas

D	1 £	
Product	Intorm	ation

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:67525-400
Poute of Administration	RESPIRATORY (INHALATION)		

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	99 L in 100 L

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67525- 400-01	1482 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2005	
2	NDC:67525- 400-02	4942 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2005	
3	NDC:67525- 400-03	7413 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2005	
4	NDC:67525- 400-04	12356 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2005	

### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206009	01/01/2005	

## **Labeler -** Spectrum Gas Products, Inc (195875179)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Spectrum Gas Products, Inc.		195875179	manufacture(67525-400)	

Revised: 11/2023 Spectrum Gas Products, Inc