

**MINOXIDIL- minoxidil solution**  
**Walgreens**

-----  
**Minoxidil Topical Solution for Women**

***Drug Facts***

***Active ingredient***

Minoxidil, USP 2% w/v

***Purpose***

Hair regrowth treatment

***Use***

to regrow hair on the scalp

***Warnings***

**For external use only**

**Flammable:** Keep away from fire or flame

**Do not use if**

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have**

heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.

- the amount of hair regrowth is different for each person. This product will not work for everyone.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.****Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

***Other information***

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- in clinical studies of mostly white women aged 18 to 45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- store at controlled room temperature 20° to 25°C (68° to 77°F).

***Inactive ingredients***

alcohol (60% v/v), propylene glycol, purified water

**Questions?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal display panel**

Compare to the active ingredient in Women's Rogaine®††

Minoxidil Topical Solution, USP 2%

## HAIR REGROWTH TREATMENT

For Women

Topical Solution Unscented

- Reactivates hair follicles to stimulate regrowth
- Clinically proven to help regrow hair
- For best results, apply directly to scalp twice daily

mL (FL OZ) BOTTLE

††This product is not affiliated with, manufactured by, or produced by the makers or owners of Rogaine®.

DISTRIBUTED BY: **WALGREEN CO.**

**DEERFIELD, IL 60015**

### Package label

**Drug Facts**  
**Active ingredient**  
Minoxidil, USP 2% w/v  
**Purpose**  
Hair regrowth treatment  
**Use**  
To regrow hair on the scalp  
**Warnings**  
For external use only  
Flammable: Keep away from fire or flames  
**Do not use if**  
• your doctor or hair loss is different than that shown on the side of the carton, because this product may not work for you  
• you have a family history of hair loss  
• your hair loss is sudden and/or patchy  
• your hair loss is associated with alopecia  
• you do not know the reason for your hair loss  
• you are under 18 years of age, do not use on babies and children  
• your scalp is red, irritated, inflamed, itchy, or painful  
• you use other medications on the scalp  
**Ask a doctor before use if you have heart disease.**  
**When using this product:**  
• Do not apply to other parts of the body.  
• Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.  
• Some people have experienced changes in hair color and/or texture.  
• It takes time to regrow hair. You may need to use this product 3 times a day for at least 4 months before you see results.  
• The amount of hair regrowth is different for each person. The product will not work for everyone.  
**Stop use and ask a doctor if:**  
• you have chest pain, rapid heart beat, faintness, or dizziness occurs  
• you have swollen ankles/pain occurs  
• your hands or feet swell  
• you experience an increase in hair loss  
• you do not see hair regrowth in 4 months  
**May be harmful if used when pregnant or breast-feeding.**  
**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222; right away)**  
**Directions**  
• Apply one mL with applicator 2 times a day directly onto the scalp in the hair loss area.  
• Using more or more often will not improve results.  
• Continued use is necessary to maintain and keep your hair regrowth, or hair loss will begin again.  
**Other information**  
• See hair loss picture on side of the carton.  
• Do not use, use of irritation or contact and product inside.  
• Keep the carton. It contains important information.  
• In clinical studies of healthy women aged 18 to 45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 10% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (10% had moderate regrowth, 40% had minimal regrowth). The response with 1% of women reported moderate hair regrowth after using 1% solution. The highest without moderate hair loss 8 months (2% had moderate regrowth, 2% had minimal regrowth).  
• Store at controlled room temperature 20° to 25° C (68° to 77° F).  
**Inactive ingredients**  
alcohol (80% v/v), propylene glycol, purified water  
**Questions?** Call 1-877-888-Walgreens Monday-Friday 9AM-5PM EST  
**W009Q1022-F**  
REV-0623  
Your pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not affiliated with, manufactured by, or produced by the makers or owners of Rogaine®.  
P.O. #786A F00208  
DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2012 Walgreen Co. PRODUCT OF ITALY 1 85802 03658 2  
2009307  
Lot:  
Exp:

### WALGREENS Hair Regrowth Treatment

## MINOXIDIL

minoxidil solution

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0363-9970

**Route of Administration** TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9970-02	1 in 1 CARTON	10/14/2022	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:0363-9970-06	3 in 1 CARTON	10/14/2022	
2		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074588	10/14/2022	

**Labeler** - Walgreens (008965063)

Revised: 5/2025

Walgreens