

**LAND SHARK SPF 30- octocrylene, octisalate, and avobenzone lotion**  
**Tropical Seas, Inc.**

-----  
**Land Shark SPF 30 Oxy Free Formula**

**Drug Facts**

**Active Ingredients**

Octocrylene 5.0%

Octisalate 3.0%

Avobenzone 2.5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses

- children under 6 months: Ask a doctor

### **Inactive Ingredients**

aqueous extracts of: aloe barbadensis leaf extract, algae extract (hawaiian seaplant), chamomilla recutita (matricaria) flower extract, symphytum officinale (comfrey) root & leaf extract, taraxacum officinale (dandelion) leaf extract, echinacea purpurea (coneflower) extract, sambucus nigra (elder) flower extract, panax quinquefolium (ginseng) root extract, macrocystis pyrifera (kelp) extract, lavandula angustifolia (lavender) extract, cymbopogon schoenanthus (lemon grass) extract, althea officinalis (marshmallow) root extract, achillea millefolium (yarrow flower) extract, camellia sinensis (white tea) extract, phenethyl benzoate, octyl dodecyl citrate crosspolymer, stearic acid, glyceryl stearate se, cetyl dimethicone, glycerin, sodium hydroxide, emulsifying wax, tricontanyl-pvp, polyethylene, acrylates/c10-30 alkyl acrylates cross-polymer, cetyl alcohol, methylparaben, diazolidinyl urea, propylparaben, and caprylyl glycol.

### **Other Information**

- protect this product from excessive cold, heat, and direct sun

### **Questions or comments?**

Call toll free 1-800-368-7327

### **Principal Display Panel**

60 ml NDC: 52854-933-01

# LAND SHARK



## LIFEGUARD FORMULA

# SPF 30

### Broad Spectrum Water Resistant (80 minutes) Sunscreen Lotion

2 fl. oz. (60ml)

120 ml NDC: 52854-933-02

### Drug Facts

Active Ingredients	Purpose
Octocrylene 5.0%	} Sunscreen
Octisalate 3.0%	
Avobenzone 2.5%	

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
  - children under 6 months: Ask a doctor

### Inactive Ingredients

aqueous extracts of: aloe barbadensis leaf extract, algae extract, chamomilla recutita (matricaria) flower extract, symphytum officinale (comfrey) root & leaf extract, taraxacum officinale (dandelion) leaf extract, echinacea purpurea (coneflower) extract, sambucus nigra (elder) flower extract, panax quinquefolium (ginseng) root extract, macrocystis pyrifera (kelp) extract, lavandula angustifolia (lavender) extract, cymbopogon schoenanthus (lemon grass) extract, althea officinalis (marshmallow) root extract, achillea millefolium (yarrow flower) extract, camellia sinensis (white tea) extract, phenethyl benzoate, octyl dodecyl citrate crosspolymer, stearic acid, glyceryl stearate se, cetyl dimethicone, glycerin, allantoin, sodium hydroxide, emulsifying wax, tricontanyl-pvp, polyethylene, acrylates/c10-30 alkyl acrylates cross-polymer, cetyl alcohol, methylparaben, diazolidinyl urea and propylparaben, and caprylyl glycol.

### Other Information

- protect this product from excessive cold, heat, and direct sun.

### Questions or comments?

Call toll free 1-800-368-7327

Made in the  
U.S.A.  
Tropical Seas®  
Ormond Beach, FL 32173  
1-800-368-SEAS (7327)  
www.tropicalseas.com





**30**

**Broad Spectrum SPF 30**

**Water Resistant (80 Minutes)**  
**4 fl. oz. (120ml) Sunscreen Lotion**

**Dermatologist Tested**

Fragrance Free • Dermatologist Tested

**LAND SHARK**

**Drug Facts**

**Active Ingredients**  
Octocrylene 5.0%  
Octisalate 3.0%

**Purpose**  
Sunscreen

Avobenzone 2.5%

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months: Ask a doctor

### Inactive Ingredients

aqueous extracts of: aloe barbadensis leaf extract, algae extract (hawaiian seaplant), chamomilla recutita (matricaria) flower extract, symphytum officinale (comfrey) root & leaf extract, taraxacum officinale (dandelion) leaf extract, echinacea purpurea (coneflower) extract, sambucus nigra (elder) flower extract, panax quinquefolium (ginseng) root extract, macrocystis pyrifera (kelp) extract, lavandula angustifolia (lavender) extract, cymbopogon schoenanthus (lemon grass) extract, althea officinalis (marshmallow) root extract, achillea millefolium (yarrow flower) extract, camellia sinensis (white tea) extract, phenethyl benzoate, octyl dodecyl citrate crosspolymer, stearic acid, glyceryl stearate se, cetyl dimethicone, glycerin, allantoin, sodium hydroxide, emulsifying wax, tricontanyl-pvp, polyethylene, acrylates/c10-30 alkyl acrylates cross-polymer, cetyl alcohol, methylparaben, diazolidinyl urea and propylparaben, and caprylyl glycol.

### Other Information

- protect this product from excessive cold, heat, and direct sun.

### Questions or comments?

Call toll free 1-800-368-7327

Made in the  
U.S.A.

*Tropical Seas*<sup>®</sup>

Ormond Beach, FL 32173

by:

1-800-368-SEAS (7327)

[www.tropicalseas.com](http://www.tropicalseas.com)

upcc

0 79608 10304



# LAND SHARK



**Dermatologist Tested  
Hypoallergenic**

# SPF 30

**Broad Spectrum  
Water Resistant (80 minutes)  
Sunscreen Lotion**

**6.5 fl. oz. (192ml)**

### Drug Facts

Active Ingredients	Purpose
Octocrylene 5.0%	} Sunscreen
Octisalate 3.0%	
Avobenzone 2.5%	

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
  - children under 6 months. Ask a doctor

### Inactive Ingredients

aqueous extracts of: aloe barbadensis leaf extract, algae extract (hawaiian seaplant), chamomilla recutita (matricaria) flower extract, symphyllum officinale (comfrey) root & leaf extract, taraxacum officinale (dandelion) leaf extract, echinacea purpurea (coneflower) extract, sambucus nigra (elder) flower extract, panax quinquefolium (ginseng) root extract, macrocystis pyrifera (kelp) extract, lavandula angustifolia (lavender) extract, cymbopogon schoenanthus (lemon grass) extract, althea officinalis (marshmallow) root extract, achillea millefolium (yarrow flower) extract, camellia sinensis (white tea) extract, phenethyl benzoate, octyl dodecyl citrate crosspolymer, stearic acid (plant derived), glyceryl stearate se (plant derived), cetyl dimethicone, glycerin (plant derived), allantoin, sodium hydroxide, emulsifying wax (plant derived), tricontanyl-ppp, polyethylene, acrylates/c10-30 alkyl acrylates cross-polymer, cetyl alcohol (plant derived), methylparaben (food grade), diazolidinyl urea and propylparaben (food grade), and caprylyl glycol.

### Other Information

- protect this product from excessive cold, heat, and direct sun.

### Questions or comments?

Call toll free 1-800-368-7327

079608 91306  
**UPPC**

Made in the  
U.S.A.  
by: **Tropical Seas**  
Ormond Beach, FL 32173  
1-800-368-SEAS (7327)  
www.tropicalseas.com



946 ml NDC: 52854-933-04



**LIFEGUARD  
FORMULA  
SPF 30  
Broad Spectrum  
Water Resistant (80 minutes)  
Sunscreen Lotion  
32 fl. oz. (946ml)**

3785 ml NDC: 52854-933-05

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Octocrylene 5.0%	} Sunscreen
Octisalate 3.0%	
Avobenzone 2.5%	
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b>	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• apply liberally 15 minutes before sun exposure</li> <li>• reapply:               <ul style="list-style-type: none"> <li>• after 80 minutes of swimming or sweating</li> <li>• immediately after towel drying</li> <li>• at least every 2 hours</li> </ul> </li> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats and sunglasses</li> </ul> </li> <li>• children under 6 months: Ask a doctor</li> </ul>	
<b>Inactive Ingredients</b>	
aqueous extracts of: aloe barbadensis leaf extract, algae extract (hawaiian seaplant), chamomilla recutita (matricaria) flower extract, symphytum officinale (comfrey) root & leaf extract, taraxacum officinale (dandelion) leaf extract, echinacea purpurea (coneflower) extract, sambucus nigra (elder) flower extract, panax quinquefolium (ginseng) root extract, macrocystis pyrifera (kelp) extract, lavandula angustifolia (lavender) extract, cymbopogon schoenanthus (lemon grass) extract, althea officinalis (marshmallow) root extract, achillea millefolium (yarrow flower) extract, camellia sinensis (white tea) extract, phenethyl benzoate, octyl dodecyl citrate crosspolymer, stearic acid, glyceryl stearate se, cetyl dimethicone, glycerin, allantoin, sodium hydroxide, emulsifying wax, tricortanyl-pvp, polyethylene, acrylates/c10-30 alkyl acrylates cross-polymer, cetyl alcohol, methylparaben, diazolidinyl urea and propylparaben, and caprylyl glycol.	
<b>Other Information</b>	
• protect this product from excessive cold, heat, and direct sun.	
<b>Questions or comments?</b>	
Call toll free 1-800-368-7327	

upc  
0 79608 91303



Made in the U.S.A. *Tropical Seas*<sup>®</sup>  
Ormond Beach, FL 32173  
by: 1-800-368-SEAS (7327)  
[www.tropicalseas.com](http://www.tropicalseas.com)



**LIFEGUARD  
FORMULA**

**SPF 30**

**Broad Spectrum**

**Water Resistant (80 minutes)**

**Sunscreen Lotion**

**128 fl. oz. (3785ml)**

**Drug Facts**

<b>Active Ingredients</b>	} Purpose Sunscreen
Octocrylene 5.0%	
Octisalate 3.0%	
Avobenzone 2.5%	

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses
  - children under 6 months: Ask a doctor

**Inactive Ingredients**

aqueous extracts of: aloe barbadensis leaf extract, algae extract (hawaiian seaplant), chamomilla recutita (matricaria) flower extract, symphytum officinale (comfrey) root & leaf extract, taraxacum officinale (dandelion) leaf extract, echinacea purpurea (coneflower) extract, sambucus nigra (elder) flower extract, panax quinquefolium (ginseng) root extract, macrocystis pyrifera (kelp) extract, lavandula angustifolia (lavender) extract, cymbopogon schoenanthus (lemon grass) extract, althaea officinalis (marshmallow) root extract, achillea millefolium (yarrow flower) extract, camellia sinensis (white tea) extract, phenethyl benzoate, octyl dodecyl citrate crosspolymer, stearic acid, glyceryl stearate se, cetyl dimethicone, glycerin, allantoin, sodium hydroxide, emulsifying wax, tricontanyl-pvp, polyethylene, acrylates/c10-30 alkyl acrylates cross-polymer, cetyl alcohol, methylparaben, diazolidinyl urea and propylparaben, and caprylyl glycol.

**Other Information**

- protect this product from excessive cold, heat, and direct sun.

**Questions or comments?**

Call toll free 1-800-368-7327

**UJPC**  
079608 91301



Made in the *Tropical Seas*<sup>®</sup>  
U.S.A. Ormond Beach, FL 32173  
by: 1-800-368-SEAS (7327)  
[www.tropicalseas.com](http://www.tropicalseas.com)

**LAND SHARK SPF 30**

octocrylene, octisalate, and avobenzone lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52854-933
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.5 g in 100 mL

**Inactive Ingredients**



Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARRAGEENAN</b> (UNII: 5C69YCD2YJ)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>SYMPHYTUM UPLANDICUM LEAF</b> (UNII: D05HXK6R3G)	
<b>COMFREY ROOT</b> (UNII: M9VVZ08EKQ)	
<b>TARAXACUM OFFICINALE LEAF</b> (UNII: 0022LFJ74Y)	
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX)	
<b>SAMBUCUS NIGRA FLOWER</b> (UNII: 07V4DX094T)	
<b>AMERICAN GINSENG</b> (UNII: 8W75VCV53Q)	
<b>MACROCYSTIS PYRIFERA</b> (UNII: K31S30G5C4)	
<b>LAVANDULA ANGUSTIFOLIA FLOWERING TOP</b> (UNII: 9YT4B71U8P)	
<b>CYMBOPOGON SCHOENANTHUS TOP</b> (UNII: 9SJ11LW39W)	
<b>ALTHAEA OFFICINALIS ROOT</b> (UNII: TRW2FUF47H)	
<b>ACHILLEA MILLEFOLIUM FLOWER</b> (UNII: YQR8R0SQEA)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>PHENETHYL BENZOATE</b> (UNII: 0C143929GK)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>TRICONTANYL POVIDONE</b> (UNII: N0SS3Q238D)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 809Y72KV36)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52854-933-01	60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/29/2020	
2	NDC:52854-933-02	120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/2020	
3	NDC:52854-933-03	192 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/14/2020	
4	NDC:52854-933-04	946 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	06/29/2020	
5	NDC:52854-933-05	3785 mL in 1 JUG; Type 0: Not a Combination Product	06/29/2020	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020	02/14/2020	

**Labeler - Tropical Seas, Inc. (627865660)**

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Tropical Seas, Inc.		627865660	manufacture(52854-933)

Revised: 10/2023

Tropical Seas, Inc.