

**MEDIQUE AT HOME APAP EXTRA STRENGTH- acetaminophen 500 mg tablet, film coated**

**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Medique @ Home APAP Extra Strength**

**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

## **Do not use**

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if** you are taking the blood thinning drug warfarin

## **Stop use and ask a doctor if**

■ pain gets worse or lasts more than for more than 10 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

## **Overdose Warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

■ **do not use more than directed (see overdose warning)**

**Adults and children 12 years and over** ■ take 2 tablets every 6 hours while symptoms last. ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor

**Children under 12 years** Ask a doctor

## **Other information**

■ store at room temperature 59°-86°F (15°-30°C)

■ **TAMPER EVIDENT** child resistant packets

■ do not use any opened or torn packets

## **Inactive ingredients**

corn starch, hypromellose\*, polyethylene glycol\*, povidone, pregelatinized starch\*, sodium starch glycolate\*, stearic acid\*, titanium dioxide\*

\* May contain

**Questions or comments?** 1-800-634-7680

Medique® @ Home

APAP Extra Strength Tablets

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

Pull to Open

Child-Resistant Packets

\*not the actual size

50 Packets

(2 Tablets Per Packet)

Compare to the active ingredient in Extra Strength Tylenol® Tablets

**Medique<sup>®</sup> Home**

**APAP Extra Strength Tablets**

Acetaminophen 500 mg  
Pain Reliever/Fever Reducer

Pull to Open

Child-Resistant Packets

\*not actual size

50 Packets  
(2 Tablets Per Packet)

Compare to the active ingredient in Extra Strength Tylenol® Tablets\*

Retain carton for complete product information

**Drug Facts**

Active ingredient (in each tablet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer

**Uses**

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- itch

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop using and ask a doctor if**

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Overdose Warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

(continued on back panel)

**Drug Facts (continued)**

**Directions**

- do not use more than directed (see overdose warning)

**Adults and children 12 years and over**

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

**Children under 12 years** Ask a doctor

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- TAMPER EVIDENT child resistant packets
- do not use any opened or torn packets

**Inactive ingredients**

corn starch, hydroxypropyl methylcellulose, microcrystalline cellulose, polyethylene glycol, polydioxane, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide\*

\* may contain

**Questions or comments?** 1-800-634-7680

†Tylenol® is a registered trademark of McNeil Consumer Healthcare and is not affiliated with Medique Products or this product.

3 47682 170433 9

Reorder 70433  
Manufactured for  
Medique Products  
Fort Myers, FL 33967  
1-800-634-7680  
www.mediqueproducts.com

## MEDIQUE AT HOME APAP EXTRA STRENGTH

acetaminophen 500 mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-433
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------



Category	Citation	Date	Date
OTC monograph not final	part343	02/01/2021	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 6/2023

Unifirst First Aid Corporation