

**MEDIQUE AT HOME APAP EXTRA STRENGTH- acetaminophen 500 mg tablet,
film coated**

Unifirst First Aid Corporation

Medique @ Home APAP Extra Strength

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps

temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

■ pain gets worse or lasts more than for more than 10 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning:

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not use more than directed (see overdose warning)**

Adults and children 12 years and over ■ take 2 tablets every 6 hours while symptoms last. ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor

Children under 12 years Ask a doctor

Other information

■ store at room temperature 59°-86°F (15°-30°C)

■ **TAMPER EVIDENT** child resistant packets

■ do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide*

* may contain

Questions or comments? 1-800-634-7680

Medique® @ Home

APAP Extra Strength Tablets

Acetaminophen 500 mg
Pain Reliever/Fever Reducer

Pull to Open

Child-Resistant Packets

*not the actual size

50 Packets

(2 Tablets Per Packet)

Compare to the active ingredient in Extra Strength Tylenol® Tablets

Medique® @ Home

APAP Extra Strength Tablets

Acetaminophen 500 mg
Pain Reliever/Fever Reducer

Pull to Open

Child-Resistant Packets

*not actual size

50 Packets
(2 Tablets Per Packet)

Compare to the active ingredient in Extra Strength Tylenol® Tablets

Retain carton for complete product information

Drug Facts	
Active ingredient (in each tablet) Acetaminophen 500 mg	Purpose Pain reliever/fever reducer
Uses temporarily relieves minor aches and pains due to: ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps temporarily reduces fever	
Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product Ask a doctor before use if you have liver disease Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop using and ask a doctor if ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. <small>(continued on back panel)</small>	

Drug Facts (continued)	
Directions ■ do not use more than directed (see overdose warning)	
Adults and children 12 years and over	■ take 2 tablets every 6 hours while symptoms last ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
Children under 12 years	Ask a doctor
Other information ■ store at room temperature 59°-86°F (15°-30°C) ■ TAMPER EVIDENT child resistant packets ■ do not use any opened or torn packets	
Inactive ingredients corn starch, hydroxypropyl methylcellulose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide* * may contain	
Questions or comments? 1-800-634-7680	

†Tylenol® is a registered trademark of McNeil Consumer Healthcare and is not affiliated with Medique Products or this product.

3 47682 70433 9

Reorder 70433
Manufactured for
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

Medique® @ Home

APAP Extra Strength Tablets

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

Pull to Open

Child-Resistant Packets

*not the actual size

50 Packets

(2 Tablets Per Packet)

Compare to the active ingredient in Extra Strength Tylenol® Tablets



APAP Extra Strength Tablets

Acetaminophen 500 mg
Pain Reliever/Fever Reducer

Pull to Open



Child-Resistant Packets

*not actual size

50 Packets
(2 Tablets Per Packet)

Compare to the active ingredient in
Extra Strength Tylenol® Tablets*

Retain carton for complete product information

Drug Facts

Active ingredient (in each tablet) Acetaminophen 500 mg	Purpose Pain reliever/fever reducer
Uses temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ the common cold ■ headache ■ backache ■ minor pain of arthritis ■ toothache ■ muscular aches ■ premenstrual and menstrual cramps temporarily reduces fever	
Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: <ul style="list-style-type: none"> ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Alergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: <ul style="list-style-type: none"> ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away. Do not use <ul style="list-style-type: none"> ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product Ask a doctor before use if you have liver disease Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop using and ask a doctor if <ul style="list-style-type: none"> ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. <i>(continued on back panel)</i>	

Drug Facts (continued)

Directions <ul style="list-style-type: none"> ■ do not use more than directed (see overdose warning) Adults and children 12 years and over <ul style="list-style-type: none"> ■ take 2 tablets every 6 hours while symptoms last ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor Children under 12 years Ask a doctor	
Other information <ul style="list-style-type: none"> ■ store at room temperature 59°-86°F (15°-30°C) ■ TAMPER EVIDENT child resistant packets ■ do not use any opened or torn packets Inactive ingredients corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide* * may contain	
Questions or comments? 1-800-634-7680	

†Tylenol® is a registered trademark of McNeil Consumer Healthcare and is not affiliated with Medique Products or this product.



Reorder 70433
Manufactured for
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

MEDIQUE AT HOME APAP EXTRA STRENGTH

acetaminophen 500 mg tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-433
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDWL1A)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-433-33	50 in 1 BOX	02/01/2021	
1	NDC:47682-433-99	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/01/2021	

MEDIQUE AT HOME APAP EXTRA STRENGTH

acetaminophen 500 mg tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-043
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR;33
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-043-33	50 in 1 BOX	02/01/2021	11/01/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/01/2021	11/01/2023

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation