

**MEDIQUE AT HOME DIPHEN- diphenhydramine hcl tablet, film coated**  
**Unifirst First Aid Corporation**

-----  
**Medique @ Home Diphen Caplet**

***Drug Facts***

***Active ingredient (in each caplet)***

Diphenhydramine Hydrochloride 25 mg

***Purpose***

Antihistamine

***Uses***

- temporarily relieves these symptoms due to hay fever or other respiratory allergies
- runny nose ■ sneezing ■ itching of the nose or throat ■ itchy, watery eyes
- temporarily relieves these symptoms due to the common cold
- runny nose ■ sneezing

***Warnings***

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin.

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

■ take every 4 to 6 hours, or as directed by a doctor

■ do not take more than 6 times in 24 hours

**Adults and children 12 years and over** 1 to 2 caplets

**Children 6 to under 12 years** 1 caplet

**Children under 6 years** do not use

***Other information***

■ store at room temperature 68°-77°F (20°-25°C)

■ protect from light

■ **TAMPER EVIDENT** child resistant packets

■ do not use any opened or torn packets

***Inactive ingredients***

croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

***Questions or comments?*** 1-800-634-7680

Medique® @ Home

Diphen Caplets

Diphenhydramine HCl 25 mg

Antihistamine

Pull to Open

Child-Resistant Packets

\*not actual size

50 Packets

(1 Caplet Per Packet)

Compare to the active ingredient in Benadryl® Ultratab® Tablets

**Medique** Home

# Diphen Caplets

Diphenhydramine HCl 25 mg  
Antihistamine

Pull to Open



50 Packets  
(1 Caplet Per Packet)

Compare to the active ingredient  
in Benadryl® ULTRATAB® Tablets\*

\*not actual size

### Drug Facts

<b>Active ingredient (in each caplet)</b> Diphenhydramine Hydrochloride 25 mg	<b>Purpose</b> Antihistamine
<b>Uses</b>	
<ul style="list-style-type: none"> <li>temporarily relieves these symptoms due to hay fever or other respiratory allergies           <ul style="list-style-type: none"> <li>runny nose</li> <li>sneezing</li> <li>itching of the nose or throat</li> <li>itchy, watery eyes</li> </ul> </li> <li>temporarily relieves these symptoms due to the common cold           <ul style="list-style-type: none"> <li>runny nose</li> <li>sneezing</li> </ul> </li> </ul>	
<b>Warnings</b>	
<p>Do not use</p> <ul style="list-style-type: none"> <li>to make a child sleepy</li> <li>with any other product containing diphenhydramine, even one that is used on skin</li> </ul> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>a breathing problem such as emphysema or chronic bronchitis</li> <li>trouble urinating due to an enlarged prostate gland</li> <li>glaucoma</li> </ul> <p>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers</p> <p>When using this product</p> <ul style="list-style-type: none"> <li>marked drowsiness may occur</li> <li>avoid alcoholic drinks</li> <li>alcohol, sedatives and tranquilizers may increase the drowsiness</li> <li>be careful when driving a motor vehicle or operating machinery</li> <li>excitability may occur, especially in children</li> </ul> <p>If pregnant or breast feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	
<i>(continued on back panel)</i>	

Retain carton for complete product information

### Drug Facts (continued)

<b>Directions</b>	
<ul style="list-style-type: none"> <li>take every 4 to 6 hours, or as directed by a doctor</li> <li>do not take more than 6 times in 24 hours</li> </ul>	
<b>Adults and children 12 years and over</b>	1 to 2 caplets
<b>Children 6 to under 12 years</b>	1 caplet
<b>Children under 6 years</b>	do not use
<b>Other information</b>	
<ul style="list-style-type: none"> <li>store at room temperature 68°-77°F (20°-25°C)</li> <li>protect from light</li> <li>TAMPER EVIDENT child resistant packets</li> <li>do not use any opened or torn packets</li> </ul>	
<b>Inactive ingredients</b>	
croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide	
<b>Questions or comments?</b> 1-800-634-7680	

†Benadryl® ULTRATAB® is a registered trademark of Johnson & Johnson Corp. and is not affiliated with Medique Products or this product.



Reorder 71450  
Manufactured for  
Medique Products  
Fort Myers, FL 33967  
1-800-634-7680  
www.mediqueproducts.com

## MEDIQUE AT HOME DIPHEN

diphenhydramine hcl tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-166
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)</b> (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)</b>	
<b>CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)</b>	
<b>TITANIUM DIOXIDE (UNII: 15FIX9V2JP)</b>	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE (UNII: Z K64F7XSTX)</b>	
<b>MAGNESIUM STEARATE (UNII: 70097M6I30)</b>	
<b>CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)</b>	
<b>LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)</b>	
<b>SILICON DIOXIDE (UNII: ETJ7Z6XBU4)</b>	
<b>HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)</b>	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	11mm

<b>Flavor</b>		<b>Imprint Code</b>	048;D
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-166-50	50 in 1 BOX	02/01/2021	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2021	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 11/2024

Unifirst First Aid Corporation