

MEDIQUE AT HOME DIPHEN- diphenhydramine hcl tablet, film coated
Unifirst First Aid Corporation

Medique @ Home Diphen Caplet

Drug Facts

Active ingredient (in each caplet)

Diphenhydramine Hydrochloride 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies
- runny nose ■ sneezing ■ itching of the nose or throat ■ itchy, watery eyes
- temporarily relieves these symptoms due to the common cold
- runny nose ■ sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one that is used on skin.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ take every 4 to 6 hours, or as directed by a doctor

■ do not take more than 6 times in 24 hours

Adults and children 12 years and over 1 to 2 caplets

Children 6 to under 12 years 1 caplet

Children under 6 years do not use

Other information

■ store at room temperature 68°-77°F (20°-25°C)

■ protect from light

■ **TAMPER EVIDENT** child resistant packets

■ do not use any opened or torn packets

Inactive ingredients

croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

Questions or comments? 1-800-634-7680

Medique® @ Home

Diphen Caplets

Diphenhydramine HCl 25 mg

Antihistamine

Pull to Open

Child-Resistant Packets

*not actual size

50 Packets

(1 Caplet Per Packet)

Compare to the active ingredient in Benadryl® Ultratab® Tablets

Medique Home

Diphen Caplets

Diphenhydramine HCl 25 mg
Antihistamine

Pull to Open



50 Packets
(1 Caplet Per Packet)

Compare to the active ingredient
in Benadryl® ULTRATAB® Tablets

Drug Facts

Active ingredient (in each caplet) Diphenhydramine Hydrochloride 25 mg **Purpose** Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold
 - runny nose
 - sneezing

Warnings

- Do not use
 - to make a child sleepy
 - with any other product containing diphenhydramine, even one that is used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase the drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

(continued on back panel)

Drug Facts (continued)

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Adults and children 12 years and over 1 to 2 caplets

Children 6 to under 12 years 1 caplet

Children under 6 years do not use

Other information

- store at room temperature 68°-77°F (20°-25°C)
- protect from light
- TAMPER EVIDENT child resistant packets
- do not use any opened or torn packets

Inactive ingredients

croscarmellose sodium, D&C red #27 aluminum lake, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, titanium dioxide

Questions or comments? 1-800-634-7680

†Benadryl® ULTRATAB® is a registered trademark of Johnson & Johnson Corp. and is not affiliated with Medique Products or this product.



Reorder 71450
Manufactured for
Medique Products
Fort Myers, FL 33967
1-800-634-7680
www.mediqueproducts.com

Retain carton for complete product information

MEDIQUE AT HOME DIPHEN

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-166
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: Z K64F7XSTX)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	11mm

Flavor		Imprint Code	048;D
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-166-50	50 in 1 BOX	02/01/2021	
1	NDC:47682-166-46	1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2021	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation