

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet

Bi-Mart

MUCUS RELIEF DM

Active ingredient (in each tablet)

Dextromethorphan HBr 20 mg
Guaifenesin 400 mg

Purpose

Cough Suppressant
Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
- help make coughs more productive

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

When using this product

do not use more than directed.

Stop use and ask a doctor if

- symptoms are accompanied by fever, rash, or persistent headache
- cough persists for more than one week or tends to recur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children,

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a full glass of water
- **adults and children 12 years of age and over:** take 1 tablet every 4 hours as needed
- **Children under 12 years of age:** do not use

Other information

- store at 15° - 30°C (59° to 86°F)

Inactive ingredients

colloidal silicon dioxide, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol (PEG 400), povidone (PVP K-30), sodium starch glycolate, stearic acid.

Questions?

call toll-free **1-844-912-4012**

PRINCIPAL DISPLAY PANEL

0
71357190219

BI-MART
NDC 37835-403-40

Mucosa DM
Immediate Acting
EXPECTORANT / COUGH SUPPRESSANT
Guaifenesin 400 mg, Dextromethorphan HBr 20 mg
Soothes Cough
Loosens Congestion
40 TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts
Active ingredients
Purpose
(in each tablet)
Dextromethorphan HBr 20 mg.....Cough Suppressant
Guaifenesin 400 mg.....Expectorant

Uses
Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold
helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
helps make coughs more productive

Warnings
Do not use
if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product.
Ask a doctor before use if you have
persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis, or emphysema
cough accompanied by excessive phlegm (mucus)
When using this product do not use more than directed.

PEEL FOR DIRECTIONS 403-40-BM 03/25
LIFT HERE

Drug Facts (continued)
Stop use and ask a doctor if
symptoms are accompanied by fever, rash, or persistent headache
cough persists for more than one week or tends to recur
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
take with a full glass of water
adults and children 12 years of age and over: take 1 tablet every 4 hours as needed
children under 12 years of age: do not use

Other information
store at 15° - 30°C (59° to 86°F)

Inactive ingredients
colloidal silicon dioxide, hydrocodone, magnesium stearate, malbolonin, methylcellulose, microcrystalline cellulose, polyethylene glycol (PEG 400), povidone (PVP K-30), sodium starch glycolate, stearic acid.

Questions? call toll-free 1-844-912-4012

Distributed by:
BI-MART
Eugene, OR 97402

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE
If you are not completely satisfied with your BI-MART purchase, please return it to the store of purchase within the unused period and your entire purchase price will be refunded, including.

MUCUS RELIEF DM			
guaifenesin, dextromethorphan hbr tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-403
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg
Inactive Ingredients			
Ingredient Name			Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
METHYLCELLULOSE, UNSPECIFIED (UNII: Z944H5SN0H)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
POVIDONE K30 (UNII: U725QWY32X)			

SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	16mm	
Flavor		Imprint Code	ET16	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-403-40	40 in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		06/01/2025	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)

Establishment			
Name	Address	ID/FEI	Business Operations
ELYSIUM PHARMACEUTICALS LIMITED		915664486	manufacture(37835-403)