TRIPENICOL S- undecylenic acid solution Trifluent Pharma LLC

Tripenicol™ S

DRUG FACTS

ACTIVE INGREDIENT

Undecylenic Acid 25%

PURPOSE

Antifungal

USES

- Cures most Athlete's Foot (Tinea Pedis), Jock Itch (Tinea Cruris), and Ringworm (Tinea Corporis).
- Relives discomfort, itching, cracking, burning and scaling, which accompany these conditions.

OTHER INFORMATION

Store between 20° to 25°C (68° to 77°F)

WARNINGS

For external use only

Ask a doctor or pharmacist before use if you are

• Using any other medicines or cleansers on your skin

When using this product

- Avoid contact with eyes: rinse immediately with cool tap water if contact occurs.
- Do not use for vaginal yeast.

Stop use and ask a doctor if

• Irritation occurs or if there is no improvement within 4 weeks (for Athlete's Foot or Ringworm) or within 2 weeks (for Jock Itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

• Do not use on children under two years of age unless directed by a doctor.

DIRECTIONS

- Wash the affected area with soap and water and dry thoroughly
- Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- For Athlete's Foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- Supervise children in the use of this product.
- For Athlete's Foot and Ringworm, use daily for 4 weeks; for Jock Itch, use daily for 2 weeks. If condition persists longer, consult a doctor.
- This product is not effective on the scalp or nails.
- Wash hands after each use.

INACTIVE INGREDIENTS

Caprylyl Glycol, Carica papaya (Papaya) Fruit Extract, Cetyl Alcohol, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Glycol Stearate, Hexylene Glycol, Hydroxyethylcellulose, Laureth-4, Origanum vulgare (Oregano) Leaf Oil, PEG-8 Laurate, Phenoxyethanol, Polysorbate 20, Propylene Glycol, Purified Water, Sorbitan Laurate, Urea, Vitis vinifera (Grape) Seed Extract.

QUESTIONS OR COMMENTS?

CALL (210) 944-6920

PRINCIPAL DISPLAY PANEL - 37.5 mL Bottle Label

TRIFLUENT PHARMA[®]

TRIPENICOL[™] S ANTIFUNGAL SOLUTION

UNDECYLENIC ACID

NDC 73352-550-01

1.25 FL OZ (37.5 mL)



TRIPENICOL S					
undecylenic acid solution					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (So	urce)	NDC:7	3352-550
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingre	edient Name		Basis o Strengt	-	Strength
UNDECYLENIC ACID (UNII: K3D86 UNII:K3D86KJ24N)	KJ24N) (UNDECYLENIC ACID	-		ACID	0.25 g in 1 mL
Inactive Ingredients					
	Ingredient Name				Strength
WATER (UNII: 059QF0KO0R)					
HYDROXYETHYL CELLULOSE, UI	NSPECIFIED (UNII: T4V6TW	G28D)			
GLYCERIN (UNII: PDC6A3C0OX)					
UREA (UNII: 8W8T17847W)					
PROPYLENE GLYCOL (UNII: 6DC9	Q167V3)				
OREGANO LEAF OIL (UNII: 7D0CG	R40U1)				
GRAPE SEED OIL (UNII: 930MLC8)					
	(GG)				
PAPAYA SEED OIL (UNII: N4P40Z2					
	2DDB)				
PAPAYA SEED OIL (UNII: N4P40Z2 CETYL ALCOHOL (UNII: 936JST6JC GLYCOL STEARATE (UNII: 0324G6	2DDB) N)				

РС	DLYSORBATE 2	20 (UN	III: 7T1F30V5YH)			
			ARATE (UNII: 2300U9XXE4)			
	URETH-4 (UNI					
P⊦	IENOXYETHAN	IOL (L	NII: HIE492ZZ3T)			
C /	APRYLYL GLYC	OL (U	NII: 00YIU5438U)			
ET	HYLHEXYLGL	YCERI	N (UNII: 147D247K3P)			
HE	EXYLENE GLYC	COL (L	NII: KEH0A3F75J)			
Pa	ackaging					
	ackaging Item Code		Package Description		Marketing Start Date	Marketing End Date
#			Package Description nL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not ination Product	а	-	_
#	Item Code		nL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not	a	Date	_
#	Item Code		nL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not	a	Date	_
#	Item Code NDC:73352- 550-01	Comb	nL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not	a	Date	_
#	Item Code NDC:73352- 550-01	Comb	nL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not ination Product		Date	-

Labeler - Trifluent Pharma LLC (117167281)

Revised: 12/2023

Trifluent Pharma LLC