

ULTA BEAUTY TINTED MOISTURIZER SPF-30- octinoxate, titanium dioxide, zinc oxide lotion

Ulta

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredient(s)

OCTINOXATE 7.5%

TITANIUM DIOXIDE 3.5%

ZINC OXIDE 3%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do Not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

stop use and ask a doctor

- if rash occurs.

keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor

Inactive Ingredients

Purified Water, Cyclopentasiloxane, Isononyl Isononanoate, Phenyl Trimethicone, Alcohol Denat., Lauryl PEG-8 Dimethicone, Distearidimonium Hectorite, Sodium Chloride, PEG-10 Dimethicone, Talc, Caprylyl Glycol, ALumina, Stearic Acid, Phenoxyethanol, Potassium Sorbate, Sodium Dehydroacetate, Methicone, Hexylene Glycol, Propanediol, Tocopheryl Acetate, Hydrogen Dimethicone, Boerhavia Diffusa Root Extract, Ascorbyl Palmitate.

MAY CONTAIN: Iron Oxides (CI 77491, CI 77492, CI77499), Titanium Dioxide (CI77891).

Other information

- protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

CALL TOLL FREE 1-866-983-8582

ART WORK LAYOUT



Drug Facts	
Active ingredient(s)	Purpose
Octinoxate 7.5%	Sunscreen
Titanium Dioxide 3.5%	Sunscreen
Zinc Oxide 3%	Sunscreen
Uses	
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product • keep out of eyes. Rinse with water to remove	
Stop use and ask a doctor if • rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> apply liberally 15 minutes before sun exposure reapply at least every 2 hours use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeve shirts, pants, hats, and sunglasses children under 6 months: Ask a doctor 	

1"

.9375"

.875"

.8125"

front

outside

Drug Facts (continued)	
Inactive ingredient(s)	
Purified Water, Cyclopentasiloxane, Isononyl Isononanoate, Phenyl Trimethicone, Alcohol Denat., Lauryl PEG-8 Dimethicone, Disteardimonium Hectorite, Sodium Chloride, PEG-10 Dimethicone, Talk, Caprylyl Glycol, Alumina, Stearic Acid, Phenoxyethanol, Potassium Sorbate, Sodium Dehydroacetate, Methicone, Hexylene Glycol, Propanediol, Tocopheryl Acetate, Hydrogen Dimethicone, Boerhavia Diffusa Root Extract, Ascorbyl Palmitate.	
MAY CONTAIN: Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).	
Other information	
<ul style="list-style-type: none"> protect this product from excessive heat and direct sun 	
Questions or comments?	
Call toll free 1-866-983-8582	
FREE OF PARABENS, MINERAL OIL, OIL & FRAGRANCE	

ULTA BEAUTY TINTED MOISTURIZER SPF-30

octinoxate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62296-0118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

ALCOHOL (UNII: 3K9958V90M)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM OXIDE (UNII: LM26O6933)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BOERHAVIA DIFFUSA ROOT (UNII: KR0SR09KYL)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62296-0118-1	35 mL in 1 TUBE; Type 0: Not a Combination Product	09/27/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/17/2015	

Labeler - Ulta (608168597)