

MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet
CVS Pharmacy, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

5655- CVS

Drug Facts

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of these symptoms associated with motion sickness:

■ nausea ■ vomiting ■ dizziness

Do not give to

children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you

are taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- To prevent motion sickness, take first dose ½ hour to 1 hour before starting activity
- To treat motion sickness, take at first signs of symptoms
- **Adults and children 12 years and over:** 1 to 2 tablets once daily, or as directed by a doctor

Other information

Store in a dry place at 15° – 30°C (59° – 86°F).

corn starch, colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose, magnesium stearate, microcrystalline cellulose

Questions? 1-800-231-4670

For prevention and treatment of motion sickness

RETAIN VIAL CARD FOR COMPLETE PRODUCT INFORMATION

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2022 CVS/pharmacy
CVS.com® 1-800-SHOP CVS V-34571

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine®.

CVSHealth

Compare to the active ingredient in Dramamine® Less Drowsy Formula*

Motion Sickness
Less Drowsy Formula

MECLIZINE HYDROCHLORIDE TABLETS
Antiemetic

- Prevents motion sickness for up to 24 hours
- Protection with less drowsiness

TAMPER EVIDENT: USE ONLY IF THIS BLISTER IS INTACT

16 TABLETS (25 mg EACH)



4.4375



MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-857
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6130)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	5655

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-857-05	2 in 1 CARTON	10/28/2020	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-857-09	1 in 1 CARTON	08/13/2020	
2		8 in 1 VIAL; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	08/13/2020	

Labeler - CVS Pharmacy, Inc (062312574)

Revised: 12/2022

CVS Pharmacy, Inc